

A Field Checklist  
of the Birds of Guyana  
2nd Edition



Michael J. Braun  
Davis W. Finch  
Mark B. Robbins  
*and*  
Brian K. Schmidt

Smithsonian Institution



**USAID**  
FROM THE AMERICAN PEOPLE

# A Field Checklist of the Birds of Guyana

## 2nd Edition

*by*

Michael J. Braun,  
Davis W. Finch,  
Mark B. Robbins,  
*and*  
Brian K. Schmidt

Publication 121 of the  
Biological Diversity of the Guiana Shield Program  
National Museum of Natural History  
Smithsonian Institution  
Washington, DC, USA

Produced under the auspices of the  
Centre for the Study of Biological Diversity  
University of Guyana  
Georgetown, Guyana

2007

PREFERRED CITATION:

Braun, M. J., D. W. Finch, M. B. Robbins and B. K. Schmidt.  
2007. *A Field Checklist of the Birds of Guyana, 2nd Ed.*  
Smithsonian Institution, Washington, D.C.

AUTHORS' ADDRESSES:

**Michael J. Braun** - Department of Vertebrate Zoology,  
National Museum of Natural History, Smithsonian  
Institution, 4210 Silver Hill Rd., Suitland, MD, USA  
20746 (braunm@si.edu)

**Davis W. Finch** - WINGS, 1643 North Alvernon Way, Suite  
105, Tucson, AZ, USA 85712 (wings@wingsbirds.com)

**Mark B. Robbins** - Division of Ornithology, Natural History  
Museum, University of Kansas, Lawrence, KS, USA  
66045 (mrobbins@ku.edu)

**Brian K. Schmidt** - Smithsonian Institution, Division of  
Birds, PO Box 37012, Washington, DC, USA 20013-  
7012 (schmidt@si.edu)

---

COVER ILLUSTRATION:

Guyana's national bird, the Hoatzin or Canje Pheasant,  
*Opisthocomus hoazin*, by Dan Lane.

# INTRODUCTION

This publication presents a comprehensive list of the birds of Guyana with summary information on their habitats, biogeographical affinities, migratory behavior and abundance, in a format suitable for use in the field. It should facilitate field identification, especially when used in conjunction with an illustrated work such as *Birds of Venezuela* (Hilty 2003). It is part of a series of comprehensive lists of the flora and fauna of Guyana being developed by the Smithsonian Institution's Biological Diversity of the Guiana Shield Program and the Centre for the Study of Biological Diversity, University of Guyana (Boggan *et al.* 1997, Hollowell & Reynolds 2005, [www.nmnh.si.edu/biodiversity/bdg.htm](http://www.nmnh.si.edu/biodiversity/bdg.htm)).

The first edition of this list (Braun *et al.* 2000) included 786 species. The list presently stands at 814 species that have been documented as occurring in Guyana. It builds upon the long out-of-print work of Snyder (1966), who listed 720 species. Her list is largely treated as authoritative, but 10 species are removed for lack of concrete documentation. These are *Tinamus tao*, *Butorides virescens*, *Patagioenas fasciata*, *Crotophaga sulcirostris*, *Pharomachrus fulgidus*, *Iodopleura pipra*, *Tangara peruviana*, *Loxigilla noctis*, *Sporophila hypochroma* and *Gymnomystax mexicanus*. Species included are those whose occurrence in the country is supported by physical evidence (specimen, photograph, sound recording, or band recovery) or written documentation of a sight record by a reliable, experienced observer (see below). The nomenclature follows *A Classification of the Bird Species of South America* (Remsen *et al.* 2007).

## DEFINITIONS

Abbreviations and symbols are used for various categories of habitat, endemism, migration and abundance. The endemism and habitat codes follow Stotz *et al.* (1996); some habitat codes are modified to reflect the authors' experience in Guyana. Figure 1 (inside back cover) shows the distribution of principal habitats in Guyana.

### HABITAT CODES

- |    |  |
|----|--|
| LF | Lowland forest, including both <i>terra firme</i> and seasonally flooded forest.                   |
| MF | Montane forest.  |
| RI | Riverine habitats, including the river and their islands, banks, waterfalls, and riparian forests. |
| MA | Marine or salt water habitats, including coastal and pelagic waters.                               |
| MU | Mudflats and coastal beaches.  |

FW	Fresh water habitats, including lakes, impoundments, ponds, oxbows, marshes, and canals.
MN	Mangrove forest.
HU	Habitats altered by humans, such as gardens, towns, roadsides, agricultural lands, disturbed forests and forest edge.
SV	Savanna grasslands.
SC	Scrub or brush habitats, including white sand scrub, bush islands, and dense, low second growth.
PA	Palm trees and forests.

#### **ENDEMISM AND MIGRATION CODES (EN/MI)**

GUI	Restricted to the Guianas and adjacent Venezuela and Brazil.
TEP	Restricted to the tepui highlands of Venezuela, Brazil and Guyana. In Guyana, these include the Pacaraima and Merume Mountains.
AMN	Restricted to Amazonian (and Guianan) lowlands north of the Amazon.
NEA	Nearctic migrant; except for shorebirds, these occur September-May and are absent in the northern summer months of June-August.
AUS	Austral migrant; typically present May- September.

#### **ABUNDANCE CODES (ABU)**

C	Common; more than 20 individuals encountered daily in prime habitat and season.
F	Fairly common; 5-20 individuals encountered daily in prime habitat and season.
U	Uncommon; present in small numbers (fewer than 5 individuals per day); not encountered daily even in prime habitat and season.
S	Scarce; only occasionally encountered in small numbers even in prime habitat and season.
?	Occurs in Guyana but status unclear due to scarcity of data.
E	Extirpated; no longer occurs, probably as a result of hunting (Horned Screamer).
†	Extinct (Eskimo Curlew).
L	Local; used with other abundance codes to indicate that a species' distribution in the country is patchy and that it is absent from large areas of apparently suitable habitat.
[ ]	Sight records only (24 species).
*	Reported for Guyana, but needs verification (14 species).

## DOCUMENTING NEW RECORDS

While this list contains new information, much remains to be learned. Every effort should be made to document species not on this list, as well as those marked by brackets or asterisks, or with an abundance code of “?”. Copies of photographs, tape recordings and/or written details of sight records may be sent to the first author. These should include date, time, specific locality, observers’ names and addresses, description of size, shape and color pattern with specific field marks used to eliminate similar species, habitat, behavior, light conditions, optical equipment and previous experience of the observers with the species in question and its relatives.

Documenting new or unusual distributional records of birds is only the beginning. Little is known of the habitat, behavior, migration, breeding and ecology of many Neotropical birds. New and significant discoveries await any keen observer with a pair of binoculars and a field guide! We hope this publication will generate new information on the status and distribution of Guyana’s birdlife and result in an increased commitment to its preservation.

## ACKNOWLEDGEMENTS

We give special thanks to the Amerindian Peoples of Guyana for their invaluable assistance during all our fieldwork. The assistance of Harold Ameer, Calvin Bernard, John Caesar, Malcolm and Margaret Chan-A-Sue, Phillip DaSilva, Duane, Sandy and Justin deFreitas, Colin Edwards, Laurice Franklin, Vicki Funk, Patricia Gentili-Poole, Ashley Holland, Shirley Humphrys, Carol Kelloff, Ramesh Lilwah, Diane McTurk, Christopher Milensky, Andy Naraine, Dyantie Naraine, Louis Orella, Claudius Perry, Annie Pitamber, Waldyke Prince, Indarjit Ramdass, Nathan Rice, Michael Tamessar, Tony Thorne and Romeo Williams has been indispensable. Mark Adams, David Agro, David Ascanio, Brian Barber, Robb Brumfield, Kim Bostwick, Santiago Claramunt, H. David Clarke, Mario Cohn-Haft, James Dean, Kristine Erskine, Christina Gebhard, Chris Huddleston, Leo Joseph, Judy Karwacki, Jewel Liddell, Elford Liverpool, Gerlof Mees, Naseem Nasir, Brian O’Shea, Javier Piedra, K.P. Raghunath, Robert Ridgely, Greg Schmitt, Douglas Stotz, Graham Watkins, Bret Whitney, Jane Winchell and Kristof Zyskowski also aided us in many ways. The following organizations provided permission, advice and support: National Biodiversity Advisory Committee of the Environmental Protection Agency, Ministry of Amerindian Affairs, Embassy of the United States of America, Georgetown, Guyana, Wilderness Explorers, Iwokrama International Centre for Rain Forest Conservation and Development, National Geographic Society, American Bird Conservancy, National Aviary,

Conservation International, South Rupununi Conservation Society, and American Federation of Aviculturists. This publication is made possible by the support of the American People through the United States Agency for International Development (USAID.) The contents of this publication are the sole responsibility of the authors and do not necessarily reflect the views of USAID or the United States Government.

## REFERENCES

- Barnett, A., R. Shapley, P. Benjamin, E. Henry, and M. McGarrell. 2002. Birds of the Potaro Plateau, with eight new species for Guyana. *Cotinga* 18:19-36.
- Boggan, J., V. Funk, C. Kelloff, M. Hoff, G. Cremers, & C. Feuillet. 1997. *Checklist of the Plants of the Guianas*, 2nd Ed. Biological Diversity of the Guianas Program, Smithsonian Institution, Washington, D.C. 238 pp.
- Braun, M. J., D. W. Finch, M. B. Robbins and B. K. Schmidt. 2000. *A Field Checklist of the Birds of Guyana*. Smithsonian Institution, Washington, D.C.
- Braun, M. J., M. B. Robbins, C. M. Milensky, B. J. O'Shea, B. R. Barber, W. Hinds and W. S. Prince. 2003. New birds for Guyana from Mts. Roraima and Ayanganna. *Bull. Brit. Orn. Club* 123: 24-33.
- Braun, M. J., M. L. Isler, P. R. Isler, J. M. Bates and M. B. Robbins. 2005. Avian speciation in the Pantepui: The case of the Roraiman Antbird (*Percnostola* [*Schistocichla*] "*leucostigma*" *saturata*). *Condor* 107: 329-343.
- Haverschmidt, F., and G. F. Mees. 1994. *Birds of Suriname*. VACO, N.V., Paramaribo.
- Hilty, S. L. 2003. *Birds of Venezuela*. 2nd Ed. Princeton Univ. Press, Princeton, New Jersey.
- Hollowell, T., and R. P. Reynolds, eds. 2005. Checklist of the Terrestrial Vertebrates of the Guiana Shield. *Bulletin of the Biological Society of Washington*, no 13.
- Meyer de Schauensee, R., and W. H. Phelps, Jr. 1978. *A Guide to the Birds of Venezuela*. Princeton University Press, Princeton.
- O'Shea, B. J., C. M. Milensky, S. Claramunt, B. K. Schmidt, C. A. Gebhard, C. G. Schmitt, and K. T. Erskine. 2007. New records for Guyana, with description of the voice of Roraiman Nightjar (*Caprimulgus whitelyi*). *Bull. Brit. Ornith. Club*, in press.
- Parker, T. A., III, R. B. Foster, L. H. Emmons, P. Freed, A. B. Forsyth, B. Hoffman, and B. D. Gill. 1993. A biological assessment of the Kanuku Mountain region of southwestern Guyana. Conservation International, RAP Working Papers 5.
- Remsen, J. V., A. Jaramillo, M. Nores, J. F. Pacheco, M. B. Robbins, T. S.



- Schulenberg, F. G. Stiles, J. M. C. da Silva, D. F. Stotz, & K. J. Zimmer. 2007 (March 12 version). A classification of the bird species of South America. Am. Ornithologists' Union, <http://www.museum.lsu.edu/~Remsen/SACCBaseline.html>.
- Ridgely, R. S., and G. Tudor. 1989. *The Birds of South America, Volume I: The Oscine Passerines*. University of Texas Press, Austin.
- Ridgely, R. S., and G. Tudor. 1994. *The Birds of South America, Volume II: The Suboscine Passerines*. University of Texas Press, Austin.
- Ridgely, R. S., D. Agro, & L. Joseph. 2005. Birds of Iwokrama Forest. *Proc. Academy of Nat. Sci.* 154:109-121.
- Robbins, M. B., M. J. Braun and D. W. Finch. 2003. Discovery of a population of the endangered Red Siskin (*Carduelis cucullata*) in Guyana. *Auk* 120: 291-298.
- Robbins, M. B., M. J. Braun and D. W. Finch. 2004. Avifauna of the Guyana southern Rupununi, with comparisons to other savannas of northern South America. *Ornitología Neotropical* 15:173-200.
- Robbins, M. B., M. J. Braun, Christopher J. Huddleston, Davis W. Finch, & Christopher M. Milensky. 2005. First Guyana records, natural history, and systematics of the White-naped Seedeater (*Dolospingus fringilloides*). *Ibis* 147: 334-341.
- Robbins, M. B., M. J. Braun, C. M. Milensky, B. K. Schmidt, W. Prince, N. H. Rice, D. W. Finch and B. J. O'Shea. 2007. Avifauna of the Upper Essequibo River and Acary Mountains, Southern Guyana, with comparisons to other Guianan Shield sites. *Ornitología Neotropical* 18.
- Snyder, D. E. 1966. *The Birds of Guyana*. Peabody Museum, Salem.
- Stotz, D. F., J. W. Fitzpatrick, T. A. Parker III, and D. K. Moskovits. 1996. *Neotropical Birds: Ecology and Conservation*. University of Chicago Press, Chicago.
- Tostain, Olivier, J.-L. Dujardin, Ch. Érard and J.-M. Thiollay. 1992. *Oiseaux de Guyane*. Société d'Études Ornithologiques, Brunoy, France.

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

**Tinamous Tinamidae**

1	<b>Great Tinamou</b> <i>Tinamus major</i>	LF		F
2	<b>Cinereous Tinamou</b> <i>Crypturellus cinereus</i>	LF, SC		F
3	<b>Little Tinamou</b> <i>Crypturellus soui</i>	SC, LF		F
4	<b>Undulated Tinamou</b> <i>Crypturellus undulatus</i>	LF		F
5	<b>Red-legged Tinamou</b> <i>Crypturellus erythropus</i>	LF, SC		U
6	<b>Variiegated Tinamou</b> <i>Crypturellus variegatus</i>	LF		F
7	<b>Rusty Tinamou</b> <i>Crypturellus brevirostris</i>	LF, MF		S

**Screamers Anhimidae**

8	<b>Horned Screamer</b> <i>Anhima cornuta</i>	FW		E
---	--	----	--	---

**Ducks, Geese Anatidae**

9	<b>Fulvous Whistling-Duck</b> <i>Dendrocygna bicolor</i>	FW		S
10	<b>White-faced Whistling-Duck</b> <i>Dendrocygna viduata</i>	FW		C
11	<b>Black-bellied Whistling-Duck</b> <i>Dendrocygna autumnalis</i>	FW		C
12	<b>Orinoco Goose</b> <i>Neochen jubata</i>	RI, FW		S
13	<b>Muscovy Duck</b> <i>Cairina moschata</i>	FW, RI		C
14	<b>Comb Duck</b> <i>Sarkidiornis melanotos</i>	FW		S
15	<b>Brazilian Teal</b> <i>Amazonetta brasiliensis</i>	FW		C
16	<b>Northern Pintail</b> <i>Anas acuta</i>	FW	NEA	S
17	<b>White-cheeked Pintail</b> <i>Anas bahamensis</i>	FW, MN		S
18	<b>Blue-winged Teal</b> <i>Anas discors</i>	FW	NEA	S
19	<b>Masked Duck</b> <i>Nomonyx dominicus</i>	FW		U

**Curassows, Guans Cracidae**

20	<b>Variable Chachalaca</b> <i>Ortalis motmot</i>	LF, SC		C
21	<b>Marail Guan</b> <i>Penelope marail</i>	LF	GUI	U
22	<b>Spix's Guan</b> <i>Penelope jacquacu</i>	LF		F
23	<b>Blue-throated Piping-Guan</b> <i>Pipile cumanensis</i>	LF, MF		FL
24	<b>Crestless Curassow</b> <i>Mitu tomentosum</i>	RI, LF	AMN	UL
25	<b>Black Curassow</b> <i>Crax alector</i>	LF, MF	AMN	F

**Quails Odontophoridae**

26	<b>Crested Bobwhite</b> <i>Colinus cristatus</i>	SV, SC, HU		F
27	<b>Marbled Wood-Quail</b> <i>Odontophorus gujanensis</i>	LF		F

**Grebes Podicipedidae**

28	<b>Least Grebe</b> <i>Tachybaptus dominicus</i>	FW		F
29	<b>Pied-billed Grebe</b> <i>Podilymbus podiceps</i>	FW		S

**Shearwaters Procellariidae**

30	<b>Cory's Shearwater</b> <i>Calonectris diomedea</i>	MA		?
31	<b>Greater Shearwater</b> <i>Puffinus gravis</i> *	MA		?
32	<b>Audubon's Shearwater</b> <i>Puffinus lherminieri</i>	MA		?

**Storm-Petrels Hydrobatidae**

33	<b>Wilson's Storm-Petrel</b> <i>Oceanites oceanicus</i>	MA		?
34	<b>Leach's Storm-Petrel</b> <i>Oceanodroma leucorhoa</i>	MA		?

**Pelicans Pelecanidae**

35	<b>Brown Pelican</b> <i>Pelecanus occidentalis</i>	MA		F
----	--	----	--	---

**Boobies Sulidae**

36	<b>Brown Booby</b> <i>Sula leucogaster</i>	MA		?
----	--	----	--	---

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

**Cormorants** **Phalacrocoracidae**

37	<b>Neotropic Cormorant</b> <i>Phalacrocorax brasilianus</i>	FW, RI		C
----	---	--------	--	---

**Anhingas** **Anhingidae**

38	<b>Anhinga</b> <i>Anhinga anhinga</i>	FW, RI		C
----	---------------------------------------	--------	--	---

**Frigatebirds** **Fregatidae**

39	<b>Magnificent Frigatebird</b> <i>Fregata magnificens</i>	MA, MN		C
----	---	--------	--	---

**Hérons** **Ardeidae**

40	<b>Rufescent Tiger-Heron</b> <i>Tigrisoma lineatum</i>	FW		F
41	<b>Fasciated Tiger-Heron</b> <i>Tigrisoma fasciatum</i>	RI		S
42	<b>Agami Heron</b> <i>Agamia agami</i>	LF, RI		U
43	<b>Boat-billed Heron</b> <i>Cochlearius cochlearius</i>	FW, MN		F
44	<b>Zigzag Heron</b> <i>Zebriulus undulatus</i>	LF, RI		S
45	<b>Pinnated Bittern</b> <i>Botaurus pinnatus</i>	FW		F
46	<b>Least Bittern</b> <i>Ixobrychus exilis</i>	FW		F
47	<b>Stripe-backed Bittern</b> <i>Ixobrychus involucris</i>	FW		?
48	<b>Black-crowned Night-Heron</b> <i>Nycticorax nycticorax</i>	FW, MU		C
49	<b>Yellow-crowned Night-Heron</b> <i>Nyctanassa violacea</i>	MN, FW, MU		U
50	<b>Striated Heron</b> <i>Butorides striata</i>	FW, MN, RI		C
51	<b>Cattle Egret</b> <i>Bubulcus ibis</i>	HU		C
52	<b>Cocoi Heron</b> <i>Ardea cocoi</i>	FW, RI		C
53	<b>Great Egret</b> <i>Ardea alba</i>	MU, FW		C
54	<b>Capped Heron</b> <i>Pilherodius pileatus</i>	FW, RI		F
55	<b>Tricolored Heron</b> <i>Egretta tricolor</i>	MN, MU		C
56	<b>Snowy Egret</b> <i>Egretta thula</i>	MU, MN, FW		C
57	<b>Little Blue Heron</b> <i>Egretta caerulea</i>	MN, MU, FW		C

**Ibises** **Threskiornithidae**

58	<b>Scarlet Ibis</b> <i>Eudocimus ruber</i>	FW, MN, HU		C
59	<b>[Glossy Ibis</b> <i>Plegadis falcinellus</i> ] *	FW		?
60	<b>Sharp-tailed Ibis</b> <i>Cercibis oxycerca</i>	FW, SV		F
61	<b>Green Ibis</b> <i>Mesembrinibis cayennensis</i>	LF, RI		C
62	<b>Bare-faced Ibis</b> <i>Phimosus infuscatus</i> *	FW		?
63	<b>Buff-necked Ibis</b> <i>Theristicus caudatus</i>	FW, HU, SV		F
64	<b>Roseate Spoonbill</b> <i>Platalea ajaja</i>	MU, FW		F

**Storks** **Ciconiidae**

65	<b>Maguari Stork</b> <i>Ciconia maguari</i>	SV, HU, FW		F
66	<b>Jabiru</b> <i>Jabiru mycteria</i>	FW, SV		F
67	<b>Wood Stork</b> <i>Mycteria americana</i>	FW		C

**Vultures** **Cathartidae**

68	<b>Turkey Vulture</b> <i>Cathartes aura</i>	HU, SC, SV		C
69	<b>Lesser Yellow-headed Vulture</b> <i>Cathartes burrovianus</i>	SV, SC, FW		C

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

70	<b>Greater Yellow-headed Vulture</b> <i>Cathartes melambrotus</i>	LF		C
71	<b>Black Vulture</b> <i>Coragyps atratus</i>	SC, HU		C
72	<b>King Vulture</b> <i>Sarcoramphus papa</i>	LF, SV		F

**Flamingos** **Phoenicopteridae**

73	<b>Greater Flamingo</b> <i>Phoenicopterus ruber</i>	MU, MA		?
----	---	--------	--	---

**Osprey** **Pandionidae**

74	<b>Osprey</b> <i>Pandion haliaetus</i>	MA, FW, RI	NEA	F
----	--	---------------	-----	---

**Hawks, Eagles** **Accipitridae**

75	<b>Gray-headed Kite</b> <i>Leptodon cayanensis</i>	LF		U
76	<b>Hook-billed Kite</b> <i>Chondrohierax uncinatus</i>	LF, RI, MF		U
77	<b>Swallow-tailed Kite</b> <i>Elanoides forficatus</i>	LF, MF		F
78	<b>Pearl Kite</b> <i>Gampsonyx swainsonii</i>	SV, SC, HU		U
79	<b>White-tailed Kite</b> <i>Elanus leucurus</i>	HU, SV, SC		F
80	<b>Snail Kite</b> <i>Rostrhamus sociabilis</i>	FW, HU		C
81	<b>Slender-billed Kite</b> <i>Helicolestes hamatus</i>	RI, FW		S
82	<b>Double-toothed Kite</b> <i>Harpagus bidentatus</i>	LF, MF		U
83	<b>Rufous-thighed Kite</b> <i>Harpagus diodon</i>	LF, MF	AUS?	S
84	<b>Plumbeous Kite</b> <i>Ictinia plumbea</i>	LF		F
85	<b>Long-winged Harrier</b> <i>Circus buffoni</i>	SV, SC, FW		U
86	<b>Gray-bellied Hawk</b> <i>Accipiter poliogaster</i>	LF	AUS?	S
87	<b>Tiny Hawk</b> <i>Accipiter superciliosus</i>	LF, MF		S
88	<b>Sharp-shinned Hawk</b> <i>Accipiter striatus</i>	LF, MF		S
89	<b>Bicolored Hawk</b> <i>Accipiter bicolor</i>	LF, SC, SV		U
90	<b>Crane Hawk</b> <i>Geranospiza caerulescens</i>	LF		F
91	<b>Black-faced Hawk</b> <i>Leucopternis melanops</i>	LF		U
92	<b>White Hawk</b> <i>Leucopternis albicollis</i>	LF, MF		F
93	<b>Common Black-Hawk</b> <i>Buteogallus anthracinus</i>	MN, PA		UL
94	<b>Rufous Crab-Hawk</b> <i>Buteogallus aequinoctialis</i>	MN, HU		F
95	<b>Great Black-Hawk</b> <i>Buteogallus urubitinga</i>	LF, RI		F
96	<b>Savanna Hawk</b> <i>Buteogallus meridionalis</i>	SV, SC		C
97	<b>[Solitary Eagle</b> <i>Harpyhaliaetus solitarius</i> *	?		?
98	<b>Black-collared Hawk</b> <i>Busarellus nigricollis</i>	FW, RI		F
99	<b>Roadside Hawk</b> <i>Buteo magnirostris</i>	HU, SC		F
100	<b>[Broad-winged Hawk</b> <i>Buteo platypterus]</i>	LF, MF		S
101	<b>Gray Hawk</b> <i>Buteo nitidus</i>	SC, HU		F
102	<b>Short-tailed Hawk</b> <i>Buteo brachyurus</i>	LF		U
103	<b>White-tailed Hawk</b> <i>Buteo albicaudatus</i>	SV, SC		F
104	<b>Zone-tailed Hawk</b> <i>Buteo albonotatus</i>	LF, SC		U
105	<b>Crested Eagle</b> <i>Morphnus guianensis</i>	LF		S
106	<b>Harpy Eagle</b> <i>Harpia harpyja</i>	LF		S
107	<b>Black-and-white Hawk-Eagle</b> <i>Spizaetus melanoleucus</i>	LF, MF		U
108	<b>Black Hawk-Eagle</b> <i>Spizaetus tyrannus</i>	LF, MF, PA		U
109	<b>Ornate Hawk-Eagle</b> <i>Spizaetus ornatus</i>	LF, MF		U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

**Falcons, Caracaras Falconidae**

110	<b>Black Caracara</b> <i>Daptrius ater</i>	RI, LF, SC		F
111	<b>Red-throated Caracara</b> <i>Ibycter americanus</i>	LF		F
112	<b>Southern Caracara</b> <i>Caracara plancus</i>	SV, HU, SC		C
113	<b>Yellow-headed Caracara</b> <i>Milvago chimachima</i>	SV, SC, HU		F
114	<b>Laughing Falcon</b> <i>Herpetotheres cachinnans</i>	LF, SC		U
115	<b>Barred Forest-Falcon</b> <i>Micrastur ruficollis</i>	LF		U
116	<b>Lined Forest-Falcon</b> <i>Micrastur gilvicollis</i>	LF		U
117	<b>Slaty-backed Forest-Falcon</b> <i>Micrastur mirandollei</i>	LF		S
118	<b>Collared Forest-Falcon</b> <i>Micrastur semitorquatus</i>	LF, SC		U
119	<b>American Kestrel</b> <i>Falco sparverius</i>	SV, SC, HU		F
120	[ <b>Merlin</b> <i>Falco columbarius</i> ]	HU, MU, SV	NEA	S
121	<b>Bat Falcon</b> <i>Falco rufigularis</i>	LF, SC, RI		F
122	<b>Orange-breasted Falcon</b> <i>Falco deiroleucus</i>	LF, MF		S
123	<b>Aplomado Falcon</b> <i>Falco femoralis</i>	SV, SC		U
124	<b>Peregrine Falcon</b> <i>Falco peregrinus</i>	MU, SC, HU	NEA	U

**Limpkin Aramididae**

125	<b>Limpkin</b> <i>Aramus guarauna</i>	FW		F
-----	---------------------------------------	----	--	---

**Trumpeters Psophiidae**

126	<b>Gray-winged Trumpeter</b> <i>Psophia crepitans</i>	LF		F
-----	---	----	--	---

**Rails Rallidae**

127	<b>Speckled Crake</b> <i>Coturnicops notatus</i>	SV		S
128	<b>Ocellated Crake</b> <i>Micropygia schomburgkii</i>	SV		U
129	<b>Clapper Rail</b> <i>Rallus longirostris</i>	MN		F
130	<b>Gray-necked Wood-Rail</b> <i>Aramides cajanea</i>	FW, MN, LF		F
131	<b>Rufous-necked Wood-Rail</b> <i>Aramides axillaris</i>	MN, LF		U
132	<b>Uniform Crake</b> <i>Amaurolimnas concolor</i>	LF		S
133	<b>Russet-crowned Crake</b> <i>Anurolimnas viridis</i>	SV, SC		U
134	<b>Rufous-sided Crake</b> <i>Laterallus melanophaius</i>	FW		F
135	<b>Gray-breasted Crake</b> <i>Laterallus exilis</i>	FW, SV		S
136	<b>Yellow-breasted Crake</b> <i>Porzana flaviventer</i>	FW		U
137	<b>Ash-throated Crake</b> <i>Porzana albicollis</i>	FW		F
138	<b>Sora</b> <i>Porzana carolina</i>	FW	NEA	S
139	<b>Paint-billed Crake</b> <i>Neocrex erythrops</i>	HU, FW		U
140	<b>Common Moorhen</b> <i>Gallinula chloropus</i>	FW		S
141	<b>Purple Gallinule</b> <i>Porphyrio martinica</i>	FW		F
142	<b>Azure Gallinule</b> <i>Porphyrio flavirostris</i>	FW		F

**Finfoots Heliornithidae**

143	<b>Sungrebe</b> <i>Heliornis fulica</i>	FW, RI		F
-----	---	--------	--	---

**Sunbittern Eurypygidae**

144	<b>Sunbittern</b> <i>Eurypyga helias</i>	RI, LF		F
-----	--	--------	--	---

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
--	--------------------------------	---------	-------	-----

**Plovers Charadriidae**

145	<b>Pied Lapwing</b> <i>Vanellus cayanus</i>	RI		F
146	<b>Southern Lapwing</b> <i>Vanellus chilensis</i>	FW, HU, SV		C
147	<b>American Golden-Plover</b> <i>Pluvialis dominica</i>	SV, HU	NEA	F
148	<b>Black-bellied Plover</b> <i>Pluvialis squatarola</i>	MU	NEA	C
149	<b>Semipalmated Plover</b> <i>Charadrius semipalmatus</i>	MU	NEA	C
150	<b>Wilson's Plover</b> <i>Charadrius wilsonia</i>	MU		U
151	<b>Collared Plover</b> <i>Charadrius collaris</i>	MU, RI		F

**Stilts Recurvirostridae**

152	<b>Black-necked Stilt</b> <i>Himantopus mexicanus</i>	FW	NEA?	S
-----	---	----	------	---

**Thick-knees Burhinidae**

153	<b>Double-striped Thick-knee</b> <i>Burhinus bistriatus</i>	SV, HU		F
-----	---	--------	--	---

**Sandpipers Scolopacidae**

154	<b>Wilson's Snipe</b> <i>Gallinago delicata</i>	FW, SV	NEA	?
155	<b>South American Snipe</b> <i>Gallinago paraguaiiae</i>	FW, SV		F
156	<b>Giant Snipe</b> <i>Gallinago undulata</i>	SV, FW		S
157	<b>Short-billed Dowitcher</b> <i>Limnodromus griseus</i>	MU	NEA	C
158	[ <b>Hudsonian Godwit</b> <i>Limosa haemastica</i> ]	MU, FW	NEA	S
159	<b>Eskimo Curlew</b> <i>Numenius borealis</i> †	SV	NEA	†
160	<b>Whimbrel</b> <i>Numenius phaeopus</i>	MU, MN, HU	NEA	F
161	<b>Upland Sandpiper</b> <i>Bartramia longicauda</i>	SV, HU	NEA	S
162	<b>Willet</b> <i>Tringa semipalmata</i>	MU, MN	NEA	F
163	<b>Greater Yellowlegs</b> <i>Tringa melanoleuca</i>	FW, MU, HU	NEA	C
164	<b>Lesser Yellowlegs</b> <i>Tringa flavipes</i>	FW, MU, HU	NEA	C
165	<b>Solitary Sandpiper</b> <i>Tringa solitaria</i>	FW, RI	NEA	F
166	<b>Spotted Sandpiper</b> <i>Actitis macularius</i>	RI, MN, FW	NEA	C
167	<b>Ruddy Turnstone</b> <i>Arenaria interpres</i>	MU	NEA	C
168	<b>Red Knot</b> <i>Calidris canutus</i>	MU	NEA	C
169	<b>Sanderling</b> <i>Calidris alba</i>	MU	NEA	C
170	<b>Semipalmated Sandpiper</b> <i>Calidris pusilla</i>	MU	NEA	C
171	<b>Western Sandpiper</b> <i>Calidris mauri</i>	MU	NEA	C
172	<b>Least Sandpiper</b> <i>Calidris minutilla</i>	MU, FW	NEA	F
173	<b>White-rumped Sandpiper</b> <i>Calidris fuscicollis</i>	MU, FW	NEA	C
174	<b>Pectoral Sandpiper</b> <i>Calidris melanotos</i>	MU, FW, HU	NEA	F
175	[ <b>Stilt Sandpiper</b> <i>Calidris himantopus</i> ]	MU, FW	NEA	U
176	[ <b>Buff-breasted Sandpiper</b> <i>Tryngites subruficollis</i> ]	SV, HU	NEA	S

**Jacanas Jacanidae**


177	<b>Wattled Jacana</b> <i>Jacana jacana</i>	FW		C
-----	--	----	--	---

**Skuas Stercorariidae**

178	<b>Great Skua</b> <i>Stercorarius skua</i>	MA	NEA	?
179	<b>Pomarine Jaeger</b> <i>Stercorarius pomarinus</i>	MA	NEA	S
180	[ <b>Parasitic Jaeger</b> <i>Stercorarius parasiticus</i> ]	MA	NEA	?

**Gulls, Terns Laridae**

181	[ <b>Lesser Black-backed Gull</b> <i>Larus fuscus</i> ]	MA, MU	NEA	U
-----	---	--------	-----	---

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
182	<b>Laughing Gull</b> <i>Larus atricilla</i>	MA, MU		C
183	<b>Brown Noddy</b> <i>Anous stolidus</i>	MA		S
184	<b>Sooty Tern</b> <i>Onychoprion fuscatus</i>	MA		S
185	[ <b>Bridled Tern</b> <i>Onychoprion anaethetus</i> ]	MA		?
186	<b>Least Tern</b> <i>Sternula antillarum</i>	MA, MU	NEA	F
187	<b>Yellow-billed Tern</b> <i>Sternula superciliaris</i>	RI, FW		C
188	<b>Large-billed Tern</b> <i>Phaetusa simplex</i>	RI, FW		F
189	<b>Gull-billed Tern</b> <i>Gelochelidon nilotica</i>	MA, MU, FW		U
190	[ <b>Black Tern</b> <i>Chlidonias niger</i> ]	MA	NEA	F
191	<b>Common Tern</b> <i>Sterna hirundo</i>	MA, MU	NEA	C
192	<b>Roseate Tern</b> <i>Sterna dougallii</i>	MA, MU	NEA	C
193	[ <b>Arctic Tern</b> <i>Sterna paradisaea</i> ]	MA	NEA	?
194	<b>Sandwich Tern</b> <i>Thalasseus sandvicensis</i>	MA, MU		C
195	[ <b>Royal Tern</b> <i>Thalasseus maximus</i> ]	MA, MU		C

**Skimmers Rynchopidae**


196	<b>Black Skimmer</b> <i>Rynchops niger</i>	MA, MU, RI		C
-----	--	------------	--	---

**Pigeons, Doves Columbidae**

197	<b>Common Ground-Dove</b> <i>Columbina passerina</i>	SC, HU, SV		C
198	<b>Plain-breasted Ground-Dove</b> <i>Columbina minuta</i>	SV, SC		U
199	<b>Ruddy Ground-Dove</b> <i>Columbina talpacoti</i>	SC, HU		C
200	<b>Blue Ground-Dove</b> <i>Claravis pretiosa</i>	LF, SC		F
201	<b>Rock Pigeon</b> <i>Columba livia</i>	HU		CL
202	<b>Scaled Pigeon</b> <i>Patagioenas speciosa</i>	LF, SC, SV		F
203	<b>Pale-vented Pigeon</b> <i>Patagioenas cayennensis</i>	SC, SV, RI		C
204	<b>Plumbeous Pigeon</b> <i>Patagioenas plumbea</i>	LF, MF		F
205	<b>Ruddy Pigeon</b> <i>Patagioenas subvinacea</i>	LF, MF		F
206	<b>Eared Dove</b> <i>Zenaida auriculata</i>	SC, HU, SV		C
207	<b>White-tipped Dove</b> <i>Leptotila verreauxi</i>	SC		C
208	<b>Gray-fronted Dove</b> <i>Leptotila rufaxilla</i>	LF		F
209	<b>Violaceous Quail-Dove</b> <i>Geotrygon violacea</i>	LF		?
210	<b>Ruddy Quail-Dove</b> <i>Geotrygon montana</i>	LF		U

**Parrots Psittacidae**

211	<b>Blue-and-yellow Macaw</b> <i>Ara ararauna</i>	PA, LF, RI		F
212	<b>Scarlet Macaw</b> <i>Ara macao</i>	LF		F
213	<b>Red-and-green Macaw</b> <i>Ara chloropterus</i>	LF		F
214	<b>Chestnut-fronted Macaw</b> <i>Ara severus</i>	LF, SC		SL
215	<b>Red-bellied Macaw</b> <i>Orthopsittaca manilata</i>	PA, SV		C
216	<b>Red-shouldered Macaw</b> <i>Diopsittaca nobilis</i>	PA, SV, SC		C
217	<b>White-eyed Parakeet</b> <i>Aratinga leucophthalma</i>	LF		C
218	<b>Sun Parakeet</b> <i>Aratinga solstitialis</i>	SV, SC	AMN	SL
219	<b>Brown-throated Parakeet</b> <i>Aratinga pertinax</i>	SV, SC		C
220	<b>Painted Parakeet</b> <i>Pyrrhura picta</i>	LF, MF		C
221	<b>Fiery-shouldered Parakeet</b> <i>Pyrrhura egregia</i>	MF	TEP	F
222	<b>Green-rumped Parrotlet</b> <i>Forpus passerinus</i>	LF, HU		C
223	<b>Dusky-billed Parrotlet</b> <i>Forpus sclateri</i>	LF		U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
224	<b>Golden-winged Parakeet</b> <i>Brotogeris chrysoptera</i>	LF		C
225	<b>Tepui Parrotlet</b> <i>Nannopsittaca panychlora</i>	MF, LF	TEP	C
226	<b>Lilac-tailed Parrotlet</b> <i>Touit batavicus</i>	LF		C
227	<b>Scarlet-shouldered Parrotlet</b> <i>Touit huetii</i>	LF		U
228	<b>Sapphire-rumped Parrotlet</b> <i>Touit purpuratus</i>	LF, MF		U
229	<b>Black-headed Parrot</b> <i>Pionites melanocephalus</i>	LF	AMN	F
230	<b>Caica Parrot</b> <i>Gypopsitta caica</i>	LF	GUI	F
231	<b>Blue-headed Parrot</b> <i>Pionus menstruus</i>	LF		C
232	<b>Dusky Parrot</b> <i>Pionus fuscus</i>	LF		C
233	<b>Blue-cheeked Parrot</b> <i>Amazona dufresniana</i>	LF, RI		U
234	<b>Festive Parrot</b> <i>Amazona festiva</i>	LF		?
235	<b>Yellow-crowned Parrot</b> <i>Amazona ochrocephala</i>	SV, SC		C
236	<b>Orange-winged Parrot</b> <i>Amazona amazonica</i>	LF, SC		C
237	<b>Mealy Parrot</b> <i>Amazona farinosa</i>	LF		C
238	<b>Red-fan Parrot</b> <i>Derophtus accipitrinus</i>	LF		C

**Hoatzin Opisthocomidae**

239	<b>Hoatzin</b> <i>Opisthocomus hoazin</i>	RI, FW		CL
-----	---	--------	--	----

**Cuckoos Cuculidae**

240	<b>Yellow-billed Cuckoo</b> <i>Coccyzus americanus</i>	LF	NEA	U
241	<b>Pearly-breasted Cuckoo</b> <i>Coccyzus euleri</i>	LF	AUS?	S
242	<b>Mangrove Cuckoo</b> <i>Coccyzus minor</i>	MN		U
243	<b>Dark-billed Cuckoo</b> <i>Coccyzus melacoryphus</i>	LF	AUS?	U
244	<b>Squirrel Cuckoo</b> <i>Piaya cayana</i>	LF		F
245	<b>Black-bellied Cuckoo</b> <i>Piaya melanogaster</i>	LF		U
246	<b>Little Cuckoo</b> <i>Piaya minuta</i>	SC, FW		F
247	<b>Greater Ani</b> <i>Crotophaga major</i>	RI, MN, FW		C
248	<b>Smooth-billed Ani</b> <i>Crotophaga ani</i>	SC, HU		C
249	<b>Striped Cuckoo</b> <i>Tapera naevia</i>	SC, SV, HU		F
250	<b>Pavonine Cuckoo</b> <i>Dromococcyx pavoninus</i>	LF, MF		U
251	<b>Rufous-winged Ground-Cuckoo</b> <i>Neomorphus rufipennis</i>	LF	GUI	U

**Barn Owls Tytonidae**

252	<b>Barn Owl</b> <i>Tyto alba</i>	SC, HU		U
-----	----------------------------------	--------	--	---

**Typical Owls Strigidae**

253	<b>Tropical Screech-Owl</b> <i>Megascops choliba</i>	SC, LF		F
254	<b>Tawny-bellied Screech-Owl</b> <i>Megascops watsonii</i>	LF		U
255	<b>Vermiculated Screech-Owl</b> <i>Megascops guatemalae</i>	MF		U
256	<b>Crested Owl</b> <i>Lophotrix cristata</i>	LF, MF		U
257	<b>Spectacled Owl</b> <i>Pulsatrix perspicillata</i>	LF		U
258	<b>Great Horned Owl</b> <i>Bubo virginianus</i>	SC, SV		U
259	<b>Mottled Owl</b> <i>Ciccaba virgata</i>	LF, MF		?
260	<b>Black-banded Owl</b> <i>Ciccaba huhula</i>	LF, MF		?
261	<b>Amazonian Pygmy-Owl</b> <i>Glaucidium hardyi</i>	LF, MF		U
262	<b>Ferruginous Pygmy-Owl</b> <i>Glaucidium brasilianum</i>	SC, LF		F
263	<b>Burrowing Owl</b> <i>Athene cunicularia</i>	SV, SC		F
264	<b>Striped Owl</b> <i>Pseudoscops clamator</i>	SV, SC		S
265	<b>Stygian Owl</b> <i>Asio stygius</i>	SC, LF		S
266	<b>Short-eared Owl</b> <i>Asio flammeus</i>	SV, HU		S





	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
303	<b>Straight-billed Hermit</b> <i>Phaethornis bourcierii</i>	LF, MF		F
304	<b>Long-tailed Hermit</b> <i>Phaethornis superciliosus</i>	LF, MF		F
305	<b>Blue-fronted Lancebill</b> <i>Doryfera johannae</i>	MF		U
306	<b>Gray-breasted Sabrewing</b> <i>Campylopterus largipennis</i>	LF		F
307	<b>Rufous-breasted Sabrewing</b> <i>Campylopterus hyperythrus</i>	MF	TEP	C
308	<b>White-necked Jacobin</b> <i>Florisuga mellivora</i>	LF, RI		F
309	<b>Brown Violetear</b> <i>Colibri delphinae</i>	MF		U
310	<b>[Sparkling Violetear</b> <i>Colibri coruscans</i> ]	MF, SC		FL
311	<b>Green-throated Mango</b> <i>Anthracothorax viridigula</i>	MN, SC		U
312	<b>Black-throated Mango</b> <i>Anthracothorax nigricollis</i>	SC, LF, RI		F
313	<b>Fiery-tailed Awlbill</b> <i>Avocettula recurvirostris</i>	LF		S
314	<b>Crimson Topaz</b> <i>Topaza pella</i>	RI, LF		U
315	<b>Ruby-topaz Hummingbird</b> <i>Chrysolampis mosquitus</i>	SC, SV		F
316	<b>Tufted Coquette</b> <i>Lophornis ornatus</i>	LF		U
317	<b>Peacock Coquette</b> <i>Lophornis pavoninus</i>	MF	TEP	U
318	<b>Racket-tailed Coquette</b> <i>Discosura longicaudus</i>	LF		U
319	<b>Blue-chinned Sapphire</b> <i>Chlorestes notata</i>	LF, SC		F
320	<b>Blue-tailed Emerald</b> <i>Chlorostilbon mellisugus</i>	SC, SV, LF		F
321	<b>Fork-tailed Woodnymph</b> <i>Thalurania furcata</i>	LF, MF		F
322	<b>Rufous-throated Sapphire</b> <i>Hylocharis sapphirina</i>	LF, SC		U
323	<b>White-chinned Sapphire</b> <i>Hylocharis cyanus</i>	LF		F
324	<b>White-tailed Goldenthrout</b> <i>Polytmus guainumbi</i>	SV		F
325	<b>[Tepui Goldenthrout</b> <i>Polytmus milleri</i> ]*	?	TEP	?
326	<b>Green-tailed Goldenthrout</b> <i>Polytmus theresiae</i>	FW, SV		F
327	<b>Plain-bellied Emerald</b> <i>Amazilia leucogaster</i>	LF, MN, HU		F
328	<b>Versicolored Emerald</b> <i>Amazilia versicolor</i>	LF, SC		UL
329	<b>White-chested Emerald</b> <i>Amazilia brevirostris</i>	LF, SC		F
330	<b>Glittering-throated Emerald</b> <i>Amazilia fimbriata</i>	SV, SC, LF		C
331	<b>Green-bellied Hummingbird</b> <i>Amazilia viridigaster</i>	MF, SC, RI		U
332	<b>Velvet-browed Brilliant</b> <i>Heliodoxa xanthogonys</i>	MF, SC	TEP	C
333	<b>Black-eared Fairy</b> <i>Heliophryx auritus</i>	LF		U
334	<b>Long-billed Starthroat</b> <i>Heliomaster longirostris</i>	LF, RI		F
335	<b>Amethyst Woodstar</b> <i>Calliphlox amethystina</i>	SC, LF		U

### Trogons


### Trogonidae

336	<b>White-tailed Trogon</b> <i>Trogon viridis</i>	LF		F
337	<b>Violaceous Trogon</b> <i>Trogon violaceus</i>	LF		F
338	<b>Collared Trogon</b> <i>Trogon collaris</i>	MF		F
339	<b>Masked Trogon</b> <i>Trogon personatus</i>	MF		U
340	<b>Black-throated Trogon</b> <i>Trogon rufus</i>	LF		F
341	<b>Black-tailed Trogon</b> <i>Trogon melanurus</i>	LF		F

### Kingfishers

### Alcedinidae

342	<b>Ringed Kingfisher</b> <i>Megaceryle torquata</i>	RI, FW, MN		F
343	<b>[Belted Kingfisher</b> <i>Megaceryle alcyon</i> ]	FW	NEA	S

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
344	<b>Amazon Kingfisher</b> <i>Chloroceryle amazona</i>	RI, FW, MN		F
345	<b>Green Kingfisher</b> <i>Chloroceryle americana</i>	RI, FW, MN		F
346	<b>Green-and-rufous Kingfisher</b> <i>Chloroceryle inda</i>	RI, FW, LF		U
347	<b>American Pygmy Kingfisher</b> <i>Chloroceryle aenea</i>	RI, LF, FW		U

**Motmots Momotidae**

348	<b>Blue-crowned Motmot</b> <i>Momotus momota</i>	LF		F
-----	--	----	--	---

**Jacamars Galbulidae**

349	<b>Brown Jacamar</b> <i>Brachygalba lugubris</i>	RI, SC		CL
350	<b>Yellow-billed Jacamar</b> <i>Galbula albirostris</i>	LF	AMN	F
351	<b>Rufous-tailed Jacamar</b> <i>Galbula ruficauda</i>	LF, SC		UL
352	<b>Green-tailed Jacamar</b> <i>Galbula galbula</i>	LF, SC		F
353	<b>Bronzy Jacamar</b> <i>Galbula leucogastra</i>	SC, LF		F
354	<b>Paradise Jacamar</b> <i>Galbula dea</i>	LF, RI		F
355	<b>Great Jacamar</b> <i>Jacameroops aureus</i>	LF		U

**Puffbirds Bucconidae**

356	<b>Guianan Puffbird</b> <i>Notharchus macrorhynchos</i>	LF	GUI	U
357	<b>Pied Puffbird</b> <i>Notharchus tectus</i>	LF		U
358	<b>Spotted Puffbird</b> <i>Bucco tamatia</i>	SC, LF		F
359	<b>Collared Puffbird</b> <i>Bucco capensis</i>	LF		F
360	<b>White-chested Puffbird</b> <i>Malacoptila fusca</i>	LF		U
361	<b>Rusty-breasted Nunlet</b> <i>Nonnula rubecula</i>	LF		U
362	<b>Black Nunbird</b> <i>Monasa atra</i>	LF	AMN	C
363	<b>Swallow-winged Puffbird</b> <i>Chelidoptera tenebrosa</i>	RI, SC, LF		C

**New World Barbets Capitonidae**


364	<b>Black-spotted Barbet</b> <i>Capito niger</i>	LF, MF		U
-----	---	--------	--	---

**Toucans Ramphastidae**

365	<b>Toco Toucan</b> <i>Ramphastos toco</i>	SV, RI		UL
366	<b>White-throated Toucan</b> <i>Ramphastos tucanus</i>	LF		C
367	<b>Channel-billed Toucan</b> <i>Ramphastos vitellinus</i>	LF		C
368	<b>Chestnut-tipped Toucanet</b> <i>Aulacorhynchus derbianus</i>	MF		U
369	<b>Guianan Toucanet</b> <i>Selenidera culik</i>	LF	GUI	F
370	<b>Tawny-tufted Toucanet</b> <i>Selenidera nattereri</i> *	LF		S
371	<b>Green Aracari</b> <i>Pteroglossus viridis</i>	LF	GUI	F
372	<b>Black-necked Aracari</b> <i>Pteroglossus aracari</i>	LF		F

**Woodpeckers Picidae**

373	<b>Golden-spangled Piculet</b> <i>Picumnus exilis</i>	LF		F
374	<b>White-bellied Piculet</b> <i>Picumnus spilogaster</i>	MN, RI, HU		F
375	<b>White-barred Piculet</b> <i>Picumnus cirratus</i>	SC		F
376	[ <b>White Woodpecker</b> <i>Melanerpes candidus</i> ]	HU		S
377	<b>Yellow-tufted Woodpecker</b> <i>Melanerpes cruentatus</i>	LF, HU		F
378	<b>Red-crowned Woodpecker</b> <i>Melanerpes rubricapillus</i>	LF, MN		?

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
379	<b>Little Woodpecker</b> <i>Veniliornis passerinus</i>	RI, SC		F
380	<b>Blood-colored Woodpecker</b> <i>Veniliornis sanguineus</i>	LF, MN, HU	GUI	F
381	<b>Red-rumped Woodpecker</b> <i>Veniliornis kirkii</i>	MF		U
382	<b>Golden-collared Woodpecker</b> <i>Veniliornis cassini</i>	LF	GUI	F
383	<b>Yellow-throated Woodpecker</b> <i>Piculus flavigula</i>	LF		F
384	<b>Golden-green Woodpecker</b> <i>Piculus chrysochloros</i>	LF		U
385	<b>Golden-olive Woodpecker</b> <i>Piculus rubiginosus</i>	MF, LF		F
386	<b>Spot-breasted Woodpecker</b> <i>Colaptes punctigula</i>	RI, MN, SC		F
387	<b>Waved Woodpecker</b> <i>Celeus undatus</i>	LF		F
388	<b>Chestnut Woodpecker</b> <i>Celeus elegans</i>	LF		F
389	<b>Cream-colored Woodpecker</b> <i>Celeus flavus</i>	LF		F
390	<b>Ringed Woodpecker</b> <i>Celeus torquatus</i>	LF		U
391	<b>Lineated Woodpecker</b> <i>Dryocopus lineatus</i>	LF, SC, HU		F
392	<b>Red-necked Woodpecker</b> <i>Campephilus rubicollis</i>	LF, MF		F
393	<b>Crimson-crested Woodpecker</b> <i>Campephilus melanoleucos</i>	LF, HU		F

#### Ovenbirds

#### Furnariidae

394	<b>Pale-legged Hornero</b> <i>Furnarius leucopus</i>	RI, SC		F
395	<b>Pale-breasted Spinetail</b> <i>Synallaxis albescens</i>	SV, HU, SC		F
396	<b>Ruddy Spinetail</b> <i>Synallaxis rutilans</i>	LF		U
397	<b>McConnell's Spinetail</b> <i>Synallaxis macconnelli</i>	LF, MF	GUI	SL
398	<b>Plain-crowned Spinetail</b> <i>Synallaxis gujanensis</i>	SC, HU		F
399	<b>Hoary-throated Spinetail</b> <i>Synallaxis kollari</i>	RI, SC	GUI	FL
400	<b>Rusty-backed Spinetail</b> <i>Cranioleuca vulpina</i> *	RI, SC		?
401	<b>Tepui Spinetail</b> <i>Cranioleuca demissa</i>	MF	TEP	F
402	<b>Yellow-chinned Spinetail</b> <i>Certhiaxis cinnamomeus</i>	FW, SC		C
403	<b>Roraiman Barbtail</b> <i>Roraimia adusta</i>	MF	TEP	F
404	<b>Point-tailed Palmcreeper</b> <i>Berlepschia rikeri</i>	PA		F
405	<b>Rufous-tailed Foliage-gleaner</b> <i>Philydor ruficaudatum</i>	LF, MF		U
406	<b>Rufous-rumped Foliage-gleaner</b> <i>Philydor erythrocerum</i>	LF, MF		F
407	<b>Cinnamon-rumped Foliage-gleaner</b> <i>Philydor pyrrhodes</i>	LF		U
408	<b>Buff-throated Foliage-gleaner</b> <i>Automolus ochrolaemus</i>	LF		F
409	<b>Olive-backed Foliage-gleaner</b> <i>Automolus infuscatus</i>	LF		F
410	<b>White-throated Foliage-gleaner</b> <i>Automolus roraimae</i>	MF	TEP	U
411	<b>Ruddy Foliage-gleaner</b> <i>Automolus rubiginosus</i>	MF, LF		U
412	<b>Chestnut-crowned Foliage-gleaner</b> <i>Automolus rufpileatus</i>	RI, LF		F
413	<b>Tawny-throated Leaf-tosser</b> <i>Sclerurus mexicanus</i>	LF, MF		U
414	<b>Short-billed Leaf-tosser</b> <i>Sclerurus rufigularis</i>	LF		U
415	<b>Black-tailed Leaf-tosser</b> <i>Sclerurus caudacutus</i>	LF, MF		U
416	<b>Sharp-tailed Streamcreeper</b> <i>Lochmias nematura</i>	MF, RI		UL
417	<b>Rufous-tailed Xenops</b> <i>Xenops milleri</i>	LF		S

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
418	<b>Slender-billed Xenops</b> <i>Xenops tenuirostris</i>	LF		S
419	<b>Plain Xenops</b> <i>Xenops minutus</i>	LF		F
420	<b>Plain-brown Woodcreeper</b> <i>Dendrocincla fuliginosa</i>	LF		F
421	<b>White-chinned Woodcreeper</b> <i>Dendrocincla merula</i>	LF		U
422	<b>Long-tailed Woodcreeper</b> <i>Deconychura longicauda</i>	LF		U
423	<b>Spot-throated Woodcreeper</b> <i>Deconychura stictolaema</i>	LF		U
424	<b>Olivaceous Woodcreeper</b> <i>Sittasomus griseicapillus</i>	LF, SC		UL
425	<b>Wedge-billed Woodcreeper</b> <i>Glyphorhynchus spirurus</i>	LF, MF		F
426	<b>Cinnamon-throated Woodcreeper</b> <i>Dendrexetastes rufigula</i>	RI, LF		UL
427	<b>Red-billed Woodcreeper</b> <i>Hylexetastes perrotii</i>	LF		U
428	<b>Strong-billed Woodcreeper</b> <i>Xiphocolaptes promeropirhynchus</i>	LF, MF		U
429	<b>Amazonian Barred-Woodcreeper</b> <i>Dendrocolaptes certhia</i>	LF		F
430	<b>Black-banded Woodcreeper</b> <i>Dendrocolaptes picumnus</i>	LF, MF		U
431	<b>Straight-billed Woodcreeper</b> <i>Xiphorhynchus picus</i>	MN, RI, SC		F
432	<b>Striped Woodcreeper</b> <i>Xiphorhynchus obsoletus</i>	LF, RI		F
433	<b>Chestnut-rumped Woodcreeper</b> <i>Xiphorhynchus pardalotus</i>	LF, MF		F
434	<b>Buff-throated Woodcreeper</b> <i>Xiphorhynchus guttatus</i>	LF		F
435	<b>Streak-headed Woodcreeper</b> <i>Lepidocolaptes souleyetii</i>	RI, SC		UL
436	<b>Lineated Woodcreeper</b> <i>Lepidocolaptes albolineatus</i>	LF		F
437	<b>Curve-billed Scythebill</b> <i>Campylorhamphus procurvoides</i>	LF		U

### Typical Antbirds

### Thamnophilidae

438	<b>Fasciated Antshrike</b> <i>Cymbilaimus lineatus</i>	LF		F
439	<b>Black-throated Antshrike</b> <i>Frederickena viridis</i>	LF	GUI	U
440	<b>Great Antshrike</b> <i>Taraba major</i>	HU, SC		F
441	<b>Black-crested Antshrike</b> <i>Sakesphorus canadensis</i>	SC, MN		F
442	<b>Band-tailed Antshrike</b> <i>Sakesphorus melanothorax</i>	LF, RI	GUI	SL
443	<b>Barred Antshrike</b> <i>Thamnophilus doliatus</i>	HU, SC		F
444	<b>Mouse-colored Antshrike</b> <i>Thamnophilus murinus</i>	LF		F
445	<b>Northern Slaty-Antshrike</b> <i>Thamnophilus punctatus</i>	LF, SC		F
446	<b>Amazonian Antshrike</b> <i>Thamnophilus amazonicus</i>	LF, RI		F
447	<b>Streaked-backed Antshrike</b> <i>Thamnophilus insignis</i>	MF, SC	TEP	U
448	<b>Plain Antwren</b> <i>Dysithamnus mentalis</i>	MF		U
449	<b>Dusky-throated Antshrike</b> <i>Thamnomanes ardesiacus</i>	LF		F
450	<b>Cinereous Antshrike</b> <i>Thamnomanes caesius</i>	LF		F
451	<b>Spot-winged Antshrike</b> <i>Pygiptila stelleris</i>	LF		U
452	<b>Brown-bellied Antwren</b> <i>Myrmotherula gutturalis</i>	LF	GUI	F
453	<b>Pygmy Antwren</b> <i>Myrmotherula brachyura</i>	LF, RI		F
454	<b>Guianan Streaked-Antwren</b> <i>Myrmotherula surinamensis</i>	RI, LF		F
455	<b>Rufous-bellied Antwren</b> <i>Myrmotherula guttata</i>	LF	GUI	F
456	<b>White-flanked Antwren</b> <i>Myrmotherula axillaris</i>	LF, SC		F
457	<b>Long-winged Antwren</b> <i>Myrmotherula longipennis</i>	LF		F

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
458	<b>Plain-winged Antwren</b> <i>Myrmotherula behni</i>	MF		F
459	<b>Gray Antwren</b> <i>Myrmotherula menetriesii</i>	LF		F
460	<b>Spot-tailed Antwren</b> <i>Herpsilochmus sticturus</i>	LF	AMN	F
461	<b>Todd's Antwren</b> <i>Herpsilochmus stictocephalus</i>	LF	GUI	F
462	<b>Roraiman Antwren</b> <i>Herpsilochmus roraimae</i>	MF	TEP	F
463	<b>Rufous-winged Antwren</b> <i>Herpsilochmus rufimarginatus</i>	LF, MF		FL
464	<b>Dot-winged Antwren</b> <i>Microrhophias quixensis</i>	LF		U
465	<b>White-fringed Antwren</b> <i>Formicivora grisea</i>	SC, RI		F
466	<b>Rufous-rumped Antwren</b> <i>Terenura callinota</i>	MF		SL
467	<b>Ash-winged Antwren</b> <i>Terenura spodiopitila</i>	LF		F
468	<b>Gray Antbird</b> <i>Cercomacra cinerascens</i>	LF		F
469	<b>Dusky Antbird</b> <i>Cercomacra tyrannina</i>	LF, SC, HU		F
470	<b>Willis's Antbird</b> <i>Cercomacra laeta</i>	SC		FL
471	<b>Blackish Antbird</b> <i>Cercomacra nigrescens</i>	RI, LF		UL
472	<b>Rio Branco Antbird</b> <i>Cercomacra carbonaria</i>	RI	GUI	UL
473	<b>White-browed Antbird</b> <i>Myrmoborus leucophrys</i>	LF, RI, HU		F
474	<b>Warbling Antbird</b> <i>Hypocnemis cantator</i>	LF		F
475	<b>Black-chinned Antbird</b> <i>Hypocnemoides melanopogon</i>	LF, RI		F
476	<b>Silvered Antbird</b> <i>Sclateria naevia</i>	RI, FW, LF		F
477	<b>Black-headed Antbird</b> <i>Percnostola rufifrons</i>	LF	AMN	F
478	<b>Spot-winged Antbird</b> <i>Schistocichla leucostigma</i>	LF, MF		F
479	<b>Roraiman Antbird</b> <i>Schistocichla saturata</i>	MF, RI	TEP	F
480	<b>White-bellied Antbird</b> <i>Myrmeciza longipes</i>	LF, SC		F
481	<b>Ferruginous-backed Antbird</b> <i>Myrmeciza ferruginea</i>	LF		F
482	<b>Black-throated Antbird</b> <i>Myrmeciza atrothorax</i>	LF, SC, HU		F
483	<b>Wing-banded Antbird</b> <i>Myrmornis torquata</i>	LF		U
484	<b>White-plumed Antbird</b> <i>Pithys albifrons</i>	LF		F
485	<b>Rufous-throated Antbird</b> <i>Gymnopithys rufigula</i>	LF	GUI	F
486	<b>Spot-backed Antbird</b> <i>Hylophylax naevius</i>	LF		F
487	<b>Scale-backed Antbird</b> <i>Hylophylax poecilinotus</i>	LF		F

#### Ground Antbirds

#### Formicariidae

488	<b>Rufous-capped Antthrush</b> <i>Formicarius colma</i>	LF		F
489	<b>Black-faced Antthrush</b> <i>Formicarius analis</i>	LF		F
490	<b>Short-tailed Antthrush</b> <i>Chamaeza campanisona</i>	MF		S
491	<b>Variagated Antpitta</b> <i>Grallaria varia</i>	LF, MF		U
492	<b>Scaled Antpitta</b> <i>Grallaria guatemalensis</i>	MF		F
493	<b>Spotted Antpitta</b> <i>Hylopezus macularius</i>	LF		U
494	<b>Thrush-like Antpitta</b> <i>Myrmothera campanisona</i>	LF		F
495	<b>Tepui Antpitta</b> <i>Myrmothera simplex</i>	MF	TEP	F
496	<b>Slate-crowned Antpitta</b> <i>Grallaricula nana</i>	MF		U

#### Gnateaters


#### Conopophagidae

497	<b>Chestnut-belted Gnateater</b> <i>Conopophaga aurita</i>	LF		S
-----	--	----	--	---

#### Tyrant Flycatchers


#### Tyrannidae

498	<b>Sooty-headed Tyrannulet</b> <i>Phyllomyias griseiceps</i>	LF		UL
499	<b>Yellow-crowned Tyrannulet</b> <i>Tyrannulus elatus</i>	LF, SC		F
500	<b>Forest Elaenia</b> <i>Myiopagis gaimardii</i>	LF		F
501	<b>Gray Elaenia</b> <i>Myiopagis caniceps</i>	LF		SL

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
502	<b>Yellow-crowned Elaenia</b> <i>Myiopagis flavivertex</i>	RI, LF		F
503	<b>Greenish Elaenia</b> <i>Myiopagis viridicata</i>	SC		F
504	<b>Yellow-bellied Elaenia</b> <i>Elaenia flavogaster</i>	SC, HU		C
505	<b>Small-billed Elaenia</b> <i>Elaenia parvirostris</i>	SC, LF	AUS	U
506	<b>Plain-crested Elaenia</b> <i>Elaenia cristata</i>	SV, SC		F
507	<b>Lesser Elaenia</b> <i>Elaenia chiriquensis</i>	SV, SC		F
508	<b>Rufous-crowned Elaenia</b> <i>Elaenia ruficeps</i>	SC		U
509	<b>Sierran Elaenia</b> <i>Elaenia pallatangae</i>	MF		F
510	<b>White-lored Tyrannulet</b> <i>Ornithion inermis</i>	LF, RI, SC		F
511	<b>Southern Beardless-Tyrannulet</b> <i>Camptostoma obsoletum</i>	SC, LF		F
512	<b>Mouse-colored Tyrannulet</b> <i>Phaeomyias murina</i>	SC		F
513	<b>Yellow Tyrannulet</b> <i>Capsiempis flaveola</i>	LF, SC		SL
514	<b>Bearded Tachuri</b> <i>Polystictus pectoralis</i>	SV		U
515	<b>Crested Doradito</b> <i>Pseudocolopteryx sclateri</i>	FW	AUS?	?
516	<b>Ringed Antpipit</b> <i>Corythopsis torquatus</i>	LF		U
517	<b>Slender-footed Tyrannulet</b> <i>Zimmerius gracillipes</i>	LF		F
518	<b>Chapman's Bristle-Tyrant</b> <i>Phylloscartes chapmani</i>	MF	TEP	F
519	<b>Olive-green Tyrannulet</b> <i>Phylloscartes virescens</i>	LF	GUI	S
520	<b>Black-fronted Tyrannulet</b> <i>Phylloscartes nigrifrons</i>	MF	TEP	U
521	<b>Ochre-bellied Flycatcher</b> <i>Mionectes oleagineus</i>	LF		F
522	<b>McConnell's Flycatcher</b> <i>Mionectes macconnelli</i>	LF, MF		F
523	<b>Sepia-capped Flycatcher</b> <i>Leptopogon amaurocephalus</i>	LF, MF		U
524	<b>Northern Scrub-Flycatcher</b> <i>Sublegatus arenarum</i>	MN, SC		F
525	<b>Amazonian Scrub-Flycatcher</b> <i>Sublegatus obscurior</i>	LF, SC		U
526	<b>Southern Scrub-Flycatcher</b> <i>Sublegatus modestus</i>	SV		F
527	<b>Pale-tipped Tyrannulet</b> <i>Inezia caudata</i>	SC, MN, RI		F
528	<b>Short-tailed Pygmy-Tyrant</b> <i>Myiornis ecaudatus</i>	LF		F
529	<b>Double-banded Pygmy-Tyrant</b> <i>Lophotriccus vitiosus</i>	LF		F
530	<b>Helmeted Pygmy-Tyrant</b> <i>Lophotriccus galeatus</i>	LF, MF		F
531	<b>Pale-eyed Pygmy-Tyrant</b> <i>Atalotriccus pilaris</i>	SC		F
532	<b>Boat-billed Tody-Tyrant</b> <i>Hemitriccus josephinae</i>	LF	GUI	SL
533	<b>White-eyed Tody-Tyrant</b> <i>Hemitriccus zosterops</i>	LF		F
534	<b>Pearly-vented Tody-Tyrant</b> <i>Hemitriccus margaritaceiventer</i>	SC		F
535	<b>Ruddy Tody-Flycatcher</b> <i>Poecilotriccus russatus</i>	MF, SC	TEP	U
536	<b>Slate-headed Tody-Flycatcher</b> <i>Poecilotriccus sylvia</i>	SC		F
537	<b>Spotted Tody-Flycatcher</b> <i>Todirostrum maculatum</i>	MN, SC, RI		C
538	<b>Common Tody-Flycatcher</b> <i>Todirostrum cinereum</i>	SC, HU		F
539	<b>Painted Tody-Flycatcher</b> <i>Todirostrum pictum</i>	LF	GUI	F
540	<b>Olivaceous Flatbill</b> <i>Rhynchocyclus olivaceus</i>	LF		U
541	<b>Yellow-olive Flycatcher</b> <i>Tolmomyias sulphurescens</i>	LF		F
542	<b>Yellow-margined Flycatcher</b> <i>Tolmomyias assimilis</i>	LF		F
543	<b>Gray-crowned Flycatcher</b> <i>Tolmomyias poliocephalus</i>	LF		F
544	<b>Yellow-breasted Flycatcher</b> <i>Tolmomyias flaviventris</i>	SC, MN		F
545	<b>Cinnamon-crested Spadebill</b> <i>Platyrinchus saturatus</i>	LF		U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
546	<b>White-throated Spadebill</b> <i>Platyrinchus mystaceus</i>	MF		U
547	<b>Golden-crowned Spadebill</b> <i>Platyrinchus coronatus</i>	LF		U
548	<b>White-crested Spadebill</b> <i>Platyrinchus platyrhynchos</i>	LF		U
549	<b>Royal Flycatcher</b> <i>Onychorhynchus coronatus</i>	LF		U
550	<b>Roraiman Flycatcher</b> <i>Myiophobus roraimae</i>	MF, SC		F
551	<b>Bran-colored Flycatcher</b> <i>Myiophobus fasciatus</i>	SC		S
552	<b>Sulphur-rumped Flycatcher</b> <i>Myiobius barbatus</i>	LF		F
553	<b>Ruddy-tailed Flycatcher</b> <i>Terentriacus erythrurus</i>	LF		F
554	<b>Cinnamon Manakin-Tyrant</b> <i>Neopipo cinnamomea</i>	LF		U
555	<b>Cliff Flycatcher</b> <i>Hirundinea ferruginea</i>	MF		UL
556	<b>Euler's Flycatcher</b> <i>Lathrotriccus euleri</i>	LF		UL
557	<b>Fuscous Flycatcher</b> <i>Cnemotriccus fuscatus</i>	LF, SC		U
558	<b>Olive-sided Flycatcher</b> <i>Contopus cooperi</i>	MF, LF	NEA	S
559	<b>Smoke-colored Pewee</b> <i>Contopus fumigatus</i>	MF		U
560	<b>Tropical Pewee</b> <i>Contopus cinereus</i>	LF		S
561	<b>Blackish Pewee</b> <i>Contopus nigrescens</i>	MF		FL
562	<b>Vermilion Flycatcher</b> <i>Pyrocephalus rubinus</i>	SV, SC	AUS?	F
563	<b>Amazonian Black-Tyrant</b> <i>Knipolegus poecilocercus</i>	RI		UL
564	<b>Rufous-tailed Tyrant</b> <i>Knipolegus poecilurus</i>	MF, SC		UL
565	<b>Drab Water-Tyrant</b> <i>Ochthornis littoralis</i>	RI		CL
566	<b>Pied Water-Tyrant</b> <i>Fluvicola pica</i>	FW		F
567	<b>White-headed Marsh-Tyrant</b> <i>Arundinicola leucocephala</i>	FW		F
568	<b>Long-tailed Tyrant</b> <i>Colonia colonus</i>	LF, MF		F
569	<b>Piratic Flycatcher</b> <i>Legatus leucophaius</i>	LF, HU	AUS	F
570	<b>Rusty-margined Flycatcher</b> <i>Myiozetetes cayanensis</i>	HU, SC, RI		C
571	<b>Dusky-chested Flycatcher</b> <i>Myiozetetes luteiventris</i>	LF, RI		S
572	<b>Great Kiskadee</b> <i>Pitangus sulphuratus</i>	HU, SC, MN		C
573	<b>Lesser Kiskadee</b> <i>Philohydor lictor</i>	FW, RI		F
574	<b>Yellow-throated Flycatcher</b> <i>Conopias parvus</i>	LF	AMN	F
575	<b>Streaked Flycatcher</b> <i>Myiodynastes maculatus</i>	LF	AUS	U
576	<b>Boat-billed Flycatcher</b> <i>Megarynchus pitangua</i>	LF, RI		F
577	<b>Sulphury Flycatcher</b> <i>Tyrannopsis sulphurea</i>	PA		F
578	<b>Variigated Flycatcher</b> <i>Empidonomus varius</i>	LF, SC	AUS	F
579	<b>Crowned Slaty Flycatcher</b> <i>Empidonomus aurantioatrocristatus</i>	SC, SV	AUS	S
580	<b>White-throated Kingbird</b> <i>Tyrannus albogularis</i>	SV, RI	AUS?	U
581	<b>Tropical Kingbird</b> <i>Tyrannus melancholicus</i>	SC, HU, SV	AUS	C
582	<b>Fork-tailed Flycatcher</b> <i>Tyrannus savana</i>	SV, HU, SC	AUS	C
583	<b>Eastern Kingbird</b> <i>Tyrannus tyrannus</i>	SC, HU, LF	NEA	S
584	<b>Gray Kingbird</b> <i>Tyrannus dominicensis</i>	HU, SC, MN	NEA	F
585	<b>Grayish Mourner</b> <i>Rhytipterna simplex</i>	LF		F
586	<b>Pale-bellied Mourner</b> <i>Rhytipterna immunda</i>	SC		SL
587	<b>Sirystes</b> <i>Sirystes sibilator</i>	LF		S
588	<b>Dusky-capped Flycatcher</b> <i>Myiarchus tuberculifer</i>	MF, LF		U
589	<b>Swainson's Flycatcher</b> <i>Myiarchus swainsoni</i>	LF, RI	AUS	U
590	<b>Short-crested Flycatcher</b> <i>Myiarchus ferox</i>	LF, SC		F



	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
591	<b>Brown-crested Flycatcher</b> <i>Myiarchus tyrannulus</i>	SC, RI, MN		F
592	<b>Large-headed Flatbill</b> <i>Ramphotricon megacephalum</i>	LF		S
593	<b>Rufous-tailed Flatbill</b> <i>Ramphotricon ruficauda</i>	LF		U
594	<b>Cinnamon Attila</b> <i>Attila cinnamomeus</i>	LF, SC, RI		F
595	<b>Bright-rumped Attila</b> <i>Attila spadiceus</i>	LF, MF		U

**Sharpbill** **Oxyruncidae**

596	<b>Sharpbill</b> <i>Oxyruncus cristatus</i>	MF		U
-----	---	----	--	---

**Cotingas** **Cotingidae**


597	<b>Red-banded Fruiteater</b> <i>Pipreola whitelyi</i>	MF	TEP	C
598	<b>Guianan Cock-of-the-Rock</b> <i>Rupicola rupicola</i>	MF, LF	AMN	F
599	<b>Guianan Red-Cotinga</b> <i>Phoenicircus carnifex</i>	LF		F
600	<b>Purple-breasted Cotinga</b> <i>Cotinga cotinga</i>	LF		U
601	<b>Spangled Cotinga</b> <i>Cotinga cayana</i>	LF		U
602	<b>White Bellbird</b> <i>Procnias albus</i>	MF, LF		U
603	<b>Bearded Bellbird</b> <i>Procnias averano</i>	MF		FL
604	<b>Screaming Piha</b> <i>Lipaugus vociferans</i>	LF		C
605	<b>Rose-collared Piha</b> <i>Lipaugus streptophorus</i>	MF	TEP	S
606	<b>Pompadour Cotinga</b> <i>Xipholena punicea</i>	LF		U
607	<b>Bare-necked Fruitcrow</b> <i>Gymnoderus foetidus</i>	RI, LF		U
608	<b>Purple-throated Fruitcrow</b> <i>Querula purpurata</i>	LF		F
609	<b>Crimson Fruitcrow</b> <i>Haematoderus militaris</i>	LF		S
610	<b>Red-ruffed Fruitcrow</b> <i>Pyroderus scutatus</i>	?		?
611	<b>Capuchinbird</b> <i>Perissocephalus tricolor</i>	LF	AMN	F
612	<b>Amazonian Umbrellabird</b> <i>Cephalopterus ornatus</i>	LF		S

**Manakins** **Pipridae**

613	<b>Pale-bellied Tyrant-Manakin</b> <i>Neopelma pallescens</i>	SC		U
614	<b>Saffron-crested Tyrant-Manakin</b> <i>Neopelma chrysocephalum</i>	SC, LF	AMN	F
615	<b>Tiny Tyrant-Manakin</b> <i>Tyranneutes virescens</i>	LF	GUI	F
616	<b>White-throated Manakin</b> <i>Corapipo gutturalis</i>	MF, LF	GUI	F
617	<b>Striped Manakin</b> <i>Machaeropterus regulus</i>	LF, MF		?
618	<b>White-fronted Manakin</b> <i>Lepidothrix serena</i>	LF, MF	GUI	F
619	<b>Orange-bellied Manakin</b> <i>Lepidothrix suavissima</i>	LF, MF	TEP	F
620	<b>White-bearded Manakin</b> <i>Manacus manacus</i>	RI, LF, SC		F
621	<b>Blue-backed Manakin</b> <i>Chiroxiphia pareola</i>	SC, LF		C
622	<b>Olive Manakin</b> <i>Xenopipo uniformis</i>	MF	TEP	S
623	<b>Black Manakin</b> <i>Xenopipo atronitens</i>	SC		F
624	<b>White-crowned Manakin</b> <i>Pipra pipra</i>	LF, MF		F
625	<b>Crimson-hooded Manakin</b> <i>Pipra aureola</i>	LF		U
626	<b>Scarlet-horned Manakin</b> <i>Pipra cornuta</i>	MF	TEP	F
627	<b>Golden-headed Manakin</b> <i>Pipra erythrocephala</i>	LF		F

**INCERTAE SEDIS**

628	<b>Black-crowned Tityra</b> <i>Tityra inquisitor</i>	LF		UL
629	<b>Black-tailed Tityra</b> <i>Tityra cayana</i>	LF		U
630	<b>Thrush-like Schiffornis</b> <i>Schiffornis turdina</i>	LF, MF		F
631	<b>Cinereous Mourner</b> <i>Laniocera hypopyrra</i>	LF		U
632	<b>Dusky Purpletuft</b> <i>Iodopleura fusca</i>	LF	GUI	U

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
633	<b>White-naped Xenopsaris</b> <i>Xenopsaris albinucha</i>	SV, SC		S
634	<b>Green-backed Becard</b> <i>Pachyramphus viridis</i> *	MF		?
635	<b>Cinereous Becard</b> <i>Pachyramphus rufus</i>	SC, LF		F
636	<b>White-winged Becard</b> <i>Pachyramphus polychopterus</i>	LF, SC		F
637	<b>Black-capped Becard</b> <i>Pachyramphus marginatus</i>	LF		F
638	<b>Glossy-backed Becard</b> <i>Pachyramphus surinamus</i>	LF		SL
639	<b>Pink-throated Becard</b> <i>Pachyramphus minor</i>	LF		F
640	<b>Wing-barred Piprites</b> <i>Piprites chloris</i>	LF		F

### Vireos

### Vireonidae

641	<b>Rufous-browed Peppershrike</b> <i>Cyclarhis gujanensis</i>	SC, RI, MF		F
642	<b>Slaty-capped Shrike-Vireo</b> <i>Vireolanius leucotis</i>	LF, MF		F
643	<b>Red-eyed Vireo</b> <i>Vireo olivaceus</i>	LF	NEA	F
644	<b>Black-whiskered Vireo</b> <i>Vireo altiloquus</i>	LF, MN	NEA	U
645	<b>Lemon-chested Greenlet</b> <i>Hylophilus thoracicus</i>	LF		F
646	<b>Ashy-headed Greenlet</b> <i>Hylophilus pectoralis</i>	SC, MN		C
647	<b>Tepui Greenlet</b> <i>Hylophilus sclateri</i>	MF	TEP	F
648	<b>Buff-cheeked Greenlet</b> <i>Hylophilus muscicapinus</i>	LF, MF		F
649	<b>Tawny-crowned Greenlet</b> <i>Hylophilus ochraceiceps</i>	LF		F

### Jays

### Corvidae

650	<b>Violaceous Jay</b> <i>Cyanocorax violaceus</i> *	LF		?L
651	<b>Cayenne Jay</b> <i>Cyanocorax cayanus</i>	LF	GUI	F

### Swallows


### Hirundinidae

652	<b>Tree Swallow</b> <i>Tachycineta bicolor</i> *	FW	NEA	?
653	<b>White-winged Swallow</b> <i>Tachycineta albiventer</i>	RI, FW		C
654	<b>Brown-chested Martin</b> <i>Progne tapera</i>	SV, SC, RI	AUS	F
655	<b>Purple Martin</b> <i>Progne subis</i>	SC, HU, RI	NEA	S
656	[ <b>Caribbean Martin</b> <i>Progne dominicensis</i> ] *	SC, HU	NEA	?
657	<b>Gray-breasted Martin</b> <i>Progne chalybea</i>	HU, SC		C
658	<b>Blue-and-white Swallow</b> <i>Pygochelidon cyanoleuca</i>	SC, HU	AUS	U
659	<b>White-banded Swallow</b> <i>Atticora fasciata</i>	RI		C
660	<b>Black-collared Swallow</b> <i>Atticora melanoleuca</i>	RI		FL
661	<b>White-thighed Swallow</b> <i>Neochelidon tibialis</i>	MF, LF		UL
662	<b>Tawny-headed Swallow</b> <i>Alopochelidon fucata</i>	SV		F
663	<b>Southern Rough-winged Swallow</b> <i>Stelgidopteryx ruficollis</i>	FW, RI, SC		C
664	<b>Bank Swallow</b> <i>Riparia riparia</i>	SV, HU, FW	NEA	F
665	<b>Barn Swallow</b> <i>Hirundo rustica</i>	SV, HU, SC	NEA	C
666	[ <b>Cliff Swallow</b> <i>Petrochelidon pyrrhonota</i> ]	HU, FW	NEA	?

### Wrens

### Troglodytidae

667	<b>Flutist Wren</b> <i>Microcerculus ustulatus</i>	MF	TEP	F
668	<b>Wing-banded Wren</b> <i>Microcerculus bamba</i>	LF		U
669	<b>House Wren</b> <i>Troglodytes aedon</i>	SC, HU		C
670	<b>Tepui Wren</b> <i>Troglodytes rufulus</i>	MF	TEP	U
671	<b>Sedge Wren</b> <i>Cistothorus platensis</i>	SV		S
672	<b>Bicolored Wren</b> <i>Campylorhynchus griseus</i>	SC, PA		F

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
673	<b>Coraya Wren</b> <i>Thryothorus coraya</i>	LF		F
674	<b>Buff-breasted Wren</b> <i>Thryothorus leucotis</i>	LF, RI, SC		F
675	<b>White-breasted Wood-Wren</b> <i>Henicorhina leucosticta</i>	LF, MF		F
676	<b>Musician Wren</b> <i>Cyphorhinus arada</i>	LF		F

**Gnatwrens, Gnatcatchers Polioptilidae**

677	<b>Collared Gnatwren</b> <i>Microbates collaris</i>	LF, MF	AMN	U
678	<b>Long-billed Gnatwren</b> <i>Ramphocaenus melanurus</i>	LF		F
679	<b>Tropical Gnatcatcher</b> <i>Poliioptila plumbea</i>	SC, LF		F
680	<b>Guianan Gnatcatcher</b> <i>Poliioptila guianensis</i>	LF		U

**INCERTAE SEDIS**

681	<b>Black-capped Donacobius</b> <i>Donacobius atricapillus</i>	FW		F
-----	--	----	--	---

**Thrushes Turdidae**

682	<b>Veery</b> <i>Catharus fuscescens</i>	LF	NEA	S
683	<b>Gray-cheeked Thrush</b> <i>Catharus minimus</i>	LF	NEA	S
684	<b>Rufous-brown Solitaire</b> <i>Cichlopsis leucogenys</i>	MF		U
685	<b>Yellow-legged Thrush</b> <i>Turdus flavipes</i>	MF		S
686	<b>Pale-eyed Thrush</b> <i>Turdus leucops</i>	MF		?
687	<b>Black-hooded Thrush</b> <i>Turdus olivater</i>	MF		F
688	<b>Pale-breasted Thrush</b> <i>Turdus leucomelas</i>	HU, SC		C
689	<b>Black-billed Thrush</b> <i>Turdus ignobilis</i>	LF, MF, SC		CL
690	<b>Cocoa Thrush</b> <i>Turdus fumigatus</i>	LF		F
691	<b>Bare-eyed Robin</b> <i>Turdus nudigenis</i>	SC, HU		F
692	<b>White-necked Robin</b> <i>Turdus albicollis</i>	LF, MF		F

**Mockingbirds Mimidae**


693	<b>Tropical Mockingbird</b> <i>Mimus gilvus</i>	SC, HU		C
-----	---	--------	--	---

**Pipits Motacillidae**

694	<b>Yellowish Pipit</b> <i>Anthus lutescens</i>	SV, HU		F
-----	--	--------	--	---

**Tanagers Thraupidae**

695	<b>Black-faced Tanager</b> <i>Schistochlamys melanopsis</i>	SV, SC, FW		U
696	<b>Magpie Tanager</b> <i>Cissopis leveriana</i>	LF, HU		UL
697	<b>Red-billed Pied Tanager</b> <i>Lamprospiza melanoleuca</i>	LF		U
698	<b>Hooded Tanager</b> <i>Nemosia pileata</i>	SC		F
699	<b>Gray-headed Tanager</b> <i>Eucometis penicillata</i>	LF		S
700	<b>Flame-crested Tanager</b> <i>Tachyphonus cristatus</i>	LF		F
701	<b>Fulvous-crested Tanager</b> <i>Tachyphonus surinamus</i>	LF		F
702	<b>White-shouldered Tanager</b> <i>Tachyphonus luctuosus</i>	LF		U
703	<b>White-lined Tanager</b> <i>Tachyphonus rufus</i>	SC, HU		F
704	<b>Red-shouldered Tanager</b> <i>Tachyphonus phoenicius</i>	SC, SV		F
705	<b>Fulvous Shrike-Tanager</b> <i>Lanio fulvus</i>	LF	AMN	U
706	<b>Silver-beaked Tanager</b> <i>Ramphocelus carbo</i>	SC, HU		C
707	<b>Blue-gray Tanager</b> <i>Thraupis episcopus</i>	SC, HU		C
708	<b>Palm Tanager</b> <i>Thraupis palmarum</i>	SC, HU, PA		C

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
709	<b>Blue-backed Tanager</b> <i>Cyanicterus cyanicterus</i>	LF	GUI	U
710	<b>Turquoise Tanager</b> <i>Tangara mexicana</i>	LF, HU		F
711	<b>Paradise Tanager</b> <i>Tangara chilensis</i>	LF, MF		F
712	<b>Yellow-bellied Tanager</b> <i>Tangara xanthogastra</i>	MF		F
713	<b>Spotted Tanager</b> <i>Tangara punctata</i>	LF, MF		F
714	<b>Speckled Tanager</b> <i>Tangara guttata</i>	MF		UL
715	<b>Dotted Tanager</b> <i>Tangara varia</i>	MF		S
716	<b>Bay-headed Tanager</b> <i>Tangara gyrola</i>	MF, LF		F
717	<b>Burnished-buff Tanager</b> <i>Tangara cayana</i>	SC, SV, HU		C
718	<b>Masked Tanager</b> <i>Tangara nigrocincta</i> *	LF		?
719	<b>Black-headed Tanager</b> <i>Tangara cyanoptera</i>	MF, SC		F
720	<b>Opal-rumped Tanager</b> <i>Tangara velia</i>	LF		F
721	<b>Swallow-Tanager</b> <i>Tersina viridis</i>	LF, RI		F
722	<b>Black-faced Dacnis</b> <i>Dacnis lineata</i>	LF, MF		U
723	<b>Blue Dacnis</b> <i>Dacnis cayana</i>	LF, SC		C
724	<b>Short-billed Honeycreeper</b> <i>Cyanerpes nitidus</i>	LF		S
725	<b>Purple Honeycreeper</b> <i>Cyanerpes caeruleus</i>	LF, MF		F
726	<b>Red-legged Honeycreeper</b> <i>Cyanerpes cyaneus</i>	LF		F
727	<b>Green Honeycreeper</b> <i>Chlorophanes spiza</i>	LF		C
728	<b>Guira Tanager</b> <i>Hemithraupis guira</i>	LF		F
729	<b>Yellow-backed Tanager</b> <i>Hemithraupis flavicollis</i>	LF		F
730	<b>Chestnut-vented Conebill</b> <i>Conirostrum speciosum</i>	SC, LF		F
731	<b>Bicolored Conebill</b> <i>Conirostrum bicolor</i>	MN		F
732	<b>Greater Flowerpiercer</b> <i>Diglossa major</i>	MF	TEP	F


#### INCERTAE SEDIS

733	<b>Hepatic Tanager</b> <i>Piranga flava</i>	SV, SC, MF		U
734	<b>Summer Tanager</b> <i>Piranga rubra</i>	LF, MF	NEA	S
735	<b>[Scarlet Tanager</b> <i>Piranga olivacea</i> ] *	LF	NEA	S
736	<b>White-winged Tanager</b> <i>Piranga leucoptera</i>	MF, SC		S
737	<b>Olive-backed Tanager</b> <i>Mitrospingus oleagineus</i>	MF	TEP	F
738	<b>Bananaquit</b> <i>Coereba flaveola</i>	LF, SC, HU		C
739	<b>Sooty Grassquit</b> <i>Tiaris fuliginosus</i>	MF, SC		?

#### Emberizine Finches

#### Emberizidae

740	<b>Rufous-collared Sparrow</b> <i>Zonotrichia capensis</i>	SC, HU		FL
741	<b>Grassland Sparrow</b> <i>Ammodramus humeralis</i>	SV, HU		C
742	<b>Stripe-tailed Yellow-Finch</b> <i>Sicalis citrina</i>	SV, HU		UL
743	<b>Saffron Finch</b> <i>Sicalis flaveola</i>	SC, HU		?
744	<b>Grassland Yellow-Finch</b> <i>Sicalis luteola</i>	SV, HU		F
745	<b>Wedge-tailed Grass-Finch</b> <i>Emberizoides herbicola</i>	SV, SC, FW		F
746	<b>Blue-black Grassquit</b> <i>Volatinia jacarina</i>	HU, FW, SC		C
747	<b>Slate-colored Seedeater</b> <i>Sporophila schistacea</i>	LF, RI		CL
748	<b>Gray Seedeater</b> <i>Sporophila intermedia</i>	SV, SC		F
749	<b>Plumbeous Seedeater</b> <i>Sporophila plumbea</i>	SV		F
750	<b>Wing-barred Seedeater</b> <i>Sporophila americana</i>	SC, HU		F
751	<b>Lesson's Seedeater</b> <i>Sporophila bouvronides</i>	SC		U
752	<b>Lined Seedeater</b> <i>Sporophila lineola</i>	SC	AUS	U
753	<b>Yellow-bellied Seedeater</b> <i>Sporophila nigricollis</i>	SC, HU		CL
754	<b>Ruddy-breasted Seedeater</b> <i>Sporophila minuta</i>	SC, FW, HU		C

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
755	<b>Chestnut-bellied Seedeater</b> <i>Sporophila castaneiventris</i>	SC, HU		F
756	<b>Chestnut-bellied Seed-Finch</b> <i>Oryzoborus angolensis</i>	SC, HU, LF		F
757	<b>Large-billed Seed-Finch</b> <i>Oryzoborus crassirostris</i>	FW, SC		U
758	<b>Great-billed Seed-Finch</b> <i>Oryzoborus maximiliani</i>	FW, SC		?
759	<b>White-naped Seedeater</b> <i>Dolospingus fringilloides</i>	SC, SV	AMN	FL
760	[ <b>Paramo Seedeater</b> <i>Catamenia homochroa</i> ]	SV, SC		CL
761	<b>Pectoral Sparrow</b> <i>Arremon taciturnus</i>	LF		F
762	<b>Tepui Brush-Finch</b> <i>Atlapetes personatus</i>	MF, SC	TEP	U
763	<b>Red-crested Finch</b> <i>Coryphospingus cucullatus</i> *	SC		?
764	<b>Red-capped Cardinal</b> <i>Paroaria gularis</i>	RI, SC		C

### Grosbeaks, Saltators

### Cardinalidae

765	<b>Yellow-green Grosbeak</b> <i>Caryothraustes canadensis</i>	LF		F
766	<b>Red-and-black Grosbeak</b> <i>Periporphyrus erythromelas</i>	LF		U
767	<b>Slate-colored Grosbeak</b> <i>Saltator grossus</i>	LF		F
768	<b>Buff-throated Saltator</b> <i>Saltator maximus</i>	SC, LF		F
769	<b>Grayish Saltator</b> <i>Saltator coerulescens</i>	SC, HU		F
770	<b>Blue-black Grosbeak</b> <i>Cyanocopsa cyanoides</i>	LF		F
771	<b>Dickcissel</b> <i>Spiza americana</i>	HU, SV	NEA	?

### Wood Warblers

### Parulidae

772	<b>Tropical Parula</b> <i>Parula pitiayumi</i>	MF, LF		U
773	<b>Yellow Warbler</b> <i>Dendroica petechia</i>	MN, SC, HU	NEA	F
774	<b>Blackpoll Warbler</b> <i>Dendroica striata</i>	LF	NEA	U
775	[ <b>Bay-breasted Warbler</b> <i>Dendroica castanea</i> ]	LF	NEA	S
776	[ <b>Blackburnian Warbler</b> <i>Dendroica fusca</i> ]	MF	NEA	S
777	<b>American Redstart</b> <i>Setophaga ruticilla</i>	LF, MF, MN	NEA	U
778	<b>Prothonotary Warbler</b> <i>Protonotaria citrea</i>	MN	NEA	S
779	<b>Northern Waterthrush</b> <i>Seiurus noveboracensis</i>	MN	NEA	C
780	<b>Masked Yellowthroat</b> <i>Geothlypis aequinoctialis</i>	FW, SC		F
781	<b>Slate-throated Redstart</b> <i>Myioborus miniatus</i>	MF		F
782	<b>Tepui Redstart</b> <i>Myioborus castaneocapillus</i>	MF, SC	TEP	F
783	<b>Two-banded Warbler</b> <i>Basileuterus bivittatus</i>	MF, SC		F
784	<b>Golden-crowned Warbler</b> <i>Basileuterus culicivorus</i>	MF, LF		UL
785	<b>Flavescent Warbler</b> <i>Basileuterus flaveolus</i>	SC		FL
786	<b>Riverbank Warbler</b> <i>Phaeothlypis rivularis</i>	LF, RI		F


### INCERTAE SEDIS

787	<b>Rose-breasted Chat</b> <i>Granatellus pelzelni</i>	LF		U
-----	---	----	--	---

### New World Blackbirds

### Icteridae

788	<b>Green Oropendola</b> <i>Psarocolius viridis</i>	LF, MF		C
789	<b>Crested Oropendola</b> <i>Psarocolius decumanus</i>	LF		C
790	<b>Yellow-rumped Cacique</b> <i>Cacicus cela</i>	RI, LF, HU		C
791	<b>Red-rumped Cacique</b> <i>Cacicus haemorrhous</i>	LF		C
792	<b>Troupial</b> <i>Icterus icterus</i>	SC, SV		F
793	<b>Epaulet Oriole</b> <i>Icterus cayanensis</i>	SC, PA, HU		F
794	<b>Yellow Oriole</b> <i>Icterus nigrogularis</i>	SC, HU, MN		F

	ENGLISH NAME - SCIENTIFIC NAME	HABITAT	EN/MI	ABU
795	<b>Golden-tufted Grackle</b> <i>Macroagelaius imthurni</i>	MF	TEP	F
796	<b>Velvet-fronted Grackle</b> <i>Lamprosar tanagrinus</i>	LF, MN		U
797	<b>Yellow-hooded Blackbird</b> <i>Chrysomus icterocephalus</i>	FW		C
798	<b>Giant Cowbird</b> <i>Molothrus oryzivorus</i>	LF, SC, HU		C
799	<b>Shiny Cowbird</b> <i>Molothrus bonariensis</i>	SC, HU		C
800	<b>Carib Grackle</b> <i>Quiscalus lugubris</i>	SC, HU, MN		C
801	<b>Red-breasted Blackbird</b> <i>Sturnella militaris</i>	HU, FW, SV		C
802	<b>Eastern Meadowlark</b> <i>Sturnella magna</i>	SV, HU		C
803	<b>Bobolink</b> <i>Dolichonyx oryzivorus</i>	HU, FW, SV	NEA	S

### Cardueline Finches

### Fringillidae

804	<b>Red Siskin</b> <i>Carduelis cucullata</i>	SC, SV		CL
805	<b>Hooded Siskin</b> <i>Carduelis magellanica</i>	SC, SV	GUI	SL
806	<b>Plumbeous Euphonia</b> <i>Euphonia plumbea</i>	LF, SC, MF		U
807	<b>Purple-throated Euphonia</b> <i>Euphonia chlorotica</i>	LF, MF		U
808	<b>Finsch's Euphonia</b> <i>Euphonia finschi</i>	LF, SC	GUI	F
809	<b>Violaceous Euphonia</b> <i>Euphonia violacea</i>	LF, HU		F
810	<b>Golden-bellied Euphonia</b> <i>Euphonia chrysopasta</i>	LF, RI		F
811	<b>White-vented Euphonia</b> <i>Euphonia minuta</i>	LF		F
812	<b>Orange-bellied Euphonia</b> <i>Euphonia xanthogaster</i>	MF, LF		F
813	<b>Golden-sided Euphonia</b> <i>Euphonia cayennensis</i>	LF		F
814	<b>Blue-naped Chlorophonia</b> <i>Chlorophonia cyanea</i>	MF		U


**NOTES**

**NOTES**



**NOTES**





- Lowland Forest (LF)
- Montane Forest (MF)
- Savanna (SV)
- Mangrove (MN)
- Human impacted (HU)

If found, return to:

---

---

---

---