

Tribe Botryonopini Chapuis 1875

Botryonopites Chapuis 1875: 291. Handlirsch 1925: 666 (classification)

Botryonopini Chapuis. Würmli 1975a: 8 (genera), 1976a: 70 (revision); Bouchard et al. 2011: 78, 511 (nomenclature); Liao et al. 2015: 162 (host plants).

Botryonopini Weise 1911a: 55. Weise 1911b: 55 (catalog); Handlirsch 1925: 666 (classification); Chûjô 1933: 306 (Taiwan species); Uhmman 1940g: 121 (claws), 1954c: 39 (note), 1958e: 155 (catalog), 1959d: 8 (scutellum), 1960c: 13 (faunal list), 1964a: 436 (catalog), 1964(1965): 238 (faunal list), 1966d: 274 (note); Gressitt 1950: 61 (China species); Seeno & Wilcox 1982: 161 (catalog); Jolivet 1988b: 13 (host plants), 1989b: 307 (host plants); L. Medvedev 1992: 141 (Vietnam species); Jolivet & Hawkeswood 1995: 150 (host plants); Jolivet & Verma 2002: 62 (note); Chaboo 2007: 173 (phylogeny); Borowiec & Sekerka 2010: 370 (catalog).

Bothryonopini Weise. Zacher 1913: 103 (key); Staines 2010a: 172 (nomenclature).

Botryonopa Guérin-Méneville 1840b

Botryonopa Chevrolat 1836: 387 Nomen Nudum. Chapuis 1875: 291 (redescription), 1876: xix (faunal list).

Bothryonopa Guérin-Méneville 1840b: 332. Type species: *Bothryonopa sanguinea* Guérin-Méneville 1840b, designated by Baly 1858. Weise 1905: 114 (note); Zacher 1913: 103 (key); Staines 2010a: 172 (nomenclature).

Botryonopa Blanchard 1845: 181. Baly 1858: 91 (redescription), 1869b: 375 (note); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 556 (catalog); Gahan 1900: 438 (stridulation); Gestro 1903: 157 (note), 1917: 389 (faunal list); Heyne & Taschenberg 1908: 252 (noted); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Maulik 1913: 116 (Distribution), 1915: 368 (note), 1916: 569 (museum list), 1919: 20 (India species), 1933: 937 (larva); Schultze 1916: 99 (faunal list); Uhmman 1931e: 220 (note), 1954c: 39 (discussion), 1958e: 155 (catalog), 1964a: 436 (catalog); Chûjô 1933: 306 (Taiwan species); Lepesme 1947: 536 (host plants); Gressitt 1950: 61 (China species); Gressitt & Kimoto 1963a: 897 (China species); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975a: 9 (genera), 1976a: 71 (revision); Seeno & Wilcox 1982: 161 (catalog); Anand 1984: 11 (note), 1989: 4 (India species); Jolivet 1989b: 307 (host plant); Jolivet & Hawkeswood 1995: 150 (host plants); Kimoto & Chu 1996: 127 (faunal list); Staines 1997b: 412 (Uhmman species list); Basu 1999: 149 (faunal list); Kimoto 1999: 64 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2004: 159 (Malaysian species); Ballentes et al. 53 (faunal list); Chaboo 2007: 62 (noted); Borowiec & Sekerka 2010: 370 (catalog).

Botrionopa Chevrolat (sic). Chenu & Desmarest 1870: 341 (lapsus calami, noted).

Hispopria Baly 1858: 90. Type species: *Hispopria foveicollis* Baly 1858, by original designation. Chapuis 1875: 297 (redescription), 1876: xxi (faunal list); Gemminger & Harold 1876:

3606 (catalog); Gorham 1892: 84 (note); Donckier 1899: 559 (catalog); Gahan 1900: 437 (stridulation); Weise 1911a: 39 (synonymy); Maulik 1919: 20 (synonymy); Staines & Staines 1999: 526 (Baly species list).

Hisparia Baly (sic). Anand 1989: 4 (lapsus calami).

***Botryonopa angustata* Uhmman 1931f**

Botryonopa angustata Uhmman 1931f: 221 (type: Philippines, Mindanao, Suriago, MTD).

Uhmman 1933a: 58 (faunal list), 1946a: 19 (type), 1954c: 39 (catalog), 1958e: 155 (catalog), 1964(1965): 253 (faunal list); Gaedike & Döbler 1971: 364 (types); Staines 1997b: 412 (Uhmman species list).

Botryonopa cyanoptera (Baly). Chapuis 1876: xix (misidentification); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Schultze 1916: 99 (faunal list); Gestro 1917: 390 (faunal list); Uhmman 1954c: 45 (correction).

Botryonopa angustata quadrata Uhmman 1933a: 58 (type: Philippines, Mindanao, Zamboanga, DEI, USNM). Uhmman 1933a: 58 (faunal list), 1946a: 19 (type), 1954c: 39 (catalog), 1958e: 155 (catalog), 1964(1965): 253 (faunal list); Gaedike & Döbler 1971: 364 (types); Staines 1997b: 412 (Uhmman species list); Staines & Staines 1997: 3 (types).

Botryonopa collaris (Weise). Gestro 1917: 390 (misidentification); Uhmman 1954c: 57 (correction).

Distribution. Philippines (Mindanao).

Food Plant. Unknown.

***Botryonopa bicolor* Uhmman 1927d**

Botryonopa bicolor Uhmman 1927d: 109 (type: Formosa, Hoozan, Kosempo, DEI). Chûjô 1933: 306 (Taiwan species); Uhmman 1933a: 58 (comparative note), 1954c: 48 (note), 1958e: 156 (catalog); Gressitt 1950: 62 (China species); Gressitt & Kimoto 1963a: 897 (China species); Gaedike & Döbler 1971: 366 (types); Würmli 1976a: 92 (revision); Kimoto & Chu 1996: 127 (faunal list); Staines 1997b: 412 (Uhmman species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 370 (catalog).

Distribution. Taiwan.

Food Plant. Unknown.

***Bothryonopa bipartita* (Pic 1927g)**

Macrispa bipartita Pic 1927g: 132 (type: Vietnam, Tonkin, Chapa, MNHN). Uhmman 1954c: 39 (catalog), 1958e: 160 (catalog), 1964a: 437 (catalog); Descarpentries & Villiers 1959b: 499 (types); L. Medvedev 1992: 141 (Vietnam species).

Botryonopa bipartita (Pic). Würmli 1976a: 94 (revision); Kimoto 1999: 65 (southeast Asia species).

Distribution. Vietnam.

Food Plant. Unknown.

***Botryonopa bipunctata* (Baly 1858)**

Hispopria bipunctata Baly 1858: 96 (type: Philippines, BMNH). Chapuis 1876: xxii (faunal list); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 559 (catalog); Staines & Staines 1999: 526 (Baly species list).

Botryonopa bipunctata (Baly). Weise 1911a: 39 (catalog), 1911b: 56 (catalog), 1913: 237 (faunal list); Schultze 1916: 99 (faunal list); Gestro 1917: 389 (faunal list), 1922: 99 (faunal list); Uhmman 1933a: 58 (faunal list), 1954c: 48 (note), 1958e: 156 (catalog), 1964(1965): 238 (faunal list); Würmli 1976a: 92 (revision).

Distribution. Philippines (Mindanao, Mindoro, Negros, Palawan).

Food Plant. Unknown.

***Botryonopa collaris* Weise 1911c**

Botryonopa collaris Weise 1911c: 75 (type: Philippines, Palawan, DEI). Weise 1911a: 39 (catalog), 1911b: 57 (catalog), 1913: 237 (faunal list); Schultze 1916: 99 (faunal list); Gestro 1917: 389 (faunal list), 1922: 99 (faunal list); Uhmman 1930f: 174 (key), 1930(1932): 1 (faunal list), 1933a: 58 (faunal list), 1954c: 50 (lectotype), 1958e: 156 (catalog), 1964(1965): 238 (faunal list), 1966c: 320 (faunal list); Würmli 1976a: 81 (revision); Gaedike & Döbler 1971: 368 (types).

Distribution. Philippines (Mindanao, Palawan).

Food Plant. Unknown.

***Botryonopa concinna* (Gestro 1901a)**

Hispopria concinna Gestro 1901a: 85 (type: Borneo, MCSN). Gestro 1902b: 137 (faunal list), 1909(1910): 142 (faunal list).

Botryonopa concinna (Gestro). Weise 1911a: 39 (catalog), 1911b: 57 (catalog); Gestro 1913: 16 (comparative note); Uhmman 1938c: 115 (museum list), 1954e: 46 (Distribution), 1958e: 156 (catalog), 1960c: 13 (faunal list); Würmli 1976a: 83 (revision); Mohamedsaid 2004: 159 (Malaysian species).

Bothryonopa cyanipennis Weise 1905: 114 (type: Borneo, ZMHB?).

Botryonopa cyanipennis Weise. Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmman 1954c: 45 (synonymy).

Botryonopa moultonii Gestro 1913: 14 (type: Borneo, MCSN?). Uhmman 1958e: 158 (catalog), 1960c: 14 (faunal list); Würmli 1976a: 83 (synonymy); Reid 1997: 42 (Distribution).

Distribution. Indonesia (Borneo, Kalimantan), Malaysia.

Food Plant. Unknown.

***Botryonopa crassicornis* Gestro 1897b**

Botryonopa crassicornis Gestro 1897b: 45 (type: Indonesia, Sumatra, Soekaranda, MCSN). Donckier 1899: 556 (catalog); Würmli 1976a: 85 (revision); Mohamedsaid 2004: 159 (Malaysian species).

Botryonopa crassicornis Gestro. Würmli 1976a: 85 (revision).

Botryonopa wegneri Uhmman 1960c: 14 (type: E. Borneo, Bogor, ISNB). Uhmman 1964a: 436 (catalog); Gaedike & Döbler 1971: 394 (types); Reid 1997: 42 (Distribution); Staines 1997b: 412 (Uhmman species list); Mohamedsaid 2004: 162 (Malaysian species).

Botryonopa crassicornis wegneri Uhmman. Würmli 1976a: 85 (revision).

Botryonopa crassicornis ikata Würmli 1976a: 86 (type: Sarawak, Bau, BMNH).

Botryonopa tamiangana Uhmman 1930a: 2 (type: Indonesia, Sumatra, Tamiang, ISNB). Uhmman 1954c: 51 (note), 1958e: 159 (catalog); Staines 1997b: 412 (Uhmman species list); Würmli 1976a: 85 (synonymy).

Distribution. Indonesia (Borneo, Sumatra), Malaysia.

Food Plant. Unknown.

***Botryonopa cyanipennis* Baly 1858**

Botryonopa cyanipennis Baly 1858: 94 (type: Singapore, BMNH). Gemminger & Harold 1876: 3604 (catalog); Heyden 1879: 556 (faunal list); Donckier 1899: 556 (catalog); Gestro 1902b: 137 (faunal list), 1909(1910): 141 (faunal list); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmman 1954c: 45 (faunal list), 1958e: 156 (catalog); Würmli 1976a: 82 (revision); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 159 (Malaysian species).

Bothryonopa cyanipennis Baly. Weise 1905b: 114 (faunal list).

Botryonopa nobilis Gestro 1897b: 46 (type: Indonesia, Sumatra, Soekaranda, MCSN). Donckier 1899: 557 (catalog); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmman 1954c: 44 (note), 1958e: 158 (catalog); Würmli 1976a: 82 (synonymy).

Botryonopa opacicollis Baly (an invalid name). Gestro 1885: 163 (Distribution); Donckier 1899: 557 (catalog); Uhmman 1954c: 44 (synonymy).

Distribution. Indonesia (Borneo, Java, Sumatra), Malaysia, New Guinea.

Food Plant. Unknown.

***Botryonopa cyanoptera* Baly 1869b**

Botryonopa cyanoptera Baly 1869b: 375 (type: Borneo, BMNH). Chapuis 1876: 19 (faunal list); Gemminger & Harold 1876: 3604 (catalog); Donckier 1899: 556 (catalog); Gestro 1902b: 137 (faunal list), 1909(1910): 141 (faunal list), 1917: 390 (faunal list), 1922: 99 (faunal list); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Schultze 1916: 99 (faunal list); Uhmman 1930f: 174 (key), 1930-1932: 1 (faunal list), 1931f: 221 (note), 1948b: 73 (note), 1954c: 50 (key), 1958e: 156 (catalog), 1964(1965): 238 (faunal list); Würmli 1976a: 80 (revision); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2004: 159 (Malaysian species).

Botryonopa cyanoptera Baly. Würmli 1976a: 81 (revision).

Botryonopa cyanipennis (Baly). Heyden 1897: 558 (misidentification); Uhmann 1948b: 73 (correction).

Botryonopa minor Uhmann 1930f: 173 (type: Borneo, Kinabalu, ZMUH). Uhmann 1946a: 17 (synonymy), 1954c: 45 (synonymy), 1964: 17 (synonymy); Gaedike & Döbler 1971: 381 (types); Staines 1997b: 412 (Uhmann species list).

Botryonopa angustata Uhmann 1931: 221 (type: Philippines, Mindanao, Surigao, STMD).

Botryonopa cyanoptera angustata Uhmann Würmli 1976a: 80 (revision).

Distribution. Indonesia (Borneo), Malaysia, Philippines (Mindanao).

Food Plant. Unknown.

***Botryonopa daiacca* Würmli 1976a**

Botryonopa daiacca Würmli 1976a: 90 (type: Borneo, Mt. Kinabalu, BMNH). Mohamedsaid 2004: 160 (Malaysian species).

Distribution. Indonesia (Borneo), Malaysia.

Food Plant. Unknown.

***Botryonopa delkeskampi* Uhmann 1960a**

Botryonopa delkeskampi Uhmann 1960a: 123 (type: Borneo, ZMHU). Uhmann 1964a: 436 (catalog); Würmli 1976a: 84 (revision); Staines 1997b: 412 (Uhmann species list); Mohamedsaid 2004: 160 (Malaysian species).

Distribution. Malaysia.

Food Plant. Unknown.

***Botryonopa dohrni* (Gestro 1897)**

Hispopria dohrni Gestro 1897: 49 (type: Indonesia, Sumatra, Soekaranda, MSCN). Donckier 1899: 559 (catalog).

Botryonopa dohrni (Gestro). Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmann 1934d: 1 (faunal list), 1954c: 48 (note), 1958e: 157 (catalog); Würmli 1976a: 90 (revision).

Distribution. Indonesia (Sumatra).

Food Plant. Unknown.

***Botryonopa foveicollis* (Baly 1858)**

Hispopria foveicollis Baly 1858: 96 (type: Philippines, Mindanao, BMNH, ISNB). Chapuis 1876: xxi (faunal list); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 559 (catalog); Gahan 1900: 437 (stridulation); Dudich 1920: 153 (stridulation); Schmitt 1991: 266 (stridulation); Staines & Staines 1999: 526 (Baly species list); Chaboo 2007: 62 (note).

- Botryonopa foveicollis* (Baly). Weise 1911a: 39 (catalog), 1911b: 57 (catalog); Schultze 1916: 99 (faunal list); Gestro 1917: 390 (faunal list), 1922: 99 (faunal list); Maulik 1919: 8 (India species); Uhmman 1933a: 59 (faunal list), 1954c: 47 (note), 1958e: 157 (catalog), 1964(1965): 238 (faunal list); Würmli 1976a: 90 (revision); Schmitt 1994: 323 (stridulation); Samuelson 1996: 290 (morphology).
- Hispopria geniculata* Baly 1858: 97 (type: Philippines, BMNH). Chapuis 1876: xxii (faunal list); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 559 (catalog); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Schultze 1916: 99 (faunal list); Uhmman 1933a: 58 (faunal list), 1954c: 47 (note), 1958e: 157 (catalog); Staines & Staines 1999: 526 (Baly species list).
- Botryonopa geniculata* Baly. Gestro 1917: 390 (faunal list), 1922: 100 (faunal list); Uhmman 1964(1965): 238 (faunal list); Würmli 1976a: 90 (synonymy).
- Botryonopa crenata* Chapuis 1876: xxi (type: Philippines, Mindanao, ISNB?). Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 559 (catalog); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Gestro 1917: 389 (faunal list), 1922: 99 (faunal list); Uhmman 1930-1932: 1 (faunal list), 1954c: 47 (synonymy), 1964(1965): 238 (faunal list).
- Botryonopa crassipes* Motschulsky 1861: 629 (type: Philippines, depository unknown). Motschulsky 1869: 80 (types); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 559 (catalog); Weise 1904c: 457 (synonymy).
- Hispopria opaca* Weise 1910b: 161 (type: Philippines, Luzon, Cape Engano, ZMHB?).
- Botryonopa opaca* (Weise). Weise 1911a: 39 (catalog), 1911b: 57 (catalog); Schultze 1916: 99 (faunal list); Gestro 1917: 391 (faunal list), 1922: 100 (faunal list); Uhmman 1930-1932: 1 (faunal list), 1933a: 59 (synonymy).

Distribution. Philippines (Biliran, Luzon, Mindanao, Samar)

Food Plant. Unknown.

***Botryonopa grandis* (Baly 1858)**

- Hispopria grandis* Baly 1858: 95 (type: Indonesia, Java, BMNH). Gemminger & Harold 1876: 3606 (catalog); Gorham 1892: 84 (Distribution); Donckier 1899: 559 (catalog); Gestro 1899c: 318 (Distribution), 1902b: 137 (faunal list), 1909(1910): 141 (faunal list); Staines & Staines 1999: 526 (Baly species list).
- Botryonopa grandis* (Baly). Weise 1911a: 39 (catalog), 1911b: 56 (catalog), 1922b: 57 (note); Maulik 1916: 569 (museum list); Gestro 1919: 343 (host plant); Uhmman 1928e: 370 (faunal list), 1931f: 221 (museum list), 1953h: 90 (faunal list), 1954c: 50 (note), 1957: 7, 1958e: 157 (catalog), 1960c: 13 (faunal list), 1964a: 436 (catalog); Kalshoven 1951: 740 (host plants), 1957: 7 (host plant), 1981: 447 (host plants); Würmli 1976a: 81 (revision); Reid 1997: 42 (Distribution); Mohamedsaid 2004: 160 (Malaysian species); Chaboo 2007: 54 (note).
- Botryonopa marginata* Uhmman 1927c: 136 (type: Borneo, DEI). Uhmman 1954c: 46 (synonymy); Kalshoven 1951: 740 (host plant); Gaedike & Döbler 1971: 380 (types).

Distribution. Indonesia (Borneo, Java, Sumatra), Malaysia.

Food Plants. Poaceae (Gestro 1919); *Metroxylon* sp. (Arecaceae) (Kalshoven 1951).

***Botryonopa helena* Würmli 1976a**

Botryonopa helena Würmli 1976a: 87 (type: Malaysia, Selangor-Pahang, BMNH).
Mohamedsaid 2004: 160 (Malaysian species).

Distribution. Malaysia.

Food Plant. Unknown.

***Botryonopa imperialis* Baly 1869b**

Botryonopa imperialis Baly 1869b: 375 (type: Philippine Islands, BMNH). Chapuis 1876: xix (faunal list); Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 559 (catalog); Weise 1911a: 39 (catalog), 1911b: 57 (catalog); Schultze 1916: 99 (faunal list); Gestro 1917: 390 (faunal list), 1922: 100 (faunal list); Uhmman 1930-1932: 1 (faunal list), 1931f: 224 (museum list), 1933a: 59 (faunal list), 1954c: 45 (note), 1958e: 158 (catalog), 1964(1965): 238 (faunal list); Würmli 1976a: 80 (revision); Staines & Staines 1999: 522 (Baly species list).

Hispopria coeruleipennis Duvivier 1885: 399 (type: Philippines, MNHN?). Donckier 1899: 559 (catalog); Weise 1904c: 457 (synonymy).

Distribution. Philippines (Mindanao).

Food Plant. Unknown.

***Botryonopa ingens* Gestro 1903**

Botryonopa ingens Gestro 1903: 157 (type: Indonesia, Sumatra, Siboga, MCSN). Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmman 1958e: 158 (catalog); Würmli 1976a: 88 (revision); Mohamedsaid 2000a: 358 (faunal list), 2004: 160 (Malaysian species).

Macrispa ingens (Gestro). Würmli 1975a: 10 (Distribution).

Macrispa perakensis Maulik 1929: 109 (type: Malay Peninsula, BMNH?). Uhmman 1958e: 160 (catalog); Würmli 1975a: 10 (synonymy).

Botryonopa perakensis (Maulik). Würmli 1975a: 10 (Distribution); Kimoto 2000: 80 (Distribution); Mohamedsaid 2004: 161 (Malaysian species).

Distribution. Indonesia (Sumatra), Malaysia.

Food Plant. Unknown.

***Botryonopa jacobii* Uhmman 1930a**

Botryonopa jacobii Uhmman 1930a: 1 (type: Indonesia, Sumatra, Tandjong Poera, MTD).
Uhmman 1954c: 49 (note), 1958e: 158 (catalog); Würmli 1976a: 84 (revision); Staines 1997b: 412 (Uhmman species list).

Distribution. Indonesia (Sumatra).

Food Plant. Unknown.

***Botryonopa javana* Uhmann 1928b**

Botryonopa javana Uhmann 1928b: 61 (type: Indonesia, Java, RMNH). Uhmann 1954c: 51 (note), 1958e: 158 (catalog); Würmli 1976a: 85 (revision); Staines 1997b: 412 (Uhmann species list).

Distribution. Indonesia (Java).

Food Plant. Unknown.

***Botryonopa mindoroica* Uhmann 1930-1932**

Botryonopa mindoroica Uhmann 1930-1932: 3 (type: Philippines, Mindoro, Naujan, depository unknown). Uhmann 1954c: 52 (note), 1958e: 158 (catalog), 1964(1965): 253 (faunal list); Würmli 1976a: 92 (revision); Staines 1997b: 412 (Uhmann species list).

Distribution. Philippines (Mindoro).

Food Plant. Unknown.

***Botryonopa misella* Gestro 1917**

Botryonopa misella Gestro 1917: 392 (type: Philippines, Mindanao, Zamboanga, MCSN). Gestro 1922: 100 (faunal list); Uhmann 1958e: 158 (catalog), 1964(1965): 238 (faunal list); Würmli 1976a: 89 (revision); Kimoto 2000: 80 (Distribution).

Botryonopa musella Gestro (sic). Mohamedsaid 2004: 161 (Malaysian species).

Distribution. Malaysia, Philippines (Mindanao).

Food Plant. Unknown.

***Botryonopa modiglianii* (Gestro 1896a)**

Hispopria modiglianii Gestro 1896a: 330 (type: Indonesia, Sereinu (Sipora), MCSN, ISNB). Gestro 1897b: 48 (Distribution), 1901b: 435 (note); Donckier 1899: 560 (catalog).

Botryonopa modiglianii (Gestro). Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmann 1958e: 158 (catalog); Würmli 1976a: 93 (revision).

Botryonopa modiglianii (Gestro). Würmli 1976a: 93 (revision).

Hispopria apicalis Gestro 1901a: 87 (type: Giava, ISNB, MCSN). Weise 1911a: 39 (catalog), 1911b: 56 (catalog);

Botryonopa apicalis (Gestro). Uhmann 1935g: 142 (faunal list), 1953h: 90 (faunal list), 1954c: 52 (note), 1958e: 155 (catalog).

Botryonopa modiglianii apicalis (Gestro). Würmli 1976a: 93 (revision).

Botryonopa apicalis vittata Uhmann 1935g: 142 (type: Indonesia, Java, Batoerraden, DEI). Uhmann 1946a: 20 (type); Staines 1997b: 412 (Uhmann species list).

Botryonopa modiglianii vittata Uhmann. Uhmann 1954c: 52 (note), 1958e: 156 (catalog); Würmli 1976a: 93 (revision).

Botryonopa apicalis uniformis Uhmann 1935g: 142 (type: Indonesia, Java, Noesa Kambangan, DEI). Uhmann 1946a: 142 (type); Staines 1997b: 412 (Uhmann species list).

Botryonopa modiglianii uniformis Uhmman. Uhmman 1954c: 52 (note), 1958e: 156 (catalog); Würmli 1976a: 94 (revision).

Botryonopa korinchica Uhmman 1951b: 73 (type: Indonesia, Sumatra, Sungel Kumbang, BMNH). Uhmman 1954c: 52 (note), 1958e: 158 (catalog); Gaedike & Döbler 1971: 378 (types); Staines 1997b: 412 (Uhmman species list); Würmli 1976a: 94 (synonymy).

Distribution. Indonesia (Java, Sumatra).

Food Plant. Unknown.

***Botryonopa obscura* Würmli 1976a**

Botryonopa obscura Würmli 1976a: 82 (type: Philippines, North Palawan, Binaluan, ZMHB).

Distribution. Philippines (Palawan).

Food Plant. Unknown.

***Botryonopa piliha* Würmli 1976a**

Botryonopa piliha Würmli 1976a: 83 (type: Borneo, RMNH). Mohamedsaid 2004: 161 (Malaysian species).

Distribution. Malaysia.

Food Plant. Unknown.

***Botryonopa punctatissima* (Chapuis 1876)**

Hispopria punctatissima Chapuis 1876: xxii (type: Philippines, Luzon, ISNB). Gemminger & Harold 1876: 3606 (catalog); Donckier 1899: 560 (catalog).

Botryonopa punctatissima (Chapuis). Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Schultze 1916: 99 (faunal list); Gestro 1917: 391 (faunal list), 1922: 100 (faunal list); Uhmman 1927d: 109 (note), 1933a: 58 (faunal list), 1954c: 48 (note), 1958e: 158 (catalog, 1964(1965): 238 (faunal list)); Würmli 1976a: 91 (revision).

Distribution. Philippines (Luzon, Tayabas).

Food Plant. Unknown.

***Botryonopa purpurascens* Chapuis 1876**

Botryonopa purpurascens Chapuis 1876: xix (type: Philippines, Mindanao, ISNB). Gemminger & Harold 1876: 3604 (catalog); Donckier 1899: 557 (catalog); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Schultze 1916: 99 (faunal list); Gestro 1917: 391 (faunal list), 1922: 100 (faunal list); Uhmman 1930-1932: 2 (faunal list), 1933a: 59 (faunal list), 1954c: 51 (note), 1958e: 159 (catalog), 1964(1965): 239 (faunal list); Würmli 1976a: 89 (revision).

Distribution. Philippines (Mindanao).

Food Plant. Unknown.

***Botryonopa sanguinea* Guérin-Méneville 1840b**

Botryonopa sanguinea Dejean 1837: 387 Nomen Nudum.

Botryonopa dentipes Chevrolat 1836: 287 Nomen Nudum. Heyne & Taschenberg 1908: 252 (note).

Botryonopa papaverata Dejean 1836: 387 Nomen Nudum. Heyne & Taschenberg 1908: 252 (note)

Bothryonopa sanguinea Guérin-Méneville 1840b: 332 (type: Indonesia, Java, BMNH). Staines 2010a: 172 (type species).

Botryonopa sanguinea Guérin-Méneville. Baly 1858: 92 (note); Gemminger & Harold 1876: 3604 (catalog); Gestro 1885: 163 (Distribution), 1919: 343 (host plant); Donckier 1899: 557 (catalog); Koningsberger 1903: 96 (host plants), 1912: 483 (host plants); Heyne & Taschenberg 1908: 252 (noted); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Keuchenius 1915: 601 (host plants), 1916: 579 (host plants); Dammerman 1919: 87 (host plant); Maulik 1919: 21 (India species), 1937: 143 (host plants), 1949: 628 (immatures); Dammerman 1929: 90 (host plant); Kempers 1922: 36 (noted); Uhmman 1929a: 144 (faunal list), 1931f: 221 (museum list), 1954c: 43 (note), 1957: 7, 1958e: 159 (catalog), 1959e: 755 (note), 1964a: 436 (catalog), 1966d: 274 (note); Speyer 1932: 224 (note); Maulik 1937: 143 (host plant); Taylor 1937: 144 (host plant); Esaki 1943: 271 (pest status); Lepesme 1947: 536 (host plants); Kalshoven 1951: 740 (host plants), 1957: 7 (host plants), 1981: 447 (host plants); Speyer 1954: 363 (host plants); Johnston 1965: 13 (pest list); Würmli 1976a: 89 (revision); Anand 1989: 5 (India species); Mann & Crowson 1996: 301 (internal sac); Reid 1998: 300 (faunal list); Kimoto 1999: 65 (southeast Asia species); Mariau 1999: 233 (note), 2001: 132 (note); Mohamedsaid 2000a: 358 (faunal list), 2004: 161 (Malaysian species); Steiner 2001: 80 (host plants); Chaboo 2007: 173 (note).

Distribution. India (northern), Indonesia (Java, Sumatra), Laos, Malaysia.

Food Plants. Poaceae (Gestro 1919); *Cocos nucifera* L. (Dammerman 1929); wild rattan, *Metroxylon* sp. (Kalshoven 1951) (Arecaceae).

***Botryonopa schultzei* Uhmman 1930-1932**

Botryonopa schultzei Uhmman 1930-1932: 4 (type: Philippines, Mindanao, Surigao, depository unknown). Uhmman 1931f: 222 (note), 1954c: 49 (note), 1958e: 159 (catalog), 1964(1965): 253 (faunal list); Würmli 1976a: 92 (revision); Staines 1997b: 412 (Uhmman species list).

Distribution. Philippines (Mindanao).

Food Plant. Unknown.

***Botryonopa sheppardi* Baly 1858**

Botryonopa sheppardi Baly 1858: 92 (type: northern India, BMNH). Gemminger & Harold 1876: 3605 (catalog); Duvivier 1892: 446 (faunal list); Donckier 1899: 557 (catalog); Weise 1908:214 (note), 1911a: 39 (catalog), 1911b: 56 (catalog); Maulik 1913: 116 (Distribution), 1915: 368 (museum list), 1919: 22 (India species); Uhmman 1931f: 221 (note), 1954c: 44 (note), 1958e: 159 (catalog), 1964a: 436 (catalog); Monrós 1959: 27 (illustration); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975b: 371 (faunal list), 1976a: 84 (revision); Lindquist 1986: 357 (mites); Basu 1999:149 (Distribution); Kimoto 1999: 66 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Borowiec & Sekerka 2010: 370 (catalog).

Distribution. Bangladesh, Bhutan, India (Assam, Arunachal Pradesh, Sikkim, West Bengal), Laos, Myanmar, Thailand.

Food Plant. Unknown.

***Botryonopa spectabilis* Baly 1858**

Botryonopa spectabilis Baly 1858: 93 (type: Indonesia, Sumatra, BMNH, ISNB). Gemminger & Harold 1876: 3605 (catalog); Gestro 1897b: 44 (Distribution); Donckier 1899: 557 (catalog); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Maulik 1916: 569 (museum list); Uhmman 1954c: 44 (note), 1958e: 159 (catalog); Würmli 1976a: 86 (revision); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 162 (Malaysian species); Steiner 2001: 60 (host plants);.

Botryonopa spectabilis spectabilis Baly. Würmli 1976a: 86 (revision).

Botryonopa nitidicollis Gestro 1897b: 44 (type: Indonesia, Sumatra, Soekaranda, MCSN). Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmman 1954c: 44 (note), 1954n: 516 (Distribution), 1958e: 158 (catalog); Würmli 1976a: 86 (synonymy); Kimoto 2000: 80 (Distribution); Mohamedsaid 2004: 161 (Malaysian species).

Botryonopa helleri Heyden 1897: 579 (type: Borneo, SMTD). Donckier 1899: 556 (catalog); Gestro 1902b: 137 (faunal list), 1909(1910): 141 (faunal list); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmman 1948b: 73 (note), 1954c: 51 (note), 1958e: 157 (catalog); Kimoto 2000: 78 (Distribution); Mohamedsaid 2004: 160 (Malaysian species).

Botryonopa dulitana Uhmman 1938c: 115 (type: Sarawak, Mt. Dulit, BMNH). Uhmman 1946a: 20 (type, synonymy); Gaedike & Döbler 1971: 371 (types); Staines 1997b: 412 (Uhmman species list).

Botryonopa spectabilis helleri Heyden. Würmli 1976a: 87 (revision).

Botryonopa kleinei Uhmman 1931a: 178 (type: S. Borneo, DEI). Uhmman 1954c: 44 (note), 1958e: 158 (catalog), 1960c: 13 (faunal list); Gaedike & Döbler 1971: 378 (types); Reid 1997: 42 (Distribution); Staines 1997b: 412 (Uhmman species list); Kimoto 2000: 79 (Distribution); Mohamedsaid 2004: 161 (Malaysian species).

Botryonopa spectabilis kleinei Uhmman. Würmli 1976a: 87 (revision).

Botryonopa spectabilis stomachosa Würmli 1976a: 87 (type: Malaya, Perak, Talping, BMNH).

Distribution. Indonesia (Borneo, Sumatra), Malaysia.

Food Plants. *Oncosperma horridum* Scheff., *Eugeissona tristis* Griff, *Daemonorops geniculatus* Mart. (Arecaceae) (Steiner 2001).

***Botryonopa sungkita* Würmli 1976a**

Botryonopa sungkita Würmli 1976a: 83 (type: Borneo, RMNH). Mohamedsaid 2004: 162 (Malaysian species).

Distribution. Indonesia (Borneo), Malaysia.

Food Plant. Unknown.

***Botryonopa terminalis* (Baly 1876)**

Hispopria terminalis Baly 1876: 127 (type: Philippines, Mindanao, BMNH). Donckier 1899: 560 (catalog); Staines & Staines 1999: 526 (Baly species list).

Botryonopa terminalis (Baly). Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Schultze 1916: 99 (faunal list); Gestro 1917: 391 (faunal list), 1922: 100 (faunal list); Uhmman 1954c: 48 (note), 1958e: 159 (catalog), 1964(1965): 239 (faunal list); Würmli 1976a: 91 (revision).

Distribution. Philippines (Mindanao).

Food Plant. Unknown.

***Botryonopa tobae* Gestro 1897b**

Botryonopa tobae Gestro 1897b: 47 (type: Indonesia, Sumatra, Si-Rambe, MCSN). Donckier 1899: 557 (catalog); Weise 1911a: 39 (catalog), 1911b: 56 (catalog); Uhmman 1954c: 44 (note), 1958e: 160 (catalog); Würmli 1976a: 86 (revision).

Distribution. Indonesia (Sumatra).

Food Plant. Unknown.

***Macrispa* Baly 1858**

Macrispa Baly 1858: 90. Type species: *Macrispa saundersii* Baly 1858, by monotypy. Chapuis 1875: 294 (redescription); Gemminger & Harold 1876: 3606 (catalog); Baly 1879: 465 (note); Donckier 1899: 559 (catalog); Gestro 1905a: 130 (note); Weise 1911a: 40 (catalog), 1911b: 57 (catalog); Maulik 1915: 368 (redescription), 1919: 23 (India species); Uhmman 1954c: 39 (catalog), 1958e: 160 (catalog); Descarpentries & Villiers 1959b: 499 (types); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975a: 10 (genera), 1976a: 71 (as synonym of *Botryonopa*); Seeno & Wilcox 1982: 162 (as synonym of *Botryonopa*); Anand 1984: 11 (note); Staines & Staines 1999: 526 (note); Kimoto 2005: 105 (faunal list).

***Macrispa saundersii* Baly 1858**

Macrispa saundersii Baly 1858: 91 (type: locality unknown, BMNH). Gemminger & Harold 1876: 3606 (catalog); Baly 1879: 465 (Distribution); Donckier 1899: 559 (catalog); Gestro 1906: 130; Weise 1911a: 40 (catalog), 1911b: 57 (catalog); Maulik 1915: 368 (redescription), 1919: 24 (India species); Uhmman 1954c: 39 (catalog), 1958e: 160 (catalog), 1964a: 437 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975b: 371 (faunal list); Staines & Staines 1999: 526 (Baly species list); Kimoto 2005: 105 (faunal list).

Botryonopa saundersii (Baly). Würmli 1976a: 88 (transfer); Borowiec & Sekerka 2010: 370 (catalog).

Macrispa krishnalohita Maulik 1915: 369 (type: India, Assam, Dejo, BMNH). Maulik 1919: 25 (India species); Uhmman 1958e: 160 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1976a: 88 (synonymy).

Botryonopa krishnalohita (Maulik). Basu 1999: 150 (Distribution).

Distribution. Bangladesh, Bhutan, India (Assam, Bengal, Meghalaya).

Food Plant. Unknown.