

Tribe Callispini Chapuis 1875

- Callispites Chapuis 1875: 269. Handlirsch 1925: 666 (classification).
- Callispini Chapuis. Würmli 1975a: 12 (genera); Staines 2004a: 311 (host plants); Borowiec & Sekerka 2010: 371 (catalog); Bouchard et al. 2011: 78, 511 (nomenclature).
- Callispini Weise 1911a: 41. Weise 1911b: 60 (catalog); Gestro 1914: 276 (faunal list), 1920: 392 (faunal list); Handlirsch 1925: 666 (classification); Winkler 1929: 1352 (catalog); Uhmman 1931i: 837 (museum list), 1940g: 121 (claws), 1949a: 3 (key), 1952b: 343 (note), 1954a: 187 (faunal list), 1954f: 6 (faunal list), 1954h: 176 (faunal list), 1956f: 338 (catalog), 1958e: 169 (catalog), 1959d: 8 (scutellum), 1960d: 373 (faunal list), 1961a: 18 (faunal list), 1964a: 438 (catalog), 1964(1965): 239 (faunal list), 1966b: 210 (faunal list), 1966d: 274 (note), 1969: 297 (faunal list); Liu 1936: 250 (China species); Wu 1937: 911 (faunal list); Gressitt 1939a: 163 (distribution), 1939b: 197 (distribution), 1939c: 132 (distribution), 1949a: 3 (note), 1950: 66 (China species), 1953: 121 (distribution), 1957b: 211 (South Pacific species); Chûjô 1953: 125 (higher classification); Gressitt & Kimoto 1963a: 899 (China species); Seeno & Wilcox 1982: 162 (catalog); Gressitt & Samuelson 1988: 50 (New Guinea species); Jolivet 1988b: 13 (host plants), 1989b: 308 (host plants); L. Medvedev 1992b: 143 (Vietnam species); Jolivet & Hawkeswood 1995: 150 (host plants); Cox 1996a: 167 (pupa); Jolivet & Verma 2002: 62 (note); Chaboo 2007: 173 (phylogeny); Lee et al. 2012: 832 (Taiwan species).
- Callispidae. Chen 1973: 51 (classification).
- Callispinae. Gestro 1905b: 503 (faunal list); Chen 1985: 472 (phylogeny); Yang & Sun 1991: 58 (types); Yu 1992: 610 (faunal list).
- Hispodontides Chapuis 1875: 284. Handlirsch 1925: 666 (classification); Bouchard et al. 2011: 512 (nomenclature).
- Type genus:** *Callispa* Baly 1858.

Amblispa Baly 1858

- Amblispa* Baly 1858: 10. Type species: *Amblispa dohrnii* Baly 1858, by original designation. Chapuis 1875: 271 (redescription); Gemminger & Harold 1876: 3600 (catalog); Donckier 1899: 546 (catalog); Gestro 1905b: 543 (catalog); Weise 1905b: 114 (distribution), 1911a: 44 (catalog), 1911b: 64 (catalog); Maulik 1919: 70 (India species); Uhmman 1958e: 183 (catalog), 1959d: 8 (scutellum), 1964a: 441 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975a: 17 (genera); Seeno & Wilcox 1982: 162 (catalog); Anand 1984: 11 (note); Jolivet 1989b: 308 (host plants); L. Medvedev 1992b: 143 (Vietnam species); Jolivet & Hawkeswood 1995: 151 (host plants); Basu 1999: 158 (distribution); Staines & Staines 1999: 522 (Baly species list); Kimoto 2005: 100 (faunal list); Medvedev & Sprecher-Uebersax 2005: 332 (Nepal species); Borowiec & Sekerka 2010: 371 (catalog).

***Amblispa dohrnii* Baly 1858**

Amblispa dohrnii Baly 1858: 12 (type: Ceylon, BMNH). Tennent 1868: 452 (faunal list); Gemminger & Harold 1876: 3600 (catalog); Donckier 1899: 546 (catalog); Gestro 1902a: 52 (faunal list); Weise 1911a: 44 (catalog), 1911b: 64 (catalog); Maulik 1919: 71 (India species); Uhmman 1952b: 352 (note), 1958e: 183 (catalog); Staines & Staines 1999: 522 (Baly species list).

Distribution. Sri Lanka.

Food plant. Unknown.

***Amblispa laevigata* (Guérin-Méneville 1844a)**

Microrhopala laevigata Guérin-Méneville 1844a: 278 (type: India, Pondichery, depository unknown). Gemminger & Harold 1876: 3611 (catalog); Donckier 1899: 575 (catalog); Uhmman 1966d: 274 (note).

Amblispa laevigata (Guérin-Méneville). Baly 1858: 12 (transfer); Gemminger & Harold 1876: 3600 (catalog); Donckier 1899: 546 (catalog); Maxwell-Lefroy 1909: 364 (host plant); Weise 1897: 117 (faunal list), 1905b: 114 (faunal list), 1911a: 44 (catalog), 1911b: 64 (catalog); Maulik 1919: 71 (India species); Uhmman 1952b: 352 (note), 1958e: 183 (catalog), 1963b: 150 (museum list), 1964a: 441 (catalog); Kalshoven 1957: 8 (host plant); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1976e: 362 (distribution); Takizawa 1985a: 1 (faunal list); Basu 1999: 158 (distribution); Medvedev & Sprecher-Uebersax 1998: 40 (faunal list), 1999a: 343 (faunal list); 2005: 332 (Nepal species); Kimoto 2005: 100 (faunal list); Borowiec & Świętojańska 2007: 280 (distribution); Borowiec & Sekerka 2010: 371 (catalog); Sprecher-Uebersax 2011: 487 (faunal list).

Amblispa laevigata purpurascens Maulik 1919: 73 (type: Ceylon; India, United Provinces, Ranikhet, BMNH). Uhmman 1952b: 361 (catalog), 1958e: 183 (catalog).

Amblispa laevigata viridis Maulik 1919: 73 (type: South India; Trichur, ZUIC). Uhmman 1958e: 183 (catalog)

Distribution. Bangladesh, India (Bihar, Himachal Pradesh, Karnataka, Kerala, Madhya Pradesh, Maharashtra, Tamil Nadu, Uttar Pradesh, West Bengal), Nepal, Sri Lanka.

Host plant. Grass (Poaceae) (Maxwell-Lefroy 1909).

***Callispa* Baly 1858**

Callispa Baly 1858: 4. Type species: *Callispa fortunei* Baly 1858, by original designation. Baly 1869b: 364 (note); Chapuis 1875: 272 (redescription), 1876: xvii (faunal list); Gemminger & Harold 1876: 3599 (catalog); Weise 1893: 1060 (catalog), 1911a: 42 (catalog), 1911b: 62 (catalog); Gestro 1897b: 41 (distribution), 1901b: 434 (note), 1905b:

504 (faunal list), 1914: 276 (faunal list), 1917: 396 (faunal list); Péringuey 1898: 114 (faunal list), 1908: 334 (South African species); Donckier 1899: 543 (catalog); MaxwellLefroy 1909: 364 (note); Schultze 1916: 100 (faunal list); Maulik 1919: 43 (India species); Handlirsch 1925: 666 (classification); Winkler 1929: 1352 (catalog); Uhmman 1930-1932: 34 (note), 1931i: 837 (museum list), 1940g: 121 (claws), 1942a: 5 (faunal list), 1949a: 3 (note), 1952b: 343 (note), 1954f: 6 (faunal list), 1954h: 176 (faunal list), 1958e: 171 (catalog), 1959d: 7 (scutellum), 1961a: 18 (faunal list), 1964a: 439 (catalog), 1966b: 210 (faunal list); Spaeth 1935b: 255 (African species); Liu 1936: 250 (China species); Wu 1937: 911 (faunal list); Gressitt 1938: 321 (Hainan Island), 1939a: 163 (distribution), 1939b: 197 (distribution), 1950: 66 (China species); Lepesme 1947: 536 (host plants); Descarpentries & Villiers 1959b: 500 (types); Chen et al. 1961: 457 (faunal list); Gressitt & Kimoto 1963a: 899 (China species); Nair & Oommen 1965: 230 (biology); Abdullah & Qureshi 1969: 99 (Bangladesh species); Look 1974: 417 (noted); David & Kumaraswami 1975: 93 (pest species); Nair 1975: 76 (pest species); Würmli 1975a: 17 (genera); Nayar et al. 1976: 353 (note); Medler 1980: 261 (faunal list); Seeno & Wilcox 1982: 162 (catalog); Anand 1984: 11 (note), 1989: 5 (India species); Silfverberg 1985: 270 (note); Chen et al. 1986: 375 (China species); Jolivet 1989b: 308 (host plants), 1997b: 98 (noted); Nair 1989: 37 (pest status); Jolivet & Hawkeswood 1995: 150 (host plants); Basu 1999: 152 (distribution); Kimoto 1999: 92 (southeast Asia species), 2005: 100 (faunal list); Staines & Staines 1999: 522 (Baly species list); Steiner 2001: 60 (host plants); Jolivet & Verma 2002: 62 (note); Mohamedsaid 2004: 166 (Malaysian species); Medvedev & Sprecher-Uebersax 2005: 332 (Nepal species); Staines 1997b: 413 (Uhmman species list), 2005: 47 (Spaeth species list); Schöller 2007: 333 (Malaysia species); Ballentes et al. 2006: 53 (faunal list); Chaboo 2007: 116 (note); Lit & Caasi-Lit 2009: 106 (host plant); Borowiec & Sekerka 2010: 371 (catalog); Lee et al. 2012: 832 (Taiwan species); Shameem & Prathapan 2013: 2 (noted).

Miltinaspis Weise 1904b: 443. Type species: *Cephaloleia cassidoides* Guérin-Méneville 1844a, by monotypy. Uhmman 1958e: 182 (catalog), 1964a: 441 (catalog); Würmli 1975a: 17 (synonymy).

Melispa Weise 1897: 114. Type species: *Melispa andrewesi* Weise 1897, by monotypy. Donckier 1899: 547 (catalog); Weise 1911a: 44 (catalog), 1911b: 64 (redescription); Maulik 1919: 73 (India species); Uhmman 1958e: 182 (catalog); Würmli 1975a: 17 (synonymy); Anand 1984: 11 (note).

Rhinocassis Spaeth 1905: 255. Type species: *Cephaloleia cassidoides* Guérin-Méneville 1844a, by monotypy. Spaeth 1929: 30 (synonymy).

Callispa (*Callispella*) Spaeth 1935b: 255. Type species: *Callispa gracilicornis* Weise 1910, by original designation. Uhmman 1952b: 357 (note), 1958e: 182 (catalog); Würmli 1975a: 17 (genera); Medler 1980: 262 (faunal list).

Callispa (Callispa)

Callispa africana Baly 1876

Callispa africana Baly 1876: 127 (type: Banks of the Niger, BMNH). Kraatz 1895: 190 (redescription); Donckier 1899: 543 (catalog); Gestro 1905b: 542 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Spaeth 1935b: 256 (note); Uhmann 1954h: 176 (key), 1958e: 171 (catalog); Medler 1980: 261 (faunal list); Staines & Staines 1999: 522 (Baly species list).

Distribution. Niger, Nigeria, Togo.

Food plant. Unknown.

Callispa ajaya Basu 1999

Callispa ajaya Basu 1999: 156 (type: India, West Bengal, Darjeeling District, Ghoombhanjang, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).

Distribution. India (West Bengal).

Food plant. Unknown.

Callispa almora Maulik 1923

Callispa almora Maulik 1923: 599 (type: India, Himalaya, Almora, BMNH). Uhmann 1958e: 171 (catalog); Borowiec & Sekerka 2010: 371 (catalog).

Callispa almora nigrimembris Chen & Yu 1964: 107 (type: China, Szechwan, Omei-shan, IZAS). Gressitt & Kimoto 1965: 805 (note); Yang & Sun 1991: 58 (type); Borowiec & Sekerka 2010: 371 (catalog).

Callispa bigrimembris Chen & Yu. Hua 2002: 288 (lapsus calami).

Callispa almora fukienica Chen & Yu 1964 (type: China, Fukien, Kien-yang, IZAS). Hua 2002: 288 (faunal list).

Distribution. China (Fukien, Szechuan, Yunnan), India.

Food plant. Unknown.

Callispa amabilis Gestro 1909(1910)

Callispa amabilis Gestro 1909(1910): 123 (type: Borneo, Sarawak, MCSN). Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Uhmann 1928e: 370 (faunal list), 1928f: 394 (faunal list), 1935g: 143 (faunal list), 1952b: 357 (key), 1954n: 516 (distribution), 1958e: 171 (catalog), 1959d: 8 (scutellum), 1964a: 439 (catalog); Chen et al. 1961: 457 (faunal list); Hua 2002: 288 (faunal list); Mohamedsaid 2004: 166 (Malaysian species); Schöller 2008: 317 (key); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan), Indonesia (Java, Sumatra), Malaysia.

Food plant. Unknown.

***Callispa andrewesi* (Weise 1897)**

Melispa andrewesi Weise 1897: 116 (type: India, Madura, BMNH). Donckier 1899: 547 (catalog); Weise 1911a: 44 (catalog), 1911b: 64 (catalog); Maulik 1919: 74 (India species); Uhmman 1958e: 182 (catalog).

Distribution. India (Madras).

Food plant. Unknown.

***Callispa angonina* Spaeth 1935b**

Callispa angonina Spaeth 1935b: 260 (type: Nyasaland, Dedza, Zentral Angoniland, BMNH). Uhmman 1953b: 11 (faunal list), 1958e: 171 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. Zambia.

Food plant. Unknown.

***Callispa angusta* Gressitt 1950**

Callispa angusta Gressitt 1950: 67 (type: China, Fukien, Kwan-in-han, CASC). Gressitt 1953: 121 (distribution); Gressitt & Kimoto 1963a: 900 (China species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Fukien).

Food plant. Unknown.

***Callispa angusticollis* Maulik 1919**

Callispa angusticollis Maulik 1919: 54 (type: India, Madras, Nilgiri Hills, BMNH). Uhmman 1952b: 359 (catalog), 1958e: 171 (catalog).

Distribution. India (Madras).

Food plant. Unknown.

***Callispa apicalis* Pic 1924b**

Callispa apicalis Pic 1924b: 99 (type: China, Fukien, MNHN). Winkler 1929: 1352 (catalog); Wu 1937: 911 (faunal list); Gressitt 1939c: 132 (distribution), 1950: 68 (China species); Uhmman 1952b: 359 (catalog), 1954a: 187 (faunal list), 1958e: 171 (catalog); Gressitt & Kimoto 1963a: 900 (China species); Descarpentries & Villiers 1959b: 500 (types); Yu 1992: 347 (faunal list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Chekiang, Fukien, Hunan, Kiangsu).

Food plant. Unknown.

***Callispa arcana* Duvivier 1892**

Callispa arcana Duvivier 1892: 446 (type: India, Konbir, ISNB). Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Maulik 1919: 55 (India species); Uhmman 1958e: 171 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species).

Distribution. Bangladesh, India (Bengal).

Food plant. Unknown.

***Callispa assama* Maulik 1919**

Callispa assama Maulik 1919: 68 (type: India, Assam, BMNH). Uhmman 1952b: 359 (catalog), 1958e: 171 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species).

Distribution. Bangladesh, India (Assam), Myanmar.

Food plant. Unknown.

***Callispa australis* (Péringuey 1898)**

Amblyspa australis Péringuey 1898: 114 (type: Zambesia, Salisbury, SAMC). Donckier 1899: 546 (catalog); Gestro 1905b: 543 (catalog); Weise 1911a: 44 (catalog), 1911b: 64 (catalog).

Callispa australis (Péringuey). Gestro 1914: 276 (transfer); Spaeth 1935b: 260 (note); Uhmman 1953b: 11 (faunal list), 1956f: 338 (catalog), 1958e: 171 (catalog).

Distribution. Mozambique, South Africa.

Food plant. Unknown.

***Callispa beccarii* Gestro 1909(1910)**

Callispa beccarii Gestro 1909(1910): 126 (type: Borneo, Sarawak, MCSN). Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmman 1958e: 172 (catalog); Mohamedsaid 2004: 166 (Malaysian species).

Distribution. Malaysia.

Food plant. Unknown.

***Callispa biarcuata* Chen & Yu 1961**

Callispa biarcuata Chen & Yu 1961: 460 (type: China, Kwangtung, Canton, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 58 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Kwangtung).

Food plant. Unknown.

***Callispa bicolor* Gestro 1909(1910)**

Callispa bicolor Gestro 1909(1910): 127 (type: Borneo, Sarawak, MCSN). Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1930-1932: 11 (faunal list), 1933a: 61 (faunal list), 1952b: 354 (key), 1958e: 172 (catalog), 1959d: 8 (scutellum), 1964a: 439 (catalog), 1964(1965): 254 (faunal list); Mohamedsaid 2004: 166 (Malaysian species).

Distribution. Indonesia (Borneo), Malaysia, Philippines (Palawan).

Food plant. Unknown.

***Callispa bicoloripes* Pic 1930d**

Callispa bicoloripes Pic 1930d: 8 (type: Congo, Pangala, MNHN). Spaeth 1935b: 256 (note); Uhmann 1958e: 172 (catalog), 1964a: 439 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Distribution. Congo.

Food plant. Unknown.

***Callispa bijaya* Basu 1999**

Callispa bijaya Basu 1999: 154 (type: India, West Bengal, Darjeeling District, Tarkhola, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).

Distribution. India (West Bengal).

Food plant. Unknown.

***Callispa bioculata* Uhmann 1939c**

Callispa bioculata Uhmann 1939c: 38 (type: Indonesia, Java, Preanger, DEI). Uhmann 1952b: 356 (key), 1958e: 172 (catalog), 1964a: 439 (catalog); Kalshoven 1957: 8 (host plant); Gaedike & Döbler 1971: 366 (types); Staines 1997b: 413 (Uhmann species list); Reid 1998: 300 (faunal list); Steiner 2001: 81 (host plants).

Distribution. Indonesia (Java).

Food plant. Rattan (Arecaceae) (Kalshoven 1957); *Calamus* sp. (Araceae) (Reid 1998).

***Callispa bipartita* Kung & Yu 1961**

Callispa bipartita Kung & Yu 1961: 461 (type: China, Yunnan, IZAS). Yang & Sun 1991: 58 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan).

Food plant. Unknown.

***Callispa boettcheri* Uhmann 1930-1932**

Callispa boettcheri Uhmann 1930-1932: 34 (type: Philippines, Mindoro, DEI). Uhmann 1933a:

62 (faunal list), 1952b: 356 (key), 1958e: 172 (catalog), 1959d: 8 (scutellum), 1964a: 439 (catalog), 1964(1965): 254 (faunal list); Gaedike & Döbler 1971: 366 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Philippines (Mindoro).

Food plant. Unknown.

***Callispa bottegi* Gestro 1898c**

Callispa bottegi Gestro 1898c: 713 (type: Sancurar, Amarr dal Febbraio, MCSN). Donckier 1899: 543 (catalog); Gestro 1905b: 542 (catalog); Weise 1911a: 42 (catalog), 1911b: 64 (catalog); Spaeth 1935b: 255 (note); Uhmann 1958e: 172 (catalog).

Distribution. Somalia.

Food plant. Unknown.

***Callispa bowringii* Baly 1858**

Callispa bowringii Baly 1858: 5 (type: Hong Kong, BMNH). Weise 1893: 1060 (note), 1897: 115 (note), 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1927b: 59 (key), 1952b: 349 (note), 1954a: 187 (faunal list), 1958e: 172 (catalog), 1959d: 9 (scutellum), 1961a: 20 (note), 1964a: 439 (catalog); Chen 1928: 39 (biology), 1929: 515 (host plants); Gressitt 1938: 321 (distribution), 1939a: 163 (China species), 1939b: 197 (distribution), 1939c: 133 (distribution), 1950: 69 (China species); Kalshoven 1957: 8 (host plant); Chen et al. 1961: 457 (faunal list); Gressitt & Kimoto 1963a: 901 (China species); Maddison 1993: 271, 365, 367, 369, 370, 374, 406 (host plant); Cox 1996a: 167 (pupa); Kimoto 1999: 95 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 288 (faunal list); Yu & Li 2002: 461 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Callispa bowringii Baly. Gemminger & Harold 1876: 3599 (lapsus, catalog); Weise 1897: 115 (key); Donckier 1899: 543 (catalog); Maulik 1937: 144 (host plants); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Uhmann 1940h: 126 (faunal list); L. Medvedev 1992b: 145 (Vietnam species); Yu 1992: 347 (faunal list); Chaboo 2007: 150 (phylogeny).

Callispa bowringii atripes Pic 1924c: 27 (type: China, Fukien, MNHN).

Callispa bowringii atripes Pic. Wu 1937: 911 (faunal list); Gressitt 1939: 163 (note); Uhmann 1958e: 172 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Callispa proxima Baly 1869b: 364 (type: Siam, Mountains of Laos, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1958e: 179 (catalog); L. Medvedev 1992: 145 (synonymy); Kimoto 1999: 95 (synonymy); Staines & Staines 1999: 523 (Baly species list). Chrysomelid pest of bamboo. Chen 1931: 515 (biology); Gressitt 1939a: 163 (identification).

Distribution. China (Fukien, Hainan, Hupeh, Kwangtung, Szechuan, Yunnan), Laos, Philippines, Thailand, Vietnam.

Food plants. *Bambusa arundinacea* Willd., *B. beecheyana* Munro, *B. glaucescens* (Willdenow) Siebold ex. Holttum, *B. oldahmi* Munro, *B. multiplex* (Lour.) Raesch, *B. sinospinosa* McClure, *B. tuldoidea* Munro, *Dendrocalamus latiflorus* Munro, *Phyllostachys aurea* Riv., *Arundinaria* sp., *Lingnania chungii* McClure, *L. cerosissima* McClure, *Sinobambusa tootsik* (Mak.) McClure, *Sinocalamus beecheyanus* (Munro) McClure (Poaceae) (Chen 1929, Gressitt 1950, Gressitt & Kimoto 1963a, Maddison 1993, Hutacharern & Tubtim 1995).

***Callispa bretinghami* Baly 1869b**

Callispa bretinghami Baly 1869b: 365 (type: India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Baly 1888b: 653 (faunal list); 1889: 489 (distribution); Gestro 1890: 231 (distribution), 1920: 393 (faunal list); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Maulik 1919: 58 (India species); Pic 1924c: 27 (comparative note); Uhmman 1952b: 350 (note), 1957f: 306 (museum list), 1958e: 172 (catalog), 1964a: 436 (catalog); Chen et al. 1961: 457 (faunal list); L. Medvedev 1992b: 146 (Vietnam species); Maddison 1993: 362 (host plant); Cox 1996a: 167 (pupa); Basu 1999: 154 (distribution); Kimoto 1999: 95 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Callispa mouhoti Baly 1869b: 366 (type: Cambodia, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmman 1958e: 178 (catalog); L. Medvedev 1992b: 146 (Vietnam species); Kimoto 1999: 95 (synonymy); Staines & Staines 1999: 523 (Baly species list).

Callispa dimidiatipennis var. B Baly 1888b: 365. Uhmman 1952b: 350 (note); L. Medvedev 1992b: 146 (synonymy).

Callispa delauneyi Fleutiaux 1887: 67 (type: Hue, MNHN). Baly 1889: 489 (distribution); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Gestro 1920: 392 (faunal list); Uhmman 1958e: 173 (catalog); L. Medvedev 1992b: 146 (Vietnam species); 2000a: 181 (distribution); Kimoto 1999: 95 (synonymy).

Callispa near *bretinghami* Baly. Hutacharern & Tubtim 1995: 36 (host plants).

Distribution. Cambodia, China (Guangxi, Yunnan), India (Arunachal Pradesh, Sikkim), Laos, Myanmar, Thailand, Vietnam.

Food plants. *Bambusa arundinacea* Willd. (Maddison 1993); *Bambusa* sp. (Hua 2002) (Poaceae).

***Callispa brevicornis* Baly 1869b**

Callispa brevicornis Baly 1869b: 365 (type: Penang, BMNH). Gemminger & Harold 1876: 3599 (catalog); Baly 1888b: 654 (faunal list); Gestro 1890: 232 (distribution), 1897b: 42 (distribution), 1920: 392 (faunal list); Donckier 1899: 543 (catalog); Weise 1911a: 42

(catalog), 1911b: 63 (catalog); Maulik 1919: 68 (India species); Pic 1924c: 27 (comparative note); Uhmman 1958e: 172 (catalog); L. Medvedev 1992b: 145 (Vietnam species); Kimoto 1999: 96 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 166 (Malaysian species); Hua 2002: 288 (faunal list); Schöller 2008: 318 (key); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan), Laos, Indonesia (Sumatra), Myanmar, Malaysia.

Food plant. Unknown.

***Callispa brihata* Basu 1999**

Callispa brihata Basu 1999: 155 (type: India, Sikkim, Tadong, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).

Distribution. India (Sikkim, West Bengal).

Food plant. Unknown.

***Callispa brevipes* Maulik 1919**

Callispa brevipes Maulik 1919: 66 (type: Ceylon, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 173 (catalog); Kimoto 2003: 41 (faunal list).

Distribution. Sri Lanka.

Food plant. Unknown.

***Callispa cassidoides* (Guérin-Méneville 1844a)**

Cephaloleia cassidoides Guérin-Méneville 1844a: 284 (type: Java, depository unknown). Uhmman 1966d: 274 (note).

Calliaspis cassidoides (Guérin-Méneville). Boheman 1856: 14 (redescription), 1862: 34 (catalog).

Melispa cassidoides (Guérin-Méneville). Donckier 1899: 547 (catalog); Weise 1897: 116, 1911a: 44 (catalog), 1911b: 64 (catalog).

Miltinaspis cassidoides (Guérin-Méneville). Weise 1904b: 433 (transfer); Spaeth 1914: 16 (catalog), 1929: 28 (nomenclature); Kalshoven 1957: 8 (host plant); Uhmman 1964a: 441 (catalog); Reid 1998: 302 (faunal list); Steiner 2001: 83 (host plants).

Miltinaspis (Melispa) cassidoides (Guérin-Méneville). Uhmman 1935g: 144 (faunal list).

Rhinocassis cassidoides (Guérin-Méneville). Spaeth 1905: 84 (transfer).

Callispa cassidoides (Guérin-Méneville). Baly 1858: 10 (redescription).

Calliaspis rufina Boheman 1850: 83 (type: Indonesia, Java, depository unknown). Boheman 1856: 14 (synonymy).

Distribution. Indonesia (Java).

Food plant. Rattan (Arecaceae) (Kalshoven 1957).

***Callispa cavicollis* Spaeth 1935b**

Callispa cavicollis Spaeth 1935b: 257 (type: South Africa, Pondoland, Port St. John, BMNH). Uhmann 1955g: 456 (museum list), 1956f: 338 (catalog), 1958e: 173 (catalog), 1958f: 488 (faunal list), 1961b: 44 (note), 1964a: 439 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. South Africa.

Food plant. Unknown.

***Callispa coeruleodorsata* Maulik 1919**

Callispa coeruleodorsata Maulik 1919: 65 (type: India, Madras, Nilgiri Hills, BMNH). Uhmann 1952b: 360 (catalog), 1958e: 173 (catalog); Shameem & Prathapan 2013: 8 (key).

Distribution. India (Madras).

Food plant. Unknown.

***Callispa contaminata* Weise 1913**

Callispa contaminata Weise 1913: 109 (type: India, Shembaganur, ZMHB). Uhmann 1952b: 351 (note), 1957e: 173 (catalog).

Distribution. India.

Food plant. Unknown.

***Callispa conferta* Schöller 2007**

Callispa conferta Schöller 2007: 338 (type: Malaysia, Ulu Gombak, NHMB). Schöller 2008: 317 (key).

Distribution. Malaysia.

Food plant. *Salacca conferta* Griff. (Arecaceae) (Schöller 2007).

***Callispa corpulenta* Uhmann 1954n**

Callispa corpulenta Uhmann 1954n: 506 (type: Perak, Batang Penang, BMNH). Uhmann 1958e: 173 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog); Staines 1997b: 413 (Uhmann species list); Mohamedsaid 2004: 166 (Malaysian species); Schöller 2008: 316 (key).

Distribution. Malaysia.

Food plant. Unknown.

***Callispa cribrata* Gestro 1896**

Callispa cribrata Gestro 1896: 202 (type: Natuna, MCSN). Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmman 1931e: 2 (faunal list), 1952b: 355 (key), 1958e: 173 (catalog).

Distribution. Indonesia (Borneo, Natuna, Sumatra).

Food plant. Unknown.

***Callispa cruentomarginata* Schöller 2007**

Callispa cruentomarginata Schöller 2007: 334 (type: Malaysia, Kampong, Bongsu, Pahang, NHMB). Schöller 2008: 318 (key).

Distribution. Malaysia.

Food plant. *Calamus caeius* Blume, *C. manan* Miq., *Daemonorops didymophylla* Becc. (Araceae) (Schöller 2007).

***Callispa cumingii* Baly 1858**

Callispa cumingii Baly 1858: 5 (type: Philippines, BMNH). Chapuis 1876: xvii (faunal list); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Gestro 1917: 396 (faunal list), 1919: 343 (host plant), 1922: 100 (faunal list); Gressitt 1939c: 133 (distribution); Kalshoven 1957: 8 (host plant); Uhmman 1958e: 173 (catalog), 1964a: 440 (catalog), 1964(1965): 239 (faunal list); Würmli 1976f: 391 (note); Staines & Staines 1999: 522 (Baly species list).

Callispa cumingi Baly. Gemminger & Harold 1876: 3599 (lapsus, catalog); Donckier 1899: 543 (catalog); Schultze 1916: 100 (faunal list); Uhmman 1930-1932: 8 (faunal list), 1933: 60 (faunal list); Baltazar 1968: 221 (faunal list); L. Medvedev 1995: 19 (distribution); Lit & Caasi-Lit 2009: 106 (host plant).

Callispa cumingii Baly. Monrós 1959: 29 (lapsus, illustration).

Distribution. Philippines (Leyte, Luzon, Palawan, Panay).

Food plants. *Bambusa glaucescens* Siebold ex. Munro (Schultze 1916); *B. blumeana* Schult. (Gestro 1919) (Poaceae).

***Callispa curta* Weise 1897**

Callispa curta Weise 1897: 116 (type: Perak, Malacca, ZMHB). Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmman 1952b: 349 (note), 1958e: 173 (catalog); Mohamedsaid 2004: 166 (Malaysian species); Schöller 2008: 317 (key).

Distribution. Malaysia.

Food plant. Unknown.

***Callispa cyanea* Chen & Yu 1961**

Callispa cyanea Chen & Yu 1961: 461 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Chen et al. 1986: 617 (China species); Kimoto 1999: 96 (southeast Asia species); Yang & Sun 1991: 58 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Callispa cyanea fukienica Chen & Yu 1964: 108 (type: China, Fukien, Kien-yang, IZAS). Gressitt & Kimoto 1965: 805 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Fukien, Guangdong, Guangxi, Yunnan), Vietnam.

Food plant. Unknown.

***Callispa cyanipennis* Pic 1924c**

Callispa cyanipennis Pic 1924c: 27 (type: China, MNHN). Winkler 1929: 1352 (catalog); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Gressitt 1950: 69 (China species); Uhmman 1952b: 360 (catalog), 1954a: 187 (faunal list), 1958e: 173 (catalog); Descarpentries & Villiers 1959b: 500 (types); Gressitt & Kimoto 1963a: 901 (China species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Guangdong).

Food plant. Unknown.

***Callispa debilis* Gressitt & Kimoto 1963b**

Callispa debilis Gressitt & Kimoto 1963b: 929 (type: China, Hupeh, Lichuan Distr., Liang-hokeu, CASC). Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Hupeh).

Food plant. Unknown.

***Callispa dimidiatipennis* Baly 1858**

Callispa dimidiatipennis Baly 1858: 7 (type: northern India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Baly 1888b: 654 (faunal list); Gestro 1890: 231 (distribution), 1920: 393 (faunal list); Weise 1897: 113 (faunal list), 1911a: 42 (catalog), 1911b: 62 (catalog); Donckier 1899: 543 (catalog); Maulik 1919: 56 (India species); Pic 1924c: 27 (comparative note); Uhmman 1952b: 350 (note), 1958e: 173 (catalog), 1963b: 475 (museum list), 1964a: 440 (catalog); Chen et al. 1961: 457 (faunal list); L. Medvedev 1992b: 147 (Vietnam species); Basu 1999: 153 (distribution); Kimoto 1999: 96 (southeast Asia species); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Callispa quadricollis Weise 1897: 113 (type: Paungde, BMNH). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 57 (synonymy).

Callispa hypoenops Maulik 1919: 60 (type: India, Assam, Naga Hills; Indochina (Ban Pan, Upper Mekong River), BMNH). Gestro 1920: 393 (faunal list); Uhmman 1952b: 360 (catalog), 1958e: 176 (catalog); L. Medvedev 1992: 147 (synonymy); Basu 1999: 154 (distribution); Kimoto 1999: 97 (synonymy).

Callispa dimidiatipennis latior Pic 1924c: 27 (type: Vietnam, Tonkin, Lac Tho, MNHN).

Uhmann 1952b: 360 (catalog), 1958e: 174 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Callispa latior Pic. Kimoto 1999: 98 (southeast Asia species).

Callispa jeanvoinei Pic 1927c: 25 (type: Vietnam, Tonkin, Chapa, MNHN). Uhmann 1952b: 360 (catalog), 1958e: 176 (catalog), 1964a: 440 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992: 147 (synonymy).

Callispa vicina Pic 1927c: 25 (type: Vietnam, Tonkin, type destroyed). Uhmann 1952b: 361 (catalog), 1958e: 181 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992b: 148 (Vietnam species); Kimoto 1999: 97 (synonymy).

Callispa vicina latithorax Pic 1927c: 25 (type: Tonkin, Chapa, MNHN). Uhmann 1958e: 181 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Callispa dimidiatipennis reticollis Gressitt 1938: 321 (type: China, Hainan, Ta Han, near Red Mist Mountain, CASC). Gressitt 1939a: 163 (note), 1950: 70 (China species); Uhmann 1952b: 360 (catalog), 1958e: 174 (catalog); Gressitt & Kimoto 1963a: 901 (China species); Yu 1992: 610 (faunal list); Yu & Li 2002: 461 (faunal list).

Distribution. China (Hainan, Hunan, Yunnan), India (Assam, Meghalaya), Laos, Myanmar, Vietnam.

Food plants. *Bambusa* sp., *Phragmites communis* Trin. (Poaceae) (Hua 2002).

***Callispa donckieri* Pic 1924b**

Callispa donckieri Pic 1924b: 99 (type: China, Fukien, MNHN). Winkler 1929: 1352 (catalog); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Gressitt 1950: 70 (China species), 1953: 121 (distribution); Uhmann 1952b: 360 (catalog), 1954a: 187 (faunal list), 1958e: 174 (catalog); Descarpentries & Villiers 1959b: 500 (types); Gressitt & Kimoto 1963a: 901 (China species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Fukien, Guangxi, Szechuan).

Food plant. Unknown.

***Callispa doriae* Gestro 1909(1910)**

Callispa doriae Gestro 1909(1910): 124 (type: Borneo, Sarawak, MCSN). Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Uhmann 1958e: 174 (catalog); Mohamedsaid 2004: 166 (Malaysian species).

Distribution. Malaysia.

Food plant. Unknown.

***Callispa drescheri* Uhmann 1935g**

Callispa drescheri Uhmann 1935g: 143 (type: Indonesia, West Java, Zuid Preanger, Patimoean, DEI). Uhmann 1952b: 354 (key), 1953h: 90 (faunal list), 1958e: 174 (catalog), 1959d: 8

(scutellum), 1964a: 440 (catalog); Gaedike & Döbler 1971: 371 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Indonesia (Java).

Food plant. Unknown.

***Callispa duodecimaculata* Chapuis 1876**

Callispa duodecimaculata Chapuis 1876: xvii (type: Philippines, Bojol, ISNB). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Schultze 1916: 100 (faunal list); Gestro 1917: 397 (faunal list), 1922: 100 (faunal list); Leefmans 1918b: 78 (host plant), 1930: 11 (biology), 1935: 335 (biology); Maulik 1919: 50 (India species), 1937: 144 (host plant); Weise 1924: 78 (distribution); Uhmann 1928b: 61 (faunal list), 1930-1932: 35 (key), 1932d: 141 (faunal list), 1931e: 1 (faunal list), 1933a: 62 (faunal list), 1947c: 49 (immatures), 1952b: 350 (note), 1958e: 174 (catalog), 1959d: 8 (scutellum), 1961a: 20 (note), 1964a: 440 (catalog), 1964(1965): 239 (faunal list); Risbec 1950a: 394 (host plants); Kalshoven 1951: 741 (host plant), 1957: 8 (host plant), 1981: 447 (host plant); Speyer 1954: 365 (host plant); Kimoto 1997: 50 (distribution), 1999: 97 (southeast Asia species).

Callispa duodecimaculata confluens Leefmans 1931: 274 (type: Indonesia, Java, depository unknown). Leefmans 1935: 335 (biology); Uhmann 1958e: 174 (catalog).

Distribution. India (Bombay), Indonesia (Java, Sumatra), Philippines (Bohol), Thailand.

Food plant. *Spathoglottis plicata* Ridl. (Orchidaceae) (Leefmans 1918b).

***Callispa elegans* Baly 1876**

Callispa elegans Baly 1876: 126 (type: Indonesia, Sumatra, Pulo Penang, BMNH?). Gestro 1885: 156 (distribution), 1896a: 328 (distribution), 1897b: 41 (distribution), 1897e: 402 (faunal list), 1919: 342 (faunal list); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Uhmann 1927b: 60 (note), 1928e: 371 (faunal list), 1931e: 2 (faunal list), 1935g: 144 (faunal list), 1952b: 356 (key), 1958e: 174 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog); Miller 1932: 8 (host plant); Kalshoven 1951: 741 (host plant), 1957: 8 (host plant); Staines & Staines 1999: 522 (Baly species list); Mohamedsaid 2000a: 358 (faunal list), 2004: 166 (Malaysian species); Schöller 2008: 315 (distribution).

Distribution. Indonesia (Java, Sumatra), Malaysia.

Food plants. *Zalacca conferta* Griff. (Miller 1932); *Cyrtostachys lacca* Becc. (Kalshoven 1951); *Salacca* spp. (Mohamedsaid 2004) (Arecaceae); *Calamus manan* Miq., *C. caesius* Blume, *C. scipionum* Lour. (Araceae), *Elaeis guineensis* Jacq., *Caryota mitis* Lour., *Iguanura geonomiformis* Mart., *Korthalsia rigida* Blume, *K. rostrata* Blume, *Pinanga disticha* Blume, *P. scortechinii* Becc. (Arecaceae) (Schöller 2008).

***Callispa elliptica* Gressitt 1939b**

Callispa elliptica Gressitt 1939b: 198 (type: China, S. Kiangsi, Wong-se-shue, CASC). Gressitt 1950: 70 (China species); Uhmman 1952b: 361 (catalog), 1958e: 174 (catalog); Gressitt & Kimoto 1963a: 901 (China species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Kiangsi).

Food plant. Unknown.

***Callispa elongata* Pic 1924**

Callispa elongata Pic 1924: 24 (type: Vietnam, Tonkin, Lac-Thô, MNHN). Uhmman 1952b: 360 (catalog), 1958e: 175 (catalog), 1963b: 475 (museum list), 1964a: 440 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Distribution. Vietnam.

Food plant. Unknown.

***Callispa errans* Péringuey 1908**

Callispa errans Péringuey 1908: 334 (type: South Africa, Cape Colony; Natal, SAMC). Weise 1911a: 42 (catalog), 1911b: 64 (catalog); Spaeth 1935b: 256 (note); Uhmman 1956f: 338 (catalog), 1958e: 175 (catalog).

Distribution. South Africa.

Food plant. Unknown.

***Callispa expansicollis* Maulik 1919**

Callispa expansicollis Maulik 1919: 55 (type: India, Assam, Sadiya, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 175 (catalog).

Distribution. India (Assam).

Food plant. Unknown.

***Callispa fallax* Uhmman 1930-1932**

Callispa fallax Uhmman 1930-1932: 8 (type: Philippines, Luzon, Benguet Mt. Santo Tomas, DEI). Uhmman 1933a: 61 (faunal list), 1952b: 349 (note), 1964(1965): 254 (faunal list); Descarpentries & Villiers 1959b: 500 (types); Gaedike & Döbler 1971: 372 (types); Würmli 1976f: 391 (note); Staines 1997b: 413 (Uhmman species list); Staines & Staines 1997: 8 (types).

Distribution. Philippines (Luzon, Mindanao).

Food plant. Unknown.

***Callispa feae* Baly 1888b**

Callispa feae Baly 1888b: 654 (type: Upper Burma, MCSN, BMNH, ISNB). Gestro 1890: 232 (distribution), 1920: 392 (faunal list); Donckier 1899: 543 (catalog); Weise 1911a: 42 (catalog), 1911b: 63 (catalog); Maulik 1919: 69 (India species), 1937: 144 (host plants); Uhmman 1927b: 59 (key), 1952b: 348 (note), 1958e: 175 (catalog), 1964a: 440 (catalog); Kalshoven 1957: 8 (host plant); Descarpentries & Villiers 1959b: 500 (types); Chen et al. 1961: 457 (faunal list); Takizawa 1989: 326 (faunal list); L. Medvedev 1990: 43 (faunal list), 1992b: 145 (Vietnam species); Maddison 1993: 383 (host plant); Kimoto 1999: 97 (southeast Asia species), 2005: 100 (faunal list); Medvedev & Sprecher-Uebersax 1999a: 343 (faunal list); Staines & Staines 1999: 522 (Baly species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog); Sprecher-Uebersax 2011: 487 (faunal list).

Distribution. China (Yunnan), Laos, Myanmar, Nepal, Thailand, Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Maulik 1919).

***Callispa filiformis* L. Medvedev 1992b**

Callispa filiformis L. Medvedev 1992b: 149 (type: Vietnam, Buonloi, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

***Callispa flaveola* Uhmman 1931h**

Callispa flaveola Uhmman 1931h: 193 (type: Indonesia, Sumatra, Medan, DEI). Uhmman 1952b: 353 (key), 1958e: 175 (catalog); Gaedike & Döbler 1971: 373 (types); L. Medvedev 1992b: 144 (Vietnam species); Staines 1997b: 413 (Uhmman species list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Callispa flavescens Uhmman (not Weise) 1930-1932: 10. Uhmman 1931e: 1 (faunal list), 1931: 193 (correction).

Distribution. China (Yunnan), Indonesia (Sumatra), Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

***Callispa flavescens* Weise 1891**

Callispa flavescens Weise 1891: 75 (type: Philippines, Luzon, Mantalban Gorge, ZMHB?). Weise 1911a: 43 (catalog), 1911b: 62 (catalog), 1911c: 75 (note), 1913: 237 (faunal list); Schultze 1916: 100 (faunal list); Gestro 1917: 398 (faunal list), 1919: 343 (host plant), 1922: 101 (faunal list), 1923: 16 (note); Uhmman 1930-1932: 9 (faunal list), 1933a: 61 (faunal list), 1952b: 349 (note), 1958e: 175 (catalog), 1964(1965): 240 (faunal list); Gressitt 1939c: 133 (distribution); Kalshoven 1957: 8 (host plant); Baltazar 1968: 221 (faunal list); Würmli 1976f: 393 (note); Maddison 1993: 406 (host plant); L. Medvedev 1995: 18 (distribution); Lit & Caasi-Lit 2009: 106 (host plant).

Callispa nigricornis Chapuis 1876: xvii (not Baly) (type: Philippines, Mindanao, ISNB?). Weise 1911c: 75 (synonymy); Uhmman 1952b: 351 (note).

Callispa flavescens arcuata Uhmman 1930-1932: 10 (type: Philippines, Catanduanes, Virac, depository unknown). Uhmman 1952b: 359 (key), 1958e: 175 (catalog), 1964(1965): 254 (faunal list); Staines 1997b: 413 (Uhmman species list).

Distribution. Philippines (Basilan, Catanduanes, Cebu, Leyte, Luzon, Mindanao, Mindoro, Palawan)

Food plant. *Bambusa blumeana* Schult. (Poaceae) (Schultze 1916).

***Callispa flavonotata* Pic 1924b**

Callispa flavonotata Pic 1924b: 100 (type: Indonesia, Sumatra, Palembang, MNHN). Uhmman 1952b: 360 (catalog), 1958e: 175 (catalog), 1964a: 440 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Distribution. Indonesia (Sumatra).

Food plant. Unknown.

***Callispa fortunii* Baly 1858**

Callispa fortunii Baly 1858: 6 (type: North China, BMNH). Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Spaeth 1935b: 255 (note); Gressitt 1939b: 198 (distribution), 1939c: 133 (distribution), 1950: 71 (China species); Uhmman 1949a: 3 (key), 1952b: 354 (key), 1954a: 187 (faunal list), 1958e: 175 (catalog); Gressitt & Kimoto 1963a: 901 (China species); L. Medvedev 1992b: 146 (Vietnam species); Staines & Staines 1999: 523 (Baly species list); Borowiec & Sekerka 2010: 371 (catalog).

Callispa fortunei Baly. Gemminger & Harold 1876: 3599 (lapsus, catalog); Donckier 1899: 543 (catalog); Winkler 1929: 1352 (catalog); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Uhmman 1940h: 126 (faunal list).

Callispa fortuni fortuni Baly. Hua 2002: 288 (lapsus, faunal list)

Callispa fortunii emarginata Gressitt 1938: 322 (type: China, Hainan, Ta Han, USNM). Gressitt 1939a: 163 (note), 1950: 71 (China species); Uhmman 1952b: 360 (catalog), 1958e: 176 (catalog); Gressitt & Kimoto 1963a: 902 (China species); Staines & Staines 1997: 9 (types).

Callispa fortuneii emarginata Gressitt. Chen et al. 1961: 457 (lapsus, faunal list).

Callispa fortunei emarginata Gressitt. Hua 2002: 288 (lapsus, faunal list); Yu & Li 2002: 461 (faunal list).

Callispa ruficeps Pic 1929f: 139 (type: Vietnam, Tonkin, Hoa-Binh, MNHN). Uhmman 1952b: 361 (catalog), 1958e: 176 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992: 146 (synonymy).

Distribution. China (Anhui, Chekiang, Fukien, Guangdong, Hainan, Jiangxi, Kiangsi, Kwangtung), Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

***Callispa fraudulenta* Würmli 1976f**

Callispa fraudulenta Würmli 1976f: 393 (type: Philippines, Leyte, AMNH).

Distribution. Philippines (Leyte).

Food plant. Unknown.

***Callispa frontalis* L. Medvedev 1992b**

Callispa frontalis L. Medvedev 1992b: 147 (type: Vietnam, Vihn fou, Tamdao, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

***Callispa fulva* Gestro 1897b**

Callispa fulva Gestro 1897b: 41 (type: Si Oban, MCSN). Donckier 1899: 543 (catalog); Gestro 1901b: 434 (note); Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Uhmman 1958e: 176 (catalog).

Callispa sp. Gestro 1896: 328 (faunal list).

Distribution. Indonesia (Sumatra).

Food plant. Unknown.

***Callispa fulvescens* Chen & Yu 1961**

Callispa fulvescens Chen & Yu 1961: 461 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan).

Food plant. Unknown.

***Callispa fulvipes* Spaeth 1935b**

Callispa fulvipes Spaeth 1935b: 258 (type: Mashonaland, BMNH). Uhmman 1954f: 6 (faunal list), 1956f: 338 (catalog), 1958e: 176 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. Congo, Mozambique, Zimbabwe.

Food plant. Unknown.

***Callispa fulvonigra* Maulik 1919**

Callispa fulvonigra Maulik 1919: 49 (type: Ceylon, Bogawantalawa, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 176 (catalog).

Distribution. Sri Lanka.

Food plant. Unknown.

***Callispa galinae* L. Medvedev 1992b**

Callispa galinae L. Medvedev 1992b: 143 (type: Vietnam, Darlak, BuouMetThuota, Buoniavam, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

***Callispa guttata* Uhmann 1933a**

Callispa guttata Uhmann 1933a: 62 (type: Philippines, South Luzon, Mt. Bulusan, ZMHB).
Uhmann 1952b: 356 (key), 1958e: 176 (catalog), 1964(1965): 254 (faunal list); Staines
1997b: 413 (Uhmann species list).

Distribution. Philippines (Luzon).

Food plant. Unknown.

***Callispa hessei* Uhmann 1934b**

Callispa hessei Uhmann 1934b: 389 (type: Port. East Africa, Lourenço Marques, SAMC).
Spaeth 1935b: 255 (note); Uhmann 1952d: 350 (type), 1956f: 338 (catalog), 1958e: 176
(catalog); Gaedike & Döbler 1971: 375 (types); Staines 1997b: 413 (Uhmann species
list).

Distribution. Mozambique.

Food plant. Unknown.

***Callispa himalayana* L. Medvedev 1993**

Callispa himalayana L. Medvedev 1993: 375 (type: Nepal, Dandapkhar, NHMB). Medvedev &
Sprecher-Uebersax 1999a: 343 (faunal list); Hartmann & Medvedev 2003: 179 (faunal
list); Kimoto 2005: 101 (faunal list); Borowiec & Sekerka 2010: 371 (catalog);
SprecherUebersax 2011: 487 (faunal list).

Distribution. India, Nepal.

Food plant. Unknown.

***Callispa horni* Uhmann 1927b**

Callispa horni Uhmann 1927b: 58 (type: India, Sikkim, DEI). Uhmann 1952b: 350 (note),
1958e: 176 (catalog); Gaedike & Döbler 1971: 375 (types); Würmli 1975b: 371 (faunal
list); Staines 1997b: 413 (Uhmann species list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. India (Sikkim).

Food plant. Unknown.

***Callispa houjayi* Lee, Świętojańska, & Staines 2012**

Callispa houjayi Lee, Świętojańska, & Staines 2012: 833 (type: Taiwan, Keelung, Tawulunshan, TARI).

Distribution. Taiwan.

Food plant. *Carex sociata* Boott (Cyperaceae) (Lee et al. 2012).

***Callispa ianthorufa* Schöller 2007**

Callispa ianthorufa Schöller 2007: 337 (type: Malaysia, Sungai Buloh, Selangor, NHMB).
Schöller 2008: 316 (key).

Distribution. Malaysia.

Food plant. *Calamus manan* Miq. (Araceae) (Schöller 2007).

***Callispa impressa* Uhmann 1942a**

Callispa impressa Uhmann 1942a: 5 (type: Zaire, Parc National Albert, Rweru, MRAC).
Uhmann 1952b: 358 (note), 1955c: 242 (distribution), 1958e: 176 (catalog); Gaedike & Döbler 1971: 376 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Congo, Rwanda.

Food plant. Unknown.

***Callispa induta* Uhmann 1930a**

Callispa induta Uhmann 1930a: 6 (type: Indonesia, North East Sumatra, Tebing Tinggi, DEI).
Uhmann 1952b: 354 (note), 1958e: 176 (catalog); Gaedike & Döbler 1971: 376 (types);
Staines 1997b: 413 (Uhmann species list).

Distribution. Indonesia (Sumatra).

Food plant. Unknown.

***Callispa insignis* Baly 1858**

Callispa insignis Baly 1858:4 (type: northern India, BMNH). Gemminger & Harold 1876: 3599
(catalog); Donckier 1899: 543 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog);
Maulik 1919: 67 (India species); Uhmann 1958e: 176 (catalog); Basu 1999:156
(distribution); Staines & Staines 1999: 523 (Baly species list).

Distribution. India (Meghalaya, North India).

Food plant. Unknown.

***Callispa intermedia* Uhmann 1931i**

Callispa intermedia Uhmann 1931i: 838 (type: Cameroon, Uamgebiet, Bosum, ZMHB). Spaeth
1935b: 256 (note); Uhmann 1952d: 239 (type), 1954b: 11 (faunal list), 1954h: 176 (key),

1958e: 176 (catalog), 1961a: 18 (distribution), 1964a: 440 (catalog); Descarpentries & Villiers 1959b: 500 (types); Gaedike & Döbler 1971: 376 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Cameroon.

Food plant. Unknown.

***Callispa jaya* Basu 1999**

Callispa jaya Basu 1999: 152 (type: India, West Bengal, Darjeeling District, Lolegoan, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).

Distribution. India (West Bengal).

Food plant. Unknown.

***Callispa kabakovi* L. Medvedev 1992b**

Callispa kabakovi L. Medvedev 1992b: 145 (type: Vietnam, Khatuen, mts. North of Hasang, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

***Callispa kalshoveni* Uhmman 1955f**

Callispa kalshoveni Uhmman 1955f: 135 (type: Indonesia, West Java, Mount Gede, Tijibodas, depository unknown). Kalshoven 1957: 8 (host plant); Uhmman 1958e: 176 (catalog), 1964a: 440 (catalog); Gaedike & Döbler 1971: 377 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Indonesia (Java).

Food plant. *Pinanga* sp. (Arecaceae) (Kalshoven 1957).

***Callispa karena* Maulik 1919**

Callispa karena Maulik 1919: 62 (type: Burma, Karen Hills; Indo-China [Tonkin, Houeiko, Luang Praband], Laos [Kieng Kwang], BMNH). Gestro 1920: 393 (faunal list); Gressitt 1938: 323 (distribution), 1939a: 163 (key), 1950: 72 (China species); Uhmman 1952b: 360 (catalog), 1958e: 176 (catalog); Chen et al. 1961: 457 (faunal list); Gressitt & Kimoto 1963a: 902 (China species); Chen et al. 1986: 617 (China species); L. Medvedev 1992b: 146 (Vietnam species); Basu 1999: 154 (distribution); Kimoto 1999: 98 (southeast Asia species); Hua 2002: 288 (faunal list); Yu & Li 2002: 461 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Guangdong, Hainan, Yunnan), India (Meghalaya), Laos, Myanmar, Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

***Callispa keram* Shameem & Prathapan 2013**

Callispa keram Shameem & Prathapan 2013: 3 (type: India, Kerla, BMNH).

Distribution. India.

Food plant. *Cocos nucifera* L., *Livistona chinensis* R.Br., *Syagrus romanzoffiana* (Cham.) Glassman (Arecaceae) (Shameem & Prathapan 2013).

***Callispa kilimana* Kolbe 1891**

Callispa kilimana Kolbe 1891: 28 (type: Kilimandscharo, ZMHB?). Donckier 1899: 544 (catalog); Gestro 1905b: 543 (catalog), 1914: 276 (faunal list); Weise 1910c: 240 (faunal list), 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 10 (note), 1937: 144 (host plants); Uhmman 1928g: 67 (faunal list), 1931b: 252 (note), 1931c: 1 (museum list), 1931i: 837 (museum list), 1938e: 117 (museum list), 1942a: 7 (faunal list), 1953b: 9 (note), 1958e: 176 (catalog), 1961a: 20 (note); Spaeth 1935b: 255 (note); Booth et al. 1990: 153 (note).

Distribution. Congo, Kenya, Sierra Leone, Rwanda.

Food plants. *Zea mays* L. (Maulik 1919); grasses (Maulik 1937) (Poaceae); *Coffea arabica* L. (Rubiaceae) (Booth et al. 1990).

***Callispa korthalsiae* Schöller 2008**

Callispa korthalsiae Schöller 2008: 306 (type: Malaysia, Ulu Gombak, NHMB).

Distribution. Malaysia.

Food plant. Unknown. Adults collected on *Calamus manan* Miq., *C. scipionum* Lour. (Araceae), *Korthalsia rigida* Blume, *Iguanura geonomiformis* Mart., *I. wallichiana* Hook., *Orania sylvicola* (Griff.) H. E. Moore, *Pinanga scortechinii* Becc. (Arecaceae) (Schöller 2008).

***Callispa krishnashunda* Maulik 1919**

Callispa krishnashunda Maulik 1919: 47 (type: Ceylon, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 177 (catalog).

Distribution. Sri Lanka.

Food plant. Unknown.

***Callispa kuntzeni* Uhmman 1931i**

Callispa kuntzeni Uhmman 1931i: 839 (type: Cameroon, Kamerunberg, ZMHB). Spaeth 1935b: 255 (note); Uhmman 1952d: 239 (type), 1954h: 177 (key), 1958e: 177 (catalog), 1964a: 440 (catalog); Gaedike & Döbler 1971: 378 (types); Staines 1997b: 413 (Uhmman species list).

Callispa kuntzeni obscuripes Uhmman 1961a: 83 (type: Bamenda, MRAC). Staines 1997b: 413 (Uhmman species list).

Distribution. Cameroon, Nigeria.

Food plant. Unknown.

***Callispa limbata* Gestro 1905b**

Callispa limbata Gestro 1905b: 504 (type: Fernando Poo, Musola, ZMHU). Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmman 1931i: 837 (museum list), 1954h: 177 (key), 1958e: 177 (catalog); Spaeth 1935b: 255 (note).

Distribution. Cameroon, Fernando Poo.

Food plant. Unknown.

***Callispa limbifera* Yu & Kang 1961**

Callispa limbifera Yu & Kang 1961: 461 (type: China, Szechuan, Omeishan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Szechuan).

Food plant. Unknown.

***Callispa loxia* Weise 1897**

Callispa loxia Weise 1897: 114 (type: Paungde, BMNH). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 69 (India species); Uhmman 1952b: 351 (note), 1958e: 177 (catalog).

Distribution. Myanmar.

Food plant. Unknown.

***Callispa luzonica* Pic 1930d**

Callispa luzonica Pic 1930d: 8 (type: Philippines, Luzon, Ranguì, MNHN). Uhmman 1952b: 356 (key), 1958e: 177 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog), 1964(1965): 254 (faunal list); Descarpentries & Villiers 1959b: 500 (types).

Callispa fatua Uhmman 1930-1932: 14 (type: Philippines, North Luzon, Bangui, DEI). Uhmman 1933a: 62 (synonymy); Gaedike & Döbler 1971: 372 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Philippines (Luzon).

Food plant. Unknown.

***Callispa maculipennis* Gestro 1911a**

Callispa maculipennis Gestro 1911a: 14 (type: India, Nilgiri Hills, BMNH, MCSN). Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 53 (India species); Uhmman 1958e: 177 (catalog).

Distribution. India (Madras, Malabar).

Food plant. Unknown.

***Callispa maindoni* (Pic 1943)**

Hispa maindoni Pic 1943: 3 (type: India, Mahe, MNHN). Descarpentries & Villiers 1959b: 500 (types).

Callispa maindoni (Pic). Uhmman 1952d: 232 (transfer), 1958e: 177 (catalog), 1964a: 440 (catalog).

Distribution. India (Malabar).

Food plant. Unknown.

***Callispa marginipennis* Gestro 1899c**

Callispa marginipennis Gestro 1899c: 315 (type: Indonesia, Sumatra, MCSN?). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmman 1931e: 2 (faunal list), 1935g: 144 (faunal list), 1952b: 354 (key), 1958e: 177 (catalog).

Distribution. Indonesia (Batoe, Java, Sumatra).

Food plant. Unknown.

***Callispa marshalli* Spaeth 1935b**

Callispa marshalli Spaeth 1935b: 258 (type: Nyasaland, BMNH). Uhmman 1956f: 338 (catalog), 1958e: 177 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. South Africa, Zimbabwe.

Food plant. Unknown.

***Callispa mashonensis* Spaeth 1935b**

Callispa mashonensis Spaeth 1935b: 259 (type: Mashonaland, Salisbury, BMNH). Uhmman 1953b: 12 (faunal list), 1954f: 6 (faunal list), 1956f: 338 (catalog), 1958e: 177 (catalog), 1962b: 359 (faunal list); Staines 2005: 47 (Spaeth species list).

Distribution. Congo, Zimbabwe.

Food plant. Unknown.

***Callispa metroxylonis* Uhmann 1929a**

Callispa metroxylonis Uhmann 1929a: 144 (type: Indonesia, Java, Buitenzorg, depository unknown). Maulik 1937: 144 (host plants); Lepesme 1947: 537 (host plants); Kalshoven 1951: 741 (host plant); Uhmann 1952b: 360 (catalog), 1958e: 177 (catalog), 1964a: 440 (catalog); Staines 1997b: 413 (Uhmann species list).

Callispa metroxylonidis Uhmann. Kalshoven 1957: 8 (lapsus).

Distribution. Indonesia (Java).

Food plant. *Metroxylon* sp. (Arecaceae) (Uhmann 1929).

***Callispa minima* Gestro 1902a**

Callispa minima Gestro 1902a: 51 (type: Ceylon, MCSN). Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 66 (India species); Uhmann 1958e: 177 (catalog); Anand 1989: 5 (India species); Shameem & Prathapan 2013: 8 (key).

Distribution. India (Kerala), Sri Lanka.

Food plant. *Zea mays* L. (Poaceae) (Anand 1989).

***Callispa minor* Gestro 1888b**

Callispa minor Gestro 1888b: 175 (type: Myanmar, Thagata, MCSN). Baly 1888a: 653 (faunal list); Gestro 1890: 230 (distribution); Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 64 (India species); Uhmann 1958e: 177 (catalog).

Distribution. Myanmar.

Food plant. Unknown.

***Callispa montivaga* Maulik 1919**

Callispa montivaga Maulik 1919: 63 (type: India, Assam, Patkai Hills, BMNH). Uhmann 1952b: 360 (catalog), 1958e: 178 (catalog); Maddison 1993: 362 (host plant); Medvedev & Sprecher-Uebersax 1999a: 343 (faunal list); Mohamedsaid 2000a: 358 (faunal list), 2004: 167 (Malaysian species); Kimoto 2005: 101 (faunal list); Schöller 2008: 316 (key); Borowiec & Sekerka 2010: 371 (catalog); Sprecher-Uebersax 2011: 487 (faunal list).

Distribution. India (Assam), Malaysia, Nepal.

Food plant. *Bambusa arundinacea* (Retzius) Willdenow (Poaceae) (Maddison 1993).

***Callispa mungphua* Maulik 1919**

Callispa mungphua Maulik 1919: 59 (type: India, Sikkim, Mungphu, BMNH). Pic 1925c: 59 (note); Uhmann 1952b: 360 (catalog), 1958e: 178 (catalog); Abdullah & Qureshi 1969: 99 (Bangladesh species); Würmli 1975b: 371 (faunal list); L. Medvedev 1992b: 146 (Vietnam species); Borowiec & Sekerka 2010: 371 (catalog).

Callispa latipennis Pic 1924b: 99 (type: India, Sikkim, MNHN). Maulik 1924: 217 (synonymy),

1925: 166 (synonymy); Pic 1925c: 59 (status); Uhmman 1952b: 360 (catalog), 1958e: 177 (catalog); Descarpentries & Villiers 1958b: 500 (type); Würmli 1975b: 371 (faunal list); L. Medvedev 1992: 146 (synonymy).

Distribution. Bangladesh, India (Sikkim), Vietnam.

Food plant. Unknown.

***Callispa nagaja* Maulik 1919**

Callispa nagaja Maulik 1919: 62 (type: India, Assam, Naga Hills, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 178 (catalog).

Distribution. India (Assam).

Food plant. Unknown.

***Callispa natalensis* Baly 1858**

Callispa natalensis Baly 1858: 9 (type: Port Natal, BMNH). Gemminger & Harold 1876: 3598 (catalog); Péringuey 1898: 114 (faunal list); Donckier 1899: 544 (catalog); Gestro 1905b: 543 (catalog); Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmman 1931i: 838 (note), 1958e: 178 (catalog); Spaeth 1935b: 255 (note); Staines & Staines 1999: 523 (Baly species list).

Distribution. South Africa.

Food plant. Unknown.

***Callispa neavei* Spaeth 1935b**

Callispa neavei Spaeth 1935b: 258 (type: Nyasaland, Mlanje, BMNH). Uhmman 1956f: 338 (catalog), 1958e: 178 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. Zimbabwe.

Food plant. Unknown.

***Callispa nigricollis* Chen & Yu 1961**

Callispa nigricollis Chen & Yu 1961: 462 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan).

Food plant. Unknown.

***Callispa nigricornis* Baly 1858**

Callispa nigricornis Baly 1858: 8 (type: Ceylon, BMNH). Chapuis 1876: 17 (faunal list); Gemminger & Harold 1876: 3598 (catalog); Donckier 1899: 544 (catalog); Weise 1897: 117 (note), 1905b: 113 (faunal list), 1911a: 43 (catalog), 1911b: 62 (catalog); Gestro 1902a: 51 (faunal list), 1922: 101 (faunal list); Maulik 1919: 48 (India species); Uhmman

1930-1932: 13 (note), 1952b: 351 (note), 1958e: 178 (catalog); Staines & Staines 1999: 523 (Baly species list); Kimoto 2003: 41 (faunal list).

Distribution. Sri Lanka.

Food plant. Unknown.

***Callispa nigripennis* Chen & Yu 1964**

Callispa nigripennis Chen & Yu 1964: 109 (type: China, Kwangsi, Lung-Sheng, IZAS). Gressitt & Kimoto 1965: 805 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Kwangsi).

Food plant. Unknown.

***Callispa nigripes* Baly 1858**

Callispa nigripes Baly 1858: 9 (type: South Africa, BMNH). Gemminger & Harold 1876: 3598 (catalog); Péringuey 1898: 114 (faunal list); Donckier 1899: 544 (catalog); Gestro 1905b: 505 (faunal list); Weise 1911a: 43 (catalog), 1911b: 63 (catalog), 1913: 110 (note); Achard 1917: 63 (distribution); Uhmann 1931i: 838 (note), 1956f: 338 (catalog), 1958e: 178 (catalog), 1961a: 18 (note), 1964a: 440 (catalog), 1969: 297 (faunal list); Spaeth 1935b: 255 (note); Gomes Alves 1946: 116 (distribution); Briscoe 1947: 254 (faunal list); Staines & Staines 1999: 523 (Baly species list).

Callispa nigripes abdominalis Uhmann 1961a: 18 (type: Congo, Parc Garamba, MRAC). Uhmann 1967c: 255 (faunal list); Staines 1997b: 413 (Uhmann species list).

Distribution. Angola, Cameroon, Guinea, Liberia, Senegal, South Africa, Togo.

Food plant. Cyperaceae (Uhmann 1969).

***Callispa nigritarsata* Maulik 1919**

Callispa nigritarsata Maulik 1919: 46 (type: Ceylon, Dikoya, BMNH). Uhmann 1952b: 360 (catalog), 1958e: 178 (catalog).

Distribution. Sri Lanka.

Food plant. Unknown.

***Callispa nigronotata* (Pic 1943)**

Hispa nigronotata Pic 1943: 3 (type: South India, Wallayar Forest, MNHN). Descarpentries & Villiers 1959b: 500 (types).

Callispa nigronotata (Pic). Uhmann 1952d: 232 (transfer), 1958e: 178 (catalog), 1964a: 440 (catalog).

Distribution. India.

Food plant. Unknown.

***Callispa nigrovittata* Gestro 1917**

Callispa nigrovittata Gestro 1917: 397 (type: Mt. Makiling, MCSN). Gestro 1922: 100 (faunal list); Uhmman 1930-1932: 35 (faunal list), 1933a: 62 (faunal list), 1952b: 356 (key), 1958e: 178 (catalog), 1964(1965): 240 (faunal list).

Distribution. Philippines (Luzon).

Food plant. Unknown.

***Callispa nyakaensis* Uhmman 1934b**

Callispa nyakaensis Uhmman 1934b: 390 (type: Port. East Africa, Nyaka, SAMC). Spaeth 1935b: 259 (note); Uhmman 1952b: 357 ((noted), 1952d: 239 (type), 1956e: 566 (museum list), 1956f: 338 (catalog), 1958e: 178 (catalog), 1964a: 440 (catalog); Gaedike & Döbler 1971: 382 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Mozambique, Zambia.

Food plant. Unknown.

***Callispa nyassica* Spaeth 1935b**

Callispa nyassica Spaeth 1935b: 259 (type: Nyasaland, Mlanje, BMNH). Uhmman 1953b: 12 (faunal list), 1958e: 178 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. South Africa.

Food plant. Unknown.

***Callispa obliqua* Chen & Yu 1964**

Callispa obliqua Chen & Yu 1964: 108 (type: China, Fukien, Kien-yang, IZAS). Gressitt & Kimoto 1965: 805 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (catalog); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Fukien, Szechuan, Zhejiang).

Food plant. Unknown.

***Callispa octopunctata* Baly 1858**

Callispa octopunctata Baly 1858: 8 (type: Ceylon, BMNH). Gemminger & Harold 1876: 3598 (catalog); Donckier 1899: 544 (catalog); Gestro 1902a: 51 (faunal list); Weise 1905b: 113 (faunal list), 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 51 (India species); Uhmman 1952b: 356 (key), 1958e: 178 (catalog); Staines & Staines 1999: 523 (Baly species list).

Callispa octopunctata sexmaculata Weise 1905b: 113 (type: India, ZMHB?). Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Uhmman 1952b: 350 (note), 1958e: 178 (catalog).

Distribution. India (Madras), Sri Lanka.

Food plant. Unknown.

***Callispa ovata* Gestro 1899c**

Callispa ovata Gestro 1899c: 316 (type: Indonesia, Sumatra, MCSN?). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmman 1958e: 178 (catalog).

Distribution. Indonesia (Sumatra).

Food plant. Unknown.

***Callispa paharia* Basu 1999**

Callispa paharia Basu 1999: 158 (type: India, West Bengal, Darjeeling District, Ghoombhanjang, ZUIC). Borowiec & Sekerka 2010: 371 (catalog).

Distribution. India (West Bengal).

Food plant. Unknown.

***Callispa palawanica* Uhmman 1931**

Callispa palawanica Uhmman 1931: 10 (type: Philippines, Palawan, Bacuit, depository unknown). Uhmman 1964(1965): 254 (faunal list); Staines 1997b: 413 (Uhmman species list).

Distribution. Philippines (Palawan).

Food plant. Unknown.

***Callispa pallida* Gestro 1888a**

Callispa pallida Gestro 1888a: 130 (type: Birmania, Bhamo, MSCN). Baly 1888a: 653 (faunal list); Gestro 1890: 230 (distribution); Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 46 (India species); Uhmman 1958e: 179 (catalog); Chen et al. 1961: 457 (faunal list); L. Medvedev 1992b: 143 (Vietnam species); Kimoto 1999: 99 (southeast Asia species); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Callispa fleutiauxi Baly 1889: 489 (type: Hue, MNHN). Gestro 1890: 227 (synonymy), 1901b: 434 (note); Donckier 1899: 543 (catalog); Staines & Staines 1999: 522 (Baly species list).

Callispa curtipennis Pic 1926f: 324 (type: Vietnam, Saigon, MNHN). Uhmman 1952b: 360 (catalog), 1958e: 173 (catalog); Descarpentries & Villiers 1959b: 500 (types); L. Medvedev 1992: 144 (Vietnam species); Kimoto 1999: 99 (synonymy).

Distribution. Cambodia, China (Yunnan), Laos, Myanmar, Thailand, Vietnam.

Food plant. *Bambusa* sp. (Poaceae) (Hua 2002).

***Callispa parva* Schöller 2008**

Callispa parva Schöller 2008: 311 (type: Malaysia, Sungai Buloh, Selangor, NHMB).

Distribution. Malaysia.

Food plant. Adults collected on *Calamus caesius* Blume, *C. javensis* Blume, *C. manan* Mia., *C. scipionum* Lour. (Araceae), *Daemonorops angustifolia* Mart. (Arecaceae) (Schöller 2008).

***Callispa pelengana* Uhmman 1954f**

Callispa pelengana Uhmman 1954f: 6 (type: Belgium Congo, Parc National de l'Upemba, MRAC). Uhmman 1958e: 179 (catalog); Gaedike & Döbler 1971: 384 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Congo.

Food plant. Unknown.

***Callispa penangana* Uhmman 1953e**

Callispa penangana Uhmman 1953e: 871 (type: Malaysia, Penang, BMNH). Uhmman 1958e: 179 (catalog); Gaedike & Döbler 1971: 384 (types); Staines 1997b: 413 (Uhmman species list); Mohamedsaid 2004: 167 (Malaysian species); Schöller 2008: 316 (key).

Distribution. Malaysia.

Food plant. Unknown.

***Callispa philippinica* Uhmman 1930-1932**

Callispa philippinica Uhmman 1930-1932: 13 (type: Philippines, Mindanao, Zamboanga, MCSN). Uhmman 1952b: 356 (key), 1958e: 179 (catalog), 1964(1965): 240 (faunal list); Staines 1997b: 413 (Uhmman species list).

Callispa nigricornis Gestro (not Baly) 1917: 398. Uhmman 1931: 13 (synonymy); Lit & CaasiLit 2009: 106 (host plant).

Distribution. Philippines (Mindanao).

Food plant. Unknown.

***Callispa picitarsis* Uhmman 1930-1932**

Callispa picitarsis Uhmman 1930-1932: 9 (type: Philippines, Luzon, Imugan, DEI). Uhmman 1933a: 61 (faunal list), 1952b: 353 (key), 1958e: 179 (catalog), 1964(1965): 254 (faunal list); Gaedike & Döbler 1971: 385 (types); Würmli 1976f: 392 (note); Staines 1997b: 413 (Uhmman species list).

Distribution. Philippines (Luzon).

Food plant. Unknown.

***Callispa pita* Maulik 1919**

Callispa pita Maulik 1919: 48 (type: Ceylon, BMNH). Uhmman 1952b: 360 (catalog), 1958e: 179 (catalog).

Distribution. Sri Lanka.

Food plant. Unknown.

***Callispa popovi* Chen & Yu 1961**

Callispa popovi Chen & Yu 1961: 463 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan).

Food plant. Unknown.

***Callispa procedens* Uhmman 1939a**

Callispa procedens Uhmman 1939a: 1 (type: North Burma, Kambaiti, NHRS). Uhmman 1952b: 355 (key), 1958e: 179 (catalog), 1959d: 8 (scutellum), 1964a: 440 (catalog); Chen et al. 1961: 457 (faunal list); Gaedike & Döbler 1971: 385 (types); Staines 1997b: 413 (Uhmman species list); Hua 2002: 288 (faunal list).

Distribution. China (Yunnan), Myanmar.

Food plant. Unknown.

***Callispa pseudapicalis* Yu 1985**

Callispa pseudapicalis Yu 1985: 4 (type: China, Yunnan, IZAS). Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 371 (catalog).

Distribution. China (Yunnan).

Food plant. *Phragmites communis* Trin. (Poaceae) (Hua 2002).

***Callispa puella* Gestro 1919**

Callispa puella Gestro 1919: 338 (type: Malaysia, Sarawak, MCSN). Uhmman 1952b: 360 (catalog), 1958e: 179 (catalog); Mohamedsaid 2004: 167 (Malaysian species).

Distribution. Malaysia.

Food plant. Unknown.

***Callispa puellaris* Pic 1930d**

Callispa puellaris Pic 1930d: 8 (type: Philippines, Mindanao, Surigao, MNHN). Uhmman 1952b: 356 (key), 1958e: 179 (catalog), 1964a: 441 (catalog), 1964(1965): 254 (faunal list); Descarpentries & Villiers 1959b: 500 (types).

Callispa raffaeli Uhmman 1930-1932: 12 (type: Philippines, North Mindanao, Prov. Surigao, DEI). Uhmman 1933a: 62 (synonymy); Gaedike & Döbler 1971: 386 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Philippines (Luzon, Mindanao, Samar, Siargao).

Food plant. Unknown.

***Callispa pusilla* Gestro 1896a**

Callispa pusilla Gestro 1896a: 328 (type: Sereinu (Sipora), MCSN). Gestro 1897b: 41 (distribution), 1901b: 434 (note); Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Uhmman 1935g: 144 (faunal list), 1952b: 356 (key), 1958e: 179 (catalog), 1959d: 8 (scutellum), 1964a: 441 (catalog); Reid 1998: 300 (faunal list); Schöller 2008: 315 (distribution).

Distribution. Indonesia (Java, Sumatra); Malaysia.

Food plants. Adults collected on *Calamus caesius* Blume, *C. castaneus* Griff., *C. insignis* Griff., *C. manan* Miq., *C. ornatus* Blume ex. Schult., *C. scipionum* Lam., *C. subangulatus* Miq. (Araceae), *Daemonorops didymophylla* Becc., *D. angustifolia* Mart., *Eugeissona triste* Griff., *Iguanura geonomiformis* Mart., *I. wallichiana* Hook., *Korthalsia rigida* Blume, *K. rostrata* Blume, *Orania sylvicola* (Griff.) H. E. Moore, *Salacca* sp. (Arecaceae) (Schöller 2008).

***Callispa quadricollis* Yu & Li 2002**

Callispa quadricollis Yu & Li 2002: 461 (type: China, Hainan, Danzhou, IZAS).

Distribution. China (Hainan).

Food plant. Unknown.

***Callispa recticollis* L. Medvedev 1992b**

Callispa recticollis L. Medvedev 1992b: 144 (type: Vietnam, Sialai-Koutum, Buonloi, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

***Callispa regularis* Uhmann 1953b**

Callispa regularis Uhmann 1953b: 10 (type: Belgian Congo, Mayidi, MRAC). Uhmann 1958e: 179 (catalog), 1961a: 18 (distribution), 1964a: 441 (catalog), 1967c: 255 (faunal list); Gaedike & Döbler 1971: 386 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Congo.

Food plant. Unknown.

***Callispa rhodesiaca* Spaeth 1935b**

Callispa rhodesiaca Spaeth 1935b: 260 (type: S. Rhodesia, Salisbury, BMNH). Uhmann 1953b: 12 (faunal list), 1956f: 338 (catalog), 1958e: 179 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. Zimbabwe.

Food plant. Unknown.

***Callispa roepkei* Uhmann 1929a**

Callispa roepkei Uhmann 1929a: 144 (type: Indonesia, Java, Buitenzorg, DEI). Maulik 1937: 145 (host plants); Lepesme 1947: 536 (host plants); Uhmann 1952b: 353 (key), 1958e: 179 (catalog), 1964a: 441 (catalog); Kalshoven 1957: 8 (host plant); Gaedike & Döbler 1971: 386 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Indonesia (Java).

Food plant. *Metroxylon* sp. (Arecaceae) (Uhmann 1929).

***Callispa ruficollis* Fairmaire 1889**

Callispa ruficollis Fairmaire 1889: 84 (type: China, Muping, MNHN). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Winkler 1929: 1352 (catalog); Liu 1936: 252 (China species); Wu 1937: 911 (faunal list); Uhmann 1949a: 3 (key), 1958e: 179 (catalog); Gressitt 1950: 72 (China species), 1953: 121 (distribution); Chen et al. 1961: 457 (faunal list); Gressitt & Kimoto 1963a: 902 (China species); Yu 1992: 611 (faunal list); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 372 (catalog).

Callispa rugicollis Fairmaire. Yu 1992: 347 (lapsus, faunal list).

Distribution. China (Fukien, Guangxi, Guizhou, Hunan, Hupeh, Sikang, Szechuan).

Food plant. *Phyllostachys viridis* (R. A. Young) McClure (Poaceae) (Hua 2002).

***Callispa rufiventris* Uhmman 1928g**

Callispa rufiventris Uhmman 1928g: 66 (type: British East Africa, Ramissi, DEI). Spaeth 1935b: 256 (museum list); Uhmman 1943b: 119 (note), 1958e: 180 (catalog), 1960d: 373 (faunal list), 1964a: 441 (catalog); Gaedike & Döbler 1971: 387 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Tanzania.

Food plant. Unknown.

***Callispa salaccae* Schöller 2008**

Callispa salaccae Schöller 2008: 308 (type: Malaysia, Ulu Gombak, NHMB).

Distribution. Malaysia.

Food plant. Adults collected on *Salacca conferta* Griff. (Arecaceae) (Schöller 2008).

***Callispa scipionae* Schöller 2008**

Callispa scipionae Schöller 2008: 309 (type: Malaysia, Sungai Buloh, Selangor, NHMB).

Distribution. Malaysia.

Food plant. Adults collected on *Calamus scipionum* Lam. (Araceae) (Schöller 2008).

***Callispa scutellaris* Weise 1897**

Callispa scutellaris Weise 1897: 115 (type: Burma, Tenasserim, ZMHB). Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Maulik 1919: 64 (India species); Uhmman 1952b: 352 (note), 1958e: 180 (catalog); Schöller 2008: 317 (key).

Distribution. Myanmar.

Food plant. Unknown.

***Callispa sebakue* Péringuey 1908**

Callispa sebakue Péringuey 1908: 335 (type: Southern Rhodesia, Sebakwe, SAMC). Uhmman 1956f: 338 (catalog), 1958e: 180 (catalog), 1961c: 503 (note), 1964a: 441 (catalog).

Callispa sebacue Péringuey. Weise 1911a: 43 (lapsus, catalog), 1911b: 64 (catalog).

Callispa sebakuensis Spaeth 1935b: 255 (unnecessary replacement name); Staines 2005: 47 (Spaeth species list).

Distribution. Mozambique, Southern Rhodesia.

Food plant. Unknown.

***Callispa semirufa* Kraatz 1895**

Callispa semirufa Kraatz 1895: 189 (type: Togo, DEI). Donckier 1899: 544 (catalog); Gestro 1905b: 542 (catalog); Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmman 1927b: 60 (note), 1931b: 253 (note), 1931i: 838 (note), 1953j: 653 (lectotype), 1954h: 177 (key), 1958e: 180 (catalog), 1961a: 18 (faunal list), 1964a: 441 (catalog), 1969: 297 (faunal list); Spaeth 1935b: 255 (note); Gaedike & Döbler 1971: 389 (types).

Distribution. Cameroon, Congo, Senegal, Togo.

Food plant. Unknown.

***Callispa septemmaculata* Weise 1908**

Callispa septemmaculata Weise 1908: 213 (type: India, Nilgiri Hills, BMNH). Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 52 (India species); Uhmman 1958e: 180 (catalog).

Distribution. India (Madras).

Food plant. Unknown.

***Callispa silacea* Weise 1901**

Callispa silacea Weise 1901: 225 (type: Congo, Matadi, ZMHU). Gestro 1905b: 542 (catalog); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmman 1931b: 252 (note), 1931c: 1 (museum list), 1931i: 837 (museum list), 1936a: 433 (faunal list), 1937g: 370 (museum list), 1942a: 5 (faunal list), 1953b: 10 (distribution), 1954f: 8 (faunal list), 1955g: 456 (museum list), 1956f: 338 (catalog), 1958e: 180 (catalog), 1958f: 488 (faunal list), 1960d: 373 (faunal list), 1961c: 503 (note), 1964a: 441 (catalog), 1966b: 210 (faunal list), 1967c: 255 (faunal list); Spaeth 1935b: 255 (as synonym of *C. kilimana*).

Distribution. Congo, Kenya, Mozambique, South Africa, Tanzania, Uganda.

Food plant. Unknown.

***Callispa simillima* Würmli 1976f**

Callispa simillima Würmli 1976f: 391 (type: Philippines, Leyte, AMNH).

Distribution. Philippines (Leyte).

Food plant. Unknown.

***Callispa similis* Uhmman 1931b**

Callispa similis Uhmman 1931b: 254 (type: Elisabethville, MRAC). Spaeth 1935b: 255 (note); Uhmman 1947a: 134 (type), 1953b: 10 (distribution), 1954f: 8 (faunal list), 1958e: 180 (catalog), 1961a: 18 (faunal list), 1964a: 441 (catalog); Gaedike & Döbler 1971: 389 (types); Staines 1997b: 413 (Uhmman species list).

Distribution. Congo.

Food plant. Unknown.

***Callispa spaethi* Uhmann 1930-1932**

Callispa spaethi Uhmann 1930-1932: 11 (type: Philippines, Luzon, St. Thomas, NMW).

Uhmann 1933a: 62 (faunal list), 1952b: 354 (key), 1958e: 180 (catalog), 1964(1965): 254 (faunal list); Staines 1997b: 413 (Uhmann species list).

Distribution. Philippines (Luzon).

Food plant. Unknown.

***Callispa specialis* Yu 1985**

Callispa specialis Yu 1985: 2 (type: China, Yunnan, IZAS). Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 372 (catalog).

Distribution. China (Yunnan).

Food plant. Unknown.

***Callispa splendidula* Gestro 1897b**

Callispa splendidula Gestro 1897b: 116 (type: Borneo, Brunei, MCSN). Donckier 1899: 544 (catalog); Gestro 1902b: 135 (faunal list), 1909(1910): 141 (faunal list), 1917: 397 (faunal list), 1919: 338 (faunal list), 1922: 100 (faunal list); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmann 1930-1932: 11 (faunal list), 1933a: 61 (faunal list), 1935g: 144 (faunal list), 1952b: 354 (distribution), 1958e: 180 (catalog), 1960c: 24 (faunal list), 1964a: 441 (catalog), 1964(1965): 240 (faunal list); Kalshoven 1957: 8 (host plant); Reid 1998: 300 (faunal list); Mohamedsaid 2004: 167 (Malaysian species).

Distribution. Indonesia (Borneo, Celebes, Java), Malaysia, Philippines (Palawan).

Food plant. *Metroxylon* sp. (Arecaceae) (Kalshoven 1957).

***Callispa steineri* Schöller 2007**

Callispa steineri Schöller 2007: 335 (type: Malaysia, Ulu Gombak, NHMB). Schöller 2008: 317 (key).

Distribution. Malaysia.

Food plant. *Calamus caesius* Blume (Araceae) (Schöller 2007).

***Callispa submarginata* L. Medvedev 1993**

Callispa submarginata L. Medvedev 1993: 374 (type: China, Sichuan, Mt. Emei, MNHB). Borowiec & Sekerka 2010: 372 (catalog).

Distribution. China (Sichuan).

Food plant. Unknown.

***Callispa sundara* Maulik 1919**

Callispa sundara Maulik 1919: 61 (type: Burma, Tavoy, Tenasserim, BMNH). Gressitt 1939a: 164 (distribution), 1950: 73 (China species); Uhmman 1952b: 361 (catalog), 1958e: 180 (catalog); Gressitt & Kimoto 1963a: 903 (China species); Chen et al. 1986: 619 (China species); Kimoto 1999: 99 (southeast Asia species); Hua 2002: 288 (faunal list); Yu & Li 2002: 462 (faunal list); Borowiec & Sekerka 2010: 372 (catalog).

Callispa elongata Pic 1924: 24 (type: Vietnam, Tonkin, MNHN). L. Medvedev 1992b: 148 (Vietnam species); Kimoto 1999: 100 (synonymy).

Distribution. China (Guangxi, Hainan, Yunnan), Laos, Myanmar, Thailand, Vietnam.

Food plant. Unknown.

***Callispa tarsata* Baly 1869b**

Callispa tarsata Baly 1869b: 366 (type: India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Weise 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 58 (India species); Uhmman 1958e: 180 (catalog); Staines & Staines 1999: 523 (Baly species list).

Distribution. India.

Food plant. Unknown.

***Callispa testacea* Kraatz 1895**

Callispa testacea Kraatz 1895: 189 (type: Togo, DEI). Donckier 1899: 544 (catalog); Weise 1901: 225 (note), 1911a: 43 (catalog), 1911b: 63 (catalog); Gestro 1905b: 542 (catalog); Uhmman 1931b: 253 (note), 1931i: 837 (museum list), 1936a: 433 (faunal list), 1937g: 370 (museum list), 1953b: 12 (distribution), 1954h: 178 (faunal list), 1958e: 180 (catalog), 1961a: 19 (distribution), 1964a: 441 (catalog), 1966b: 211 (faunal list), 1967c: 255 (faunal list); Spaeth 1935b: 255 (note); Gaedike & Döbler 1971: 392 (types).

Distribution. Cameroon, Congo, Guinea, Togo, Uganda.

Food plant. Unknown.

***Callispa testaceicornis* Pic 19226f**

Callispa testaceicornis Pic 19226f: 234 (type: Congo, Benito, MNHN). Uhmman 1958e: 181 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Distribution. Congo.

Food plant. Unknown.

***Callispa testaceipes* Pic 1924c**

Callispa testaceipes Pic 1924c: 27 (type: Burma, Paungole, MNHN). Uhmman 1952b: 361 (catalog), 1958e: 181 (catalog), 1964a: 441 (catalog); Descarpentries & Villiers 1959b: 500 (types).

Distribution. Myanmar.

Food plant. Unknown.

***Callispa tibangana* Uhmman 1939d**

Callispa tibangana Uhmman 1939d: 2 (type: East Borneo, Mt. Tibang, NHRS). Uhmman 1948d: 1 (type), 1952b: 354 (key), 1958e: 181 (catalog); Gaedike & Döbler 1971: 392 (types); Staines 1997b: 413 (Uhmman species list); Mohamedsaid 2004: 167 (Malaysian species).

Distribution. Malaysia.

Food plant. Unknown.

***Callispa tsoui* Lee, Świętojańska, & Staines 2012**

Callispa tsoui Lee, Świętojańska, & Staines 2012: 846 (type: Taiwan, Taipei, Wulai, TARI).
Callispa ruficollis Lee & Cheng (not Fairmaire) 2007: 152 (misidentification).

Distribution. Taiwan.

Food plant. *Phyllostachys makinoi* Hayata, *Yushania niitakayamensis* (Hayata) Keng (Poaceae) (Lee et al. 2012).

***Callispa ugandina* Spaeth 1935b**

Callispa ugandina Spaeth 1935b: 256 (type: Uganda, Tero Forest, BMNH). Uhmman 1942a: 5 (faunal list), 1958e: 181 (catalog); Staines 2005: 47 (Spaeth species list).

Distribution. Congo, Uganda.

Food plant. Unknown.

***Callispa uhmanni* Chen & Yu 1961**

Callispa uhmanni Chen & Yu 1961: 463 (type: China, Yunnan, IZAS). Gressitt & Kimoto 1963b: 931 (note); Yang & Sun 1991: 59 (type); Hua 2002: 288 (faunal list); Borowiec & Sekerka 2010: 372 (catalog).

Distribution. China (Yunnan).

Food plant. Unknown.

***Callispa umtalina* Péringuey 1908**

Callispa umtalina Péringuey 1908: 335 (type: Southern Rhodesia, Umtali, SAMC). Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmman 1928g: 66 (note), 1934b: 391 (museum

list), 1953b: 12 (faunal list), 1956f: 338 (catalog), 1958e: 181 (catalog); Spaeth 1935b: 256 (note).

Distribution. Zimbabwe.

Food plant. Unknown.

***Callispa undulata* Uhmann 1933a**

Callispa undulata Uhmann 1933a: 61 (type: Philippines, Mindanao, Surigao, DEI). Uhmann 1952b: 353 (key), 1958e: 181 (catalog), 1964(1965): 255 (faunal list); Gaedike & Döbler 1971: 393 (types); Würmli 1976f: 391 (note); Staines 1997b: 413 (Uhmann species list); Staines & Staines 1997: 22 (types).

Distribution. Philippines (Luzon, Mindanao, Panaon, Samar, Siargao).

Food plant. Unknown.

***Callispa unicolor* Weise 1904**

Callispa unicolor Weise 1904: 171 (type: Rhodesia, ZMHU). Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmann 1928g: 66 (note), 1931i: 838 (note), 1956f: 338 (catalog), 1958e: 181 (catalog); Spaeth 1935b: 255 (note).

Callispa gestroi Péringuey 1908: 335 (type: Southern Rhodesia, Umtali, SAMC).

Callispa sulcicollis Weise 1911a: 43 (nomen nudum). Weise 1911b: 64 (catalog).

Distribution. Rhodesia.

Food plant. Unknown.

***Callispa uniformis* Uhmann 1943b**

Callispa uniformis Uhmann 1943b: 119 (type: Belgian Congo, Elisabethville, BMNH). Uhmann 1950b: 337 (type), 1953b: 12 (faunal list), 1954f: 8 (faunal list), 1958e: 181 (catalog), 1967c: 255 (faunal list); Gaedike & Döbler 1971: 393 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. Congo.

Food plant. Unknown.

***Callispa vietnamica* Kimoto 1998**

Callispa vietnamica Kimoto 1998: 4 (type: Vietnam, Fryan, BPBM). Kimoto 1999: 100 (southeast Asia species).

Distribution. Vietnam.

Food plant. Unknown.

***Callispa violaceicornis* Pic 1937f**

Callispa violaceicornis Pic 1937f: 109 (type: south India, MNHN). Uhmman 1952b: 361 (catalog), 1958e: 181 (catalog); Descarpentries & Villiers 1959b: 500 (types); Shameem & Prathapan 2013: 8 (key).

Distribution. India.

Food plant. Unknown.

***Callispa vittata* Baly 1858**

Callispa vittata Baly 1858: 7 (type: India, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Weise 1905b: 114 (faunal list), 1911a: 43 (catalog), 1911b: 62 (catalog); Maulik 1919: 52 (India species); Uhmman 1952b: 349 (note), 1958e: 181 (catalog), 1961c: 508 (note); Takizawa 1985b: 571 (faunal list), 1987: 525 (faunal list); Basu 1999: 153 (distribution); Staines & Staines 1999: 523 (Baly species list); Mukunthan & Nirmala 2002: 158 (biology).

Distribution. India (Karnataka, Tamilnadu, West Bengal).

Food plants. *Saccharum barberi*, *S. officinarum*, *S. robustum*, *S. sinense*, *Erianthus* spp. (Poaceae) (Mukunthan & Nirmala 2002).

***Callispa voronovae* L. Medvedev 1992b**

Callispa voronovae L. Medvedev 1992b: 148 (type: Vietnam, Vihn fou, Tamdao, Medvedev).

Distribution. Vietnam.

Food plant. Unknown.

***Callispa weigeli* L. Medvedev 2009**

Callispa weigeli L. Medvedev 2009: 412 (type: Nepal, Mahakali-Darchula, NME). SprecherUebersax 2011: 487 (faunal list).

Distribution. Nepal.

Food plant. Unknown.

***Callispa whitei* Baly 1858**

Callispa whitei Baly 1858: 6 (type: Borneo, BMNH). Gemminger & Harold 1876: 3599 (catalog); Donckier 1899: 544 (catalog); Gestro 1899c: 316 (note), 1902b: 135 (faunal list), 1909(1910): 141 (faunal list), 1919: 338 (faunal list); Weise 1911a: 43 (catalog), 1911b: 63 (catalog); Uhmman 1952b: 349 (note), 1958e: 181 (catalog); Staines & Staines 1999: 523 (Baly species list); Mohamedsaid 2004: 167 (Malaysian species).

Distribution. Indonesia (Borneo, Sumatra), Malaysia.

Food plant. Unknown.

Callispa (Callispella) Spaeth 1935b

Callispa (Callispella) Spaeth 1935b: 255. Type species: *Callispa gracilicornis* Weise 1910b. Uhmann 1958e: 182 (catalog), 1964a: 441 (catalog); Würmli 1975a: 17 (genera).

***Callispa bayoni* Gestro 1911b**

Callispa bayoni Gestro 1911b: 24 (type: Bussu-Busoga, MCSN). Weise 1911a: 42 (catalog), 1911b: 64 (catalog); Uhmann 1927b: 59 (note), 1953b: 9 (faunal list), 1954h: 176 (key), 1955c: 241 (distribution), 1956f: 338 (catalog), 1958e: 182 (catalog), 1962b: 359 (faunal list); Spaeth 1935b: 255.

Callispa schoutedeni Uhmann 1931b: 253 (type: Belgian Congo, Haut-Uele; Elisabethville, MRAC). Uhmann 1931i: 838 (note), 1936a: 433 (faunal list), 1942a: 6 (faunal list), 1947a: 134 (type), 1953b: 9 (distribution), 1958e: 182 (catalog); Spaeth 1935b: 255 (note); Gaedike & Döbler 1971: 388 (types); Medler 1980: 261 (faunal list); Staines 1997b: 413 (Uhmann species list).

Distribution. Cameroon, Congo, Mozambique, Rwanda, Uganda.

Food plant. Unknown.

***Callispa gracilicornis* Weise 1910b**

Callispa gracilicornis Weise 1910c: 160 (type: German East Africa, Kilossa, ZMHB?). Weise 1911a: 43 (catalog), 1911b: 64 (catalog); Uhmann 1931i: 838 (note), 1956f: 338 (catalog), 1958e: 182 (catalog), 1964a: 441 (catalog); Spaeth 1935b: 255 (note); Gomes Alves 1949: 116 (distribution).

Callispa gracilicornis garambae Uhmann 1961a: 19 (type: Congo, Mont Ndogo, MRAC). Uhmann 1964a: 441 (catalog); Staines 1997b: 413 (note).

Distribution. Congo, Guinea, Mozambique, Tanzania.

Food plant. Unknown.

***Callispa lamottei* Uhmann 1954h**

Callispa lamottei Uhmann 1954h: 177 (type: French Guinea, Nimba, MNHN). Uhmann 1958e: 182 (catalog), 1964a: 441 (catalog); Gaedike & Döbler 1971: 379 (types); Staines 1997b: 413 (Uhmann species list).

Distribution. French Guinea.

Food plant. Unknown.

Incerte Sedis

***Callispa daurica* Mannerheim**

Callispa daurica Mannerheim. Hua 2002: 288 (faunal list).

Distribution. China (Sichuan).

***Callispa pretiosum* Baly**

Callispa pretiosum Baly. Hua 2002: 288 (faunal list).

Distribution. China (Sichuan).

***Callispa signata* (Motschulsky)**

Callispa signata (Motschulsky). Hua 2002: 288 (faunal list).

Distribution. China (Sichuan).

***Echinocallispa* Zhang et al. 1994**

Echinocallispa Zhang et al. 1994: 133. Type species: *Echinocallispa flavida* Zhang et al., by monotypy.

***Echinocallispa flavida* Zhang et al. 1994**

Echinocallispa flavida Zhang et al. 1994: 134 (type: China, Shandong, Shanwang, IZAS?).

Distribution. Miocene fossil (China, Shandong).

***Hispodonta* Baly 1858**

Hispodonta Baly 1858: 78. Type species: *Hispodonta nigricornis* Baly, by original designation. Baly 1869b: 374 (note); Chapuis 1875: 284 (redescription), 1876:xviii (faunal list); Gemminger & Harold 1876: 3602 (catalog); Donckier 1899: 552 (catalog); Gestro 1905a: 130 (note), 1917: 395 (faunal list); Weise 1911a: 41 (catalog), 1911b: 61 (redescription); Schultze 1916: 100 (faunal list); Maulik 1919: 42 (India species); Liu 1936: 249 (China species); Uhmann 1940g: 121 (claws), 1958e: 169 (catalog), 1959d: 8 (scutellum), 1964a: 438 (catalog); Gressitt 1957b: 211 (South Pacific species), 1959a: 72 (host plants), 1961: 78 (biogeography), 1963: 594 (New Guinea species), 1982: 711 (ecology); Würmli 1975a: 16 (genera); Seeno & Wilcox 1982: 162 (catalog); Anand 1984: 11 (note); Gressitt & Samuelson 1988: 51 (New Guinea species); Jolivet 1989b: 308 (host plants); Jolivet & Hawkeswood 1995: 150 (host plants); Staines & Staines 1999: 526 (Baly

species list); Cayabyab et al. 2000: 101 (host plant); Staines 2004a: 311 (host plants); Chaboo 2007: 141 (note); García-Robledo et al. 2010: 64 (noted).

Spilispa Chapuis 1875: 285. Type species: *Spilispa balyi* Chapuis 1875 (= *Oxycephala imperialis* Baly 1859), by monotypy. Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 553 (catalog); Gahan 1900: 436 (stridulation); Weise 1911a: 35 (catalog), 1911b: 61 (catalog); Uhmann 1940g: 121 (claws), 1958e: 170 (catalog), 1959d: 8 (scutellum), 1964a: 439 (catalog); Gressitt 1957b: 214 (South Pacific species), 1961: 78 (biogeography); Würmli 1975a: 16 (genera, as full genus); Seeno & Wilcox 1982: 162 (catalog, as full genus); Gressitt & Samuelson 1988: 51 (synonymy); Jolivet 1989b: 298 (note); Chaboo 2007: 54 (note).

***Hispodonta bicolor* Gressitt 1963**

Hispodonta bicolor Gressitt 1963: 597 (type: New Guinea, Nabire, BPBM). Gressitt & Samuelson 1988: 56 (New Guinea species); Staines 2004a: 311 (host plants); GarcíaRobledo et al. 2010: 64 (noted).

Distribution. New Guinea.

Food plant. Large-leafed ginger (Zingiberaceae) (Gressitt & Samuelson 1988).

***Hispodonta bifasciata* Gestro 1906b**

Hispodonta bifasciata Gestro 1906b: 469 (type: Batchian, MNHN). Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gestro 1913: 14 (comparative note); Gressitt 1957b: 214 (South Pacific species); Uhmann 1958e: 169 (catalog), 1964a: 438 (catalog); Gressitt & Samuelson 1988: 56 (New Guinea species).

Distribution. Moluccas.

Food plant. Unknown.

***Hispodonta chapuisii* Gestro 1885**

Hispodonta chapuisii Gestro 1885: 156 (type: New Guinea, Andai, MCSN). Gestro 1892: 1020 (distribution), 1897d: 453 (distribution), 1907: 81 (museum list); Donckier 1899: 552 (catalog); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gressitt 1957b: 213 (South Pacific species), 1960a: 4 (larva), 1963: 604 (New Guinea species); Uhmann 1958e: 169 (catalog), 1964a: 438 (catalog); Gressitt & Samuelson 1988: 59 (New Guinea species); Chaboo 2007: 150 (phylogeny).

Distribution. New Guinea.

Food plants. *Pinanga?* *Heterospathe?*, *Areca* sp. (Arecaceae) (Gressitt 1963).

***Hispodonta cyperaceae* Gressitt 1988**

Hispodonta cyperaceae Gressitt 1988: 62 (type: New Guinea, Aiyura, BPBM). García-Robledo et al. 2010: 64 (noted).

Distribution. New Guinea.

Food plant. Unidentified sedge (Cyperaceae) (Gressitt & Samuelson 1988).

***Hispodonta delkeskampi* Uhmann 1952b**

Hispodonta delkeskampi Uhmann 1952b: 346 (type: New Guinea, Sattelberg, ZMHB). Gressitt 1957b: 213 (South Pacific species), 1960a: 4 (New Guinea species), 1963: 596 (distribution); Uhmann 1958e: 169 (catalog), 1964a: 438 (catalog); Gaedike & Döbler 1971: 370 (types); Gressitt & Samuelson 1988: 53 (New Guinea species); Staines 1997b: 417 (Uhmann species list).

Distribution. New Guinea.

Food plant. Unknown.

***Hispodonta depressa* Gestro 1905a**

Hispodonta depressa Gestro 1905a: 130 (type: New Guinea, MNHN). Gestro 1907: 81 (museum list); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gressitt 1957b: 214 (South Pacific species), 1960a: 6 (New Guinea species), 1963: 595 (New Guinea species); Uhmann 1958e: 169 (catalog), 1964a: 438 (catalog); Gressitt & Samuelson 1988: 59 (New Guinea species).

Distribution. New Guinea.

Food plant. Unknown.

***Hispodonta discalis* Gressitt 1957b**

Hispodonta discalis Gressitt 1957b: 212 (type: New Guinea, Maffin Bay, CASC). Gressitt 1960a: 5 (New Guinea species), 1963: 600 (New Guinea species); Uhmann 1964a: 438 (catalog); Gressitt & Samuelson 1988: 59 (New Guinea species).

Distribution. New Guinea.

Food plant. *Metroxylon sagu* Rottb. (Arecaceae) (Gressitt 1963).

***Hispodonta elegantula* Baly 1869b**

Hispodonta elegantula Baly 1869b: 374 (type: Amboyna, BMNH). Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 552 (catalog); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gressitt 1957b: 213 (South Pacific species); Uhmann 1958e: 169 (catalog), 1964a: 438 (catalog); Gressitt & Samuelson 1988: 56 (New Guinea species); Staines & Staines 1999: 526 (Baly species list).

Distribution. Moluccas.

Food plant. Unknown.

***Hispodonta feliciae* Samuelson 1988**

Hispodonta feliciae Samuelson 1988: 58 (type: New Guinea, Olsobip, BPBM).

Distribution. New Guinea.

Food plant. Unknown.

***Hispodonta forticornis* Heller 1916**

Hispodonta forticornis Heller 1916: 115 (type: Celebes, Kolaka, depository unknown). Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Gressitt 1957b: 214 (South Pacific species); Uhmman 1952b: 361 (catalog), 1958e: 169 (catalog), 1960c: 23 (faunal list); Würmli 1976e: 361 (note).

Distribution. Indonesia (Celebes).

Food plant. Unknown.

***Hispodonta grandis* Gressitt 1963**

Hispodonta grandis Gressitt 1963: 596 (type: New Guinea, Waris, BPBM). Gressitt & Samuelson 1988: 56 (New Guinea species).

Distribution. New Guinea.

Food plant. Unknown.

***Hispodonta imperialis* (Baly 1859)**

Oxycephala imperialis Baly 1859: 88 (type: Celebes, Moluccas, ISNB). Gestro 1897: 157; Gahan 1900: 436 (stridulation); Mann & Crowson 1996: 301 (internal sac); Staines & Staines 1999: 526 (Baly species list).

Spilispa imperialis (Baly). Gemminger & Harold 1876: 3603 (catalog); Heyden 1879: 549 (faunal list); Gestro 1885: 157 (distribution); Donckier 1899: 553 (catalog); Gahan 1900: 436 (stridulation); Weise 1911a: 42 (catalog), 1911b: 62 (catalog); Sharp & Muir 1912: 567 (male genitalia); Maulik 1919: 8 (India species), 1936b: 401 (redescription); Uhmman 1952b: 347 (note), 1958e: 170 (catalog), 1959d: 7 (scutellum), 1960c: 24 (faunal list), 1964a: 439 (catalog); Gressitt 1957b: 214 (South Pacific species); Monrós 1959: 28 (illustration); Schmitt 1991: 266 (stridulation), 1994: 323 (stridulation); Santiago-Blay 2004: 78 (host plants).

Spilispa balyi Chapuis 1875: 286 (type: Moluccas, ISNB). Chapuis 1875b: 43, plate 128, fig. 4 (illustration); Weise 1911a: 42 (synonymy).

Hispodonta imperialis (Baly). Gressitt & Samuelson 1988: 56 (transfer).

Distribution. Indonesia (Celebes), Moluccas, New Guinea.

Food plant. Unknown.

***Hispodonta janthina* (Blanchard 1853)**

Cephaloleia janthina Blanchard 1853: 314 (type: Celebes, MNHN).

Hispodonta janthina (Blanchard). Baly 1858: 79 (note); Gemminger & Harold 1876: 3603 (catalog); Gestro 1885: 156 (distribution); Donckier 1899: 552 (catalog); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Heller 1916: 114 (note); Uhmman 1952b: 345 (note), 1958e: 169 (catalog), 1964a: 439 (catalog); Gressitt 1957b: 213 (South Pacific species); García-Robledo et al. 2010: 64 (noted).

Hispodonta unicolor Heller 1916: 115 (type: Celebes, Sakedi, depository unknown). Uhmman 1952b: 361 (catalog), 1958e: 170 (catalog), 1960c: 23 (faunal list), 1964a: 439 (catalog); Gressitt 1957b: 214 (South Pacific species); Kalshoven 1957: 8 (host plant); Würmli 1976e: 361 (synonymy); Staines 2004a: 311 (host plants).

Distribution. Indonesia (Celebes), New Guinea.

Food plant. *Musa* sp. (Musaceae) (Kalshoven 1957).

***Hispodonta loriae* Gestro 1913**

Hispodonta loriae Gestro 1913: 13 (type: Purari River, Papua New Guinea, MCSN). Uhmman 1952b: 361 (catalog), 1958e: 170 (catalog), 1964a: 439 (catalog); Gressitt 1957b: 214 (South Pacific species), 1960a: 6 (New Guinea species), 1963: 604 (distribution); Gressitt & Samuelson 1988: 62 (New Guinea species).

Distribution. New Guinea.

Food plant. *Metroxylon sagu* Rottb. (Arecaceae) (Gressitt & Samuelson 1988).

***Hispodonta metroxylona* Gressitt 1960a**

Hispodonta metroxylona Gressitt 1960a: 5 (type: New Guinea, Madang, BPBM). Gressitt 1963: 602 (distribution); Uhmman 1964a: 439 (catalog); Gaedike & Döbler 1971: 381 (types); Gressitt & Samuelson 1988: 63 (New Guinea species); Staines & Staines 1997: 14 (types).

Distribution. New Guinea.

Food plant. *Metroxylon sagu* Rottb. (Arecaceae) (Gressitt 1963).

***Hispodonta nigricornis* Baly 1858**

Hispodonta nigricornis Baly 1858: 79 (type: Philippine Islands, BMNH). Chapuis 1876: xviii (faunal list); Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 553 (catalog); Weise 1911a: 41 (catalog), 1911b: 61 (catalog); Schultze 1916: 100 (faunal list); Gestro 1917: 395 (faunal list), 1922: 100 (faunal list); Uhmman 1958e: 170 (catalog), 1964(1965): 239 (faunal list); Staines & Staines 1999: 526 (Baly species list).

Distribution. Philippines (Luzon, Mindanao).

Food plant. Unknown.

***Hispodonta nitida* Gressitt 1988**

Hispodonta nitida Gressitt 1988: 53 (type: New Guinea, West Sepik Prov., Samoro, BPBM).

Distribution. New Guinea.

Food plant. *Heterospathe* sp.? (Arecaceae) (Gressitt & Samuelson 1988).

***Hispodonta palmella* Gressitt 1963**

Hispodonta palmella Gressitt 1963: 602 (type: New Guinea, Dreikikir, BPBM). Uhmman 1964a: 439 (catalog); Gressitt 1982: 712 (illustration), Gressitt & Samuelson 1988: 63 (New Guinea species).

Hispodonta subrotunda Gressitt 1963: 603 (type: New Guinea, Nabire, BPBM). Gressitt & Samuelson 1988: 63 (synonymy).

Distribution. New Guinea.

Food plant. *Calamus* sp. (Araceae) (Gressitt 1963).

***Hispodonta palmicola* Gressitt 1960a**

Hispodonta palmicola Gressitt 1960a: 6 (type: New Guinea, Biak, BPBM). Gressitt 1963: 599 (distribution); Gressitt & Kimoto 1988: 57 (New Guinea species).

Distribution. New Guinea.

Food plant. *Metroxylon* sp. and other palms (Arecaceae) (Gressitt 1960a).

***Hispodonta plagiata* Baly 1887a**

Hispodonta plagiata Baly 1887a: 270 (type: India, BMNH). Donckier 1899: 553 (catalog); Weise 1911a: 42 (catalog), 1911b: 61 (catalog); Maulik 1919: 42 (India species); Uhmman 1958e: 170 (catalog); Staines & Staines 1999: 526 (Baly species list).

Distribution. India.

Food plant. Unknown.

***Hispodonta sacasc* Gressitt 1963**

Hispodonta sacasc Gressitt 1963: 604 (type: New Guinea, Cape Rodney, BPBM). Gressitt & Samuelson 1988: 60 (New Guinea species); Samuelson 1996: 290 (morphology).

Distribution. New Guinea.

Food plant. *Metroxylon* sp. (Arecaceae); *Calamus* sp. (Araceae) (Gressitt & Samuelson 1988).

***Hispodonta samarica* Uhmman 1930-1932**

Hispodonta samarica Uhmman 1930-1932: 5 (type: Philippines, Samar, DEI). Uhmman 1933a: 60 (faunal list), 1952b: 347 (note), 1958e: 170 (catalog), 1964a: 439 (catalog), 1964(1965):

254 (faunal list); Monrós 1959: 28 (illustration); Gaedike & Döbler 1971: 388 (types); Staines 1997b: 417 (Uhmann species list); Staines & Staines 1997: 19 (types).

Distribution. Philippines (Luzon, Samar).

Food plant. Unknown.

***Hispodonta sagu* Gressitt 1963**

Hispodonta sagu Gressitt 1963: 600 (type: New Guinea, Dreikikir, BPBM). Gressitt & Samuelson 1988: 58 (New Guinea species).

Distribution. New Guinea.

Food plant. *Metroxylon sagu* Rottb. (Arecaceae) (Gressitt 1963).

***Hispodonta semperi* Chapuis 1876**

Hispodonta semperi Chapuis 1876: xviii (type: Philippines, Luzon, ISNB). Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 553 (catalog); Weise 1911a: 42 (catalog), 1911b: 61 (catalog); Schultze 1916: 100 (faunal list); Gestro 1917: 396 (faunal list), 1922: 100 (faunal list); Uhmann 1930-1932: 5 (faunal list), 1933a: 60 (faunal list), 1952b: 345 (note), 1958e: 170 (catalog), 1964(1965): 239 (faunal list).

Distribution. Philippines (Luzon).

Food plant. Unknown.

***Hispodonta semipallida* Gressitt 1988**

Hispodonta semipallida Gressitt 1988: 57 (type: New Guinea, Olsobip, BPBM).

Distribution. New Guinea.

Food plant. Unknown.

***Hispodonta tarsata* Chapuis 1876**

Hispodonta tarsata Chapuis 1876: xviii (type: Philippines, Mindanao, ISNB). Gemminger & Harold 1876: 3603 (catalog); Donckier 1899: 553 (catalog); Weise 1911a: 42 (catalog), 1911b: 61 (catalog); Schultze 1916: 100 (faunal list); Gestro 1917: 396 (faunal list), 1922: 100 (faunal list); Uhmann 1958e: 170 (catalog), 1964(1965): 239 (faunal list).

Distribution. Philippines (Mindanao).

Food plant. Unknown.

***Hispodonta vicina* Gressitt 1963**

Hispodonta vicina Gressitt 1963: 599 (type: New Guinea, Maprik, BPBM). Gressitt & Samuelson 1988: 57 (New Guinea species).

Distribution. New Guinea.

Food plant. *Metroxylon* sp. (Arecaceae) (Gressitt 1963).

***Pseudocallispa* Uhmann 1930-1932**

Pseudocallispa Uhmann 1930-1932: 6. Type species: *Pseudocallispa schultzei* Uhmann 1930-1932, by monotypy. Uhmann 1940g: 121 (claws), 1952b: 361 (catalog), 1958e: 170 (catalog), 1959d: 8 (scutellum); Würmli 1975a: 16 (genera); Seeno & Wilcox 1982: 162 (catalog); Staines 1997b: 418 (Uhmann species list).

***Pseudocallispa schultzei* Uhmann 1930-1932**

Pseudocallispa schultzei Uhmann 1930-1932: 7 (type: Philippines, Dinagat Island, DEI, ZMHB). Uhmann 1933a: 60 (faunal list), 1940e: 143 (type species), 1952b: 361 (catalog), 1958e: 170 (catalog), 1964(1965): 254 (faunal list); Gaedike & Döbler 1971: 388 (types); Staines 1997b: 418 (Uhmann species list).

Distribution. Philippines (Panaon, Mindanao, Nonoc).

Food plant. Unknown.