

Tribe Cryptonychini Chapuis 1875

Cryptonychites Chapuis 1875:286. Handlirsch 1925:666 (classification).

Cryptonychini Chapuis. Würmli 1975a:21 (genera); Staines 2004a:313 (host plants); Borowiec & Sekerka 2010:381 (catalog); Bouchard et al. 2011:78, 513 (nomenclature); Liao et al. 2015:162 (host plants).

Cryptonychinae Chapuis. Gestro 1905b:505 (faunal list), 1909b:226 (Madagascar species).

Cryptonychini Weise 1911a:45. Weise 1911b:66 (redescription), 1913c:282 (classification); Zacher 1913:103 (key); Handlirsch 1925:666 (classification); Uhmman 1931g:77 (museum list), 1931i:840 (museum list), 1940g:121 (claws), 1952c:71 (noted), 1953b:12 (distribution), 1954f:16 (faunal list), 1954h:178 (faunal list), 1956f:339 (catalog), 1958e:191 (catalog), 1959d:8 (scutellum), 1960b:60 (faunal list), 1961a:22 (faunal list), 1964a:444 (catalog), 1964c:169 (faunal list), 1964(1965):240 (faunal list), 1966b:212 (faunal list), 1966d:275 (noted), 1968a:360 (faunal list), 1968b:251 (museum list); Maulik 1932:306 (noted); Bryant 1936:256 (faunal list); Spaeth 1936a:277 (noted); Gressitt 1955:44 (Micronesian species), 1957b:216 (South Pacific species), 1960b:102 (New Caledonia species), 1963:605 (New Guinea species); Seeno & Wilcox 1982:162 (catalog); Chen et al. 1986:596 (China species); Jolivet 1988b:13 (host plants), 1989b:309 (host plants); L. Medvedev 1992:153 (Vietnam species); Jolivet & Hawkeswood 1995:151 (host plants); Cox 1996a:169 (pupa); Jolivet & Verma 2002:62 (noted); Mohamedsaid 2004:167 (Malaysian species); Chaboo 2007:176 (phylogeny).

Aulostyrax Maulik 1929b

Aulostyrax Maulik 1929b:235. Type species: *Aulostyrax nuciferae* Maulik 1929b, by monotypy. Spaeth 1936a:294 (key); Uhmman 1940g:121 (claws), 1952c:71 (noted), 1957f:302 (nomenclature), 1958e:206 (catalog), 1964a:451 (catalog); Lepesme 1947:551 (host plants); Gressitt 1957b:237 (South Pacific species), 1960a:40 (New Guinea species), 1961:80 (biogeography); Würmli 1975a:31 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:309 (host plants); Chaboo 2007:54 (noted).

Aulostyrax heterospathi Gressitt 1957b

Aulostyrax heterospathi Gressitt 1957b:239 (type: Guadalcanal, below Gold Ridge, BPBM). Gressitt 1960a:41 (New Guinea species); Uhmman 1964a:451 (catalog); Jolivet & Hawkeswood 1995:152 (host plants); Staines & Staines 1997:10 (types); Howard & Abad 2001:87 (host plants).

Distribution: Solomon Islands (Guadalcanal).

Food plants: *Heterospathe* sp. (Gressitt 1957b); *Bentnickiopsis* sp. (Gressitt 1960a); *Clinostigma* sp. (Howard & Abad 2001) (Arecaceae).

***Aulostyrax nuciferae* Maulik 1929b**

Aulostyrax nuciferae Maulik 1929b:235 (type:Solomon Islands, Malaita, Atuki, BMNH). Spaeth 1936a:291 (noted); Maulik 1937:147 (host plants); Lepesme 1947:551 (host plants); Risbec 1950a:380 (host plants); Uhmman 1952c:71 (noted), 1958e:206 (catalog), 1964a:451 (catalog); Kalshoven 1957:9 (host plant); Johnston 1965:13 (pest list); Mariau 2001:131 (noted).

Aulostyrax nuciferae nuciferae Maulik. Gressitt 1957b:239 (South Pacific species), 1960a:41 (immatures); Cox 1996a:169 (pupa); Howard & Abad 2001:87 (host plants).

Xiphispa incerta Uhmman 1930f:174 (type:Solomon Islands, Bougainville, ZMHU). Uhmman 1946a:18 (neotype designation); Staines 1997b:420 (Uhmman species list).

Aulostyrax nuciferae incerta (Uhmman). Spaeth 1936a:291 (transfer); Gressitt 1957b:239 (South Pacific species), 1960a:41 (New Guinea species); Uhmman 1958e:206 (catalog), 1964a:451 (catalog); Howard & Abad 2001:87 (host plants).

Distribution: Solomon Islands (Bougainville).

Food plants: *Cocos nucifera* L. (Maulik 1929b); *Metroxylon* sp. (Gressitt 1957b); *Pinanga* sp. (Gressitt 1960a) (Arecaceae).

***Brontispa* Sharp 1903(1904)**

Brontispa Sharp 1903(1904):924. Type species:*Oxycephala longissima* Gestro (= *Brontispa froggatti* Sharp), by monotypy. Gestro 1905b:456 (noted), 1913:7 (catalog), 1917:401 (faunal list); Weise 1909:120 (noted), 1910d:500 (faunal list); Lever 1935:10 (biology); van der Goot 1937:68 (noted); Maulik 1938:49 (nomenclature), 1950:171 (immatures); Uhmman 1940g:121 (claws), 1952c:72 (noted), 1957f:302 (nomenclature), 1958e:207 (catalog), 1964a:452 (catalog); Lepesme 1947:538 (key); Risbec 1950a:378 (noted); Gressitt 1955:44 (Micronesian species), 1957b:220 (South Pacific species), 1959a:72 (host plants), 1960a:14 (New Guinea species), 1960b:104 (New Caledonia species), 1961:79 (biogeography), 1963:608 (New Guinea species), 1963b:6 (zoogeography), 1963c:62 (pest status), 1982:711 (ecology); Würmli 1975a:32 (genera); OConnor 1979:430 (mites); Seeno & Wilcox 1982:163 (catalog); 1989b:298 (noted); Kimoto 1987:28 (Japanese species); Jolivet 1989b:309 (host plants), 1997:82, 97, 104 (noted); Cox 1994b:450 (parasites); Kimoto & Takizawa 1994:343 (Japan species); Santiago-Blay & Fain 1994:409 (mites); Mariau 1994:254 (noted); Jolivet & Hawkeswood 1995:152 (host plants); Kimoto & Chu 1996:127 (faunal list); Staines 1997b:412 (Uhmman species list), 2005:47 (Spaeth species list); Steiner 2001:82 (host plants); Chaboo 2007:141 (noted); Jolivet & Verma 2009:218 (faunal list); Borowiec & Sekerka 2010:381 (catalog).

Bronthispa (sic). Weise 1911a:46 (lapsus calami, catalog), 1911b:68 (redescription), 1913c:282 (nomenclatural note); Zacher 1913:103 (key); Schultze 1916:100 (faunal list); Goot 1928:35 (noted); Spaeth 1936a:286 (noted); Uhmman 1931i:844 (museum list); Jolivet 1988b:14 (host plants).

Oxycephala Baly 1858:73 (not Guérin-Ménéville).

Xiphispa (Chapuis). Gestro 1909:202 (misidentification); Weise 1911a:46 (correction), 1911b:68 (correction).

Planispa Chûjô 1937:223. Type species:*Brontispa mariana* Spaeth (= *Planispa castaneipennis*), by original designation. Maulik 1938:70 (synonymy); Chûjô 1943:317 (Micronesia species); Esaki 1943:272 (pest status), 1952:814 (pest status); Uhmman 1952c:73 (noted).

***Brontispa archontophoenica* Gressitt 1960a**

Brontispa archontophoenica Gressitt 1960a:15 (type:New Guinea, Bulolo, Wewak, Sentani, BPBM). Uhmman 1964a:452 (catalog); Staines & Staines 1997:3 (types).

Brontispa linearis linearis (Spaeth). Gressitt 1957b:222 (misidentification, South Pacific species); Gressitt 1963:612 (New Guinea species).

Brontispa linearis archontophoenica Gressitt. Gressitt 1963:612 (New Guinea species).

Distribution: New Guinea.

Food plant: *Archontophoenix* sp. (Arecaceae) (Gressitt 1960a).

***Brontispa balakae* Gressitt 1957a**

Brontispa balakae Gressitt 1957a:255 (type:Samoa, Afiamalu, BPBM). Gressitt 1959b:221 (distribution); Uhmman 1964a:452 (catalog); Gaedike & Döbler 1971:365 (types); Staines & Staines 1997:4 (types); Kami & Miller 1998:11 (faunal list); Howard & Abad 2001:87 (host plants).

Distribution: Samoa.

Food plants: *Balaka rechingeriana* Burret, *Clinostigma oncorhyncha* Beccari (Arecaceae) (Gressitt 1957a).

***Brontispa calami* Gressitt 1960a**

Brontispa calami Gressitt 1960a:19 (type:Rendova Island, Egolo, BPBM). Uhmman 1964a:453 (catalog); Steiner 2001:82 (host plants).

Distribution: Solomon Islands.

Food plant: *Calamus* sp. (Araceae) (Gressitt 1960a).

***Brontispa castaneipennis* Chûjô 1937**

Brontispa castaneipennis Chûjô 1937:226 (type:Saipan, USNM, KUEC, TARI). Lepesme 1947:545 (host plants); Uhmman 1952c:72 (noted), 1958e:207 (catalog); Staines & Staines 1997:5 (types); Mariau 1999:232 (noted).

Distribution: Marianas.

Food plant: *Cocos nucifera* L. (Arecaceae) (Lepesme 1947).

***Brontispa chalybeipennis* (Zacher 1913)**

Oxycephala (*Xiphispa*) *chalybeipennis* Zacher 1913:101 (type:Ponape, DEI). Gaedike & Döbler 1971:368 (types).

Bronthispa chalybeipennis (Zacher). Zacher 1915:423 (biology); Spaeth 1936a:287 (key).

Planispa chalybeipennis (Zacher). Chûjô 1937:227 (transfer); Esaki 1940b:276 (pest status), 1943:272 (pest status), 1952:815 (pest status); Chûjô 1943:326.

Brontispa chalybeipennis (Zacher). Maulik 1938:70 (larva); Lepesme 1947:545 (host plants); Bryan 1949:18 (noted); Barber 1950:247 (distribution); Hardy & Barber 1950:208 (synonymy); Uhmman 1951c:185 (noted), 1952c:72 (noted), 1958e:207 (catalog), 1963a:297 (noted); Oakley 1953:180 (noted); Dumberton 1954:17 (host plant); Gressitt 1954b:177 (noted), 1955:49 (Micronesian species), 1957b:221 (South Pacific species); Kalshoven 1957:8 (host plant); Johnston 1965:13 (pest list); Muniappan et al. 1980:359 (parasites); Beardsley 1986:16 (Hawaii); Heu 1986:16 (survey); Funasaki et al. 1988:101 (introduction); Maddison 1993:84 (host plant); Mariau 1999:232 (noted), 2001:131 (noted); Culliney & Nagamine 2000:124 (biocontrol); Muniappan 2002:105 (parasites); Campbell 2003:37 (noted).

Brontispa chalibeipennis Zacher (sic). Risbec 1950a:379 (lapsus calami, host plants).

Brontispa namorikia Maulik 1947:498 (type:Marshall Islands, BMNH). Barber 1950:247 (synonymy); Hardy & Barber 1950:208 (synonymy); Maulik 1950:167 (immatures); Uhmman 1952c:72 (noted); Gressitt 1957b:221 (South Pacific species).

Distribution: Hawaii, Micronesia (Caroline Islands, Kosrae, Marshall Islands, Palau Islands, Ponape).

Food plants: *Cocos nucifera* L., *Exorrhiza ponapensis* (Arecaceae) (Zacher 1916); *Pandanus* sp. (Pandanaeae) (Maddison 1993).

***Brontispa cyperaceae* Gressitt 1963**

Brontispa cyperaceae Gressitt 1963:613 (type:New Guinea, Oriomo Govt. Agric. Sta., BPBM).

Distribution: New Guinea.

Food plant: Sedge (Cyperaceae) (Gressitt 1963).

***Brontispa depressa* (Baly 1858)**

Oxycephala depressa Baly 1858:74 (type:Philippine Islands, BMNH). Chapuis 1876:xvix (faunal list); Gemminger & Harold 1876:3604 (catalog); Donckier 1899:555 (catalog); Weise 1905h:299 (noted); Staines & Staines 1999:526 (Baly species list).

Brontispa depressa (Baly). Gestro 1904b:457 (comparative note), 1917:401 (faunal list), 1919:343 (noted), 1922:101 (faunal list); Maulik 1938:69 (distribution); Lepesme 1947:538 (host plant); Uhmman 1952c:72 (noted), 1958e:208 (catalog), 1964(1965):241 (faunal list); Kalshoven 1957:9 (host plant); Johnston 1965:14 (pest list); Mariau 2001:131 (noted).

Bronthispa depressa (Baly). Weise 1911a:46 (catalog), 1911b:68 (catalog), 1913:237 (faunal list); Schultze 1916:100 (faunal list); Uhmman 1930-1932:35 (faunal list), 1933a:62 (faunal list); Spaeth 1936a:287 (noted).

Distribution: Philippines (Luzon, Panay, Samar, Sibyan).

Food plants: *Normanbya merrillii* Becc., *Arenga* sp. (Arecaceae) (Schultze 1916).

***Brontispa eversi* Gressitt 1960a**

Brontispa eversi Gressitt 1960a:17 (type:New Guinea, Biak Island, BPBM). Gressitt 1963:612 (New Guinea species); Uhmann 1964a:453 (catalog); Gaedike & Döbler 1971:371 (types); Staines & Staines 1997:8 (types).

Distribution: New Guinea.

Food plant: Sedge (Cyperaceae) (Gressitt 1960a).

***Brontispa gleadowi* Weise 1905h**

Brontispa gleadowi Weise 1905h:299 (type:Mauritius, ZMHB). Weise 1909:119, (comparative note) 1911a:46 (catalog), 1911b:69 (catalog), 1913:282 (nomenclatural note); Uhmann 1931i:844 (museum list).

Brontispa gleadowi Weise. Gestro 1909:202 (as synonym of *Xiphispa limbata*), 1913:7 (as synonym of *Brontispa limbata*); Weise 1910d:500 (faunal list); Maulik 1938:65 (larva); Lepesme 1947:543 (host plants); Uhmann 1958e:208 (catalog).

Brontispa glazdowi Weise (sic). Risbec 1950a:379 (lapsus calami, host plants).

Distribution: Mauritius.

Food plant: *Cocos nucifera* L. (Arecaceae) (Maulik 1938).

***Brontispa lateralis* Uhmann 1953e**

Brontispa lateralis Uhmann 1953e:873 (type:New Guinea, Zenab, BMNH). Buzacott 1953:28 (host plant); Dumberton 1954:18 (host plant); Gressitt 1957b:225 (South Pacific species), 1960a:23 (New Guinea species), 1982:712 (illustration); Kalshoven 1957:9 (host plant); Uhmann 1958e:208 (catalog), 1964a:453 (catalog); Gaedike & Döbler 1971:379 (types); Staines 1997b:413 (Uhmann species list).

Brontispa lateralis lateralis Uhmann. Gressitt 1963:613 (New Guinea species).

Distribution: New Guinea.

Food plants: *Saccharum officinarum* L. (Buzacott 1953); *Eulalia* sp. (Gressitt 1957b) (Poaceae).

***Brontispa limbata* (Waterhouse 1876)**

Cryptonychus limbatus Waterhouse 1876:121 (type:Rodriguez, BMNH). Waterhouse 1879:532 (redescription); Kolbe 1899:202 (noted).

Xiphispa limbata (Waterhouse). Alluaud 1899:343 (transfer), 1900:326 (faunal list); Donckier 1899:554 (catalog); Gestro 1906b:472 (comparative note), 1909b:229 (Madagascar species), 1909c:202 (noted).

Brontispa limbata (Waterhouse). Weise 1906:34 (transfer), 1910d:500 (faunal list); Gestro 1913:8 (catalog); Jepson 1937:41 (host plant); Maulik 1938:70; Lepesme 1947:545

(host plant); Uhmman 1952c:72 (noted), 1958e:209 (catalog), 1963a:293 (immatures); Anonymous 1961:118 (pest status); Orian 1961:193 (biology); Lever 1969:112 (biology); Jolivet 1979:642 (host plants); Mariau 1999:232 (noted), 2001:131 (noted).

Bronthispa limbata (Waterhouse). Weise 1911a:46 (catalog), 1911b:68 (catalog), 1913:282 (*B. gleadowi* not synonym); Spaeth 1936a:287 (key).

Bronthispa (Xiphispa) limbata (Waterhouse). Charmoy 1929:6 (host plant).

Distribution: Mauritius, Rodriguez.

Food plants: Palm (Lepesme 1947); *Dictyosperma album* Wendl., *Acanthophoenix crinita* Wendl., *Mascarena revaughanii*, *Chrysalidocarpus madagascariensis* Becc., *Rhapis* sp. (Jolivet 1979) (Arecaceae).

***Brontispa linearis* Spaeth 1936a**

Brontispa linearis Spaeth 1936a:288 (type:New Guinea, BMNH). Staines 2005:47 (Spaeth species list).

Brontispa linearis Spaeth. Maulik 1937:146 (host plant), 1938:70 (immatures); Lepesme 1947:542 (host plant); Uhmman 1952c:72 (noted), 1958e:209 (catalog), 1963a:297 (noted); Kalshoven 1957:9 (host plant); Gressitt 1960a:15 (New Guinea species); Cox 1996a:169 (pupa); Howard & Abad 2001:87 (host plants).

Distribution: New Guinea.

Food plants: *Archontophoenix* sp. (Gressitt 1957b); *Areca catechu* L. (Maulik 1937) (Arecaceae).

***Brontispa longissima* (Gestro)**

Oxycephala longissima Gestro 1885:162 (type:New Guinea, Aru Island, MCSN). Gestro 1892:1020 (distribution), 1897d:450 (distribution), 1905b:456 (noted); Donckier 1899:555 (catalog); Weise 1905h:299 (noted); Koningsberger 1908:1 (biology), 1915:181 (biology).

Bronthispa longissima (Gestro). Gestro 1907:82 (museum list); Weise 1911a:46 (catalog), 1911b:68 (catalog); Keuchenius 1915:16 (biology), 1916:559 (host plants); Dammerman 1919:87 (host plants), 1929:90 (immatures); Ultée 1920:21 (noted) 1921:21 (noted); Hall 1924:23 (noted); Ferrière 1931:294 (parasite); Speyer 1932:224 (noted); Spaeth 1936a:287 (key); Taylor 1937 (host plant); Esaki 1940:409 (pest status).

Brontispa longissima (Gestro). Gestro 1913:8 (catalog); Keuchenius 1916:599 (biology); van Hall 1922:21 (noted); Leefmans 1927b:3 (noted); Ferrière 1933:101 (parasites); Awibowo 1935:76 (noted); Lever 1935:10 (noted); van der Goot 1936:29 (noted); Maulik 1937:146 (host plants); 1938:53 (immatures); Voûte 1937:31 (noted); Esaki 1940:409 (pest status), 1943:271 (pest status); Froggatt & O'Connor 1941:131 (host plant); Lever 1946:43 (noted), 1960:469 (biology); Lepesme 1947:537 (host plants); Risbec 1950a:379, 380 (host plants); Kalshoven 1951:741 (host plants), 1957:9 (host plant), 1981:447 (biology); Uhmman 1952c:72 (noted), 1958e:209 (catalog), 1960c:23 (faunal list), 1963a:297 (noted), 1964a:453 (catalog); Speyer 1954:364 (host plants);

Thompson 1954:300 (parasites); Gressitt 1957b:224 (South Pacific species), 1960a:15 (New Guinea species), 1960b:104 (New Caledonia species), 1963:611 (New Guinea species), 1963c:62 (pest status); Brown & Green 1958:239 (biology); Cohic 1961:110 (distribution); Stapley 1964:4 (noted); Anonymous 1965:527 (noted); Johnston 1965:14 (pest list); Manciot 1965:369 (control); Mo 1965:609 (biology); Baltazar 1968:221 (faunal list); Smee 1965:59 (biology); Lever 1969:107 (biology); Hassan 1972:133 (natural enemies); Reboul et al. 1973:42 (noted); Stapley 1973:215 (biology), 1980:17 (pest status); Chen 1976:481 (distribution); Wu & Tao 1976:150 (biological control); Azuma & Kinjyo 1978:21 (pest status); Clausen 1978:247 (biological control); Gutierrez 1978:1 (biological control); Gourvès & Samuelson 1979:413 (distribution); Hinton 1981:677 (egg); Nair & Daneil 1982:178 (noted); Wikardi 1982:35 (control); Suprpto 1983:17 (damage); Dharmaraju 1984:262 (spread); Stechmann & Semisi 1984:65 (biological control); Chiu et al. 1985:213 (parasites); Chiu & Chen 1985:12 (parasite); Maddison 1985:1 (pest status); Yamauchi 1985:49 (biology); Bourke 1986:41 (control); Kimoto 1987:28 (Japanese species); Waterhouse & Norris 1987:134 (biological control), 1989:10 (biological control); Bouček 1988:730, 694 (parasites); Chen 1988:82 (biology); Cox 1988:412 (larval morphology), 1994a:91 (larval morphology), 1996a:169 (pupa); Hollingworth et al. 1988:41 (biological control); Mariau 1988:459 (parasites), 1999:232 (noted), 2001:130 (noted); Liu 1989:176 (control); Liu et al. 1989:307 (control); Chiu & Chien 1989:29 (noted); Voegelé 1989:315 (biological control); Voegelé et al. 1989:256 (biological control); Stechmann 1990:630 (biological control); Chang 1991:67 (biology); Marschall et al. 1991:137 (pathogen); Lau 1992:10 (distribution); Barbinbing & Karmawati 1992:40 (control); Semisi 1996:386 (control); Stiling 1993:33 (parasites); Chabrol 1994:380 (noted); Liu 1994:1 (biological control); Kimoto & Chu 1996:127 (faunal list); Hou 1997:75 (pathogen); Waterhouse 1997:13 (pest status); Hsieh et al. 1998:373 (pathogen); Kami & Miller 1998:11 (faunal list); Kiritani 1998:291 (spread); Mohamedsaid 2000a:358 (faunal list), 2009:73, 98 (distribution); Artero & Santos 2000:8 (pest status); Chin & Brown 2001:61 (biological control); Halfpapp 2001:59 (biological control); Howard & Abad 2001:87 (host plants); Steiner 2001:82 (host plants); Hua 2002:288 (faunal list); Liang et al. 2002:19 (introduction); Ohbayashi 2002:239 (introduction); Tsatsia & Jackson 2002:1 (noted); Meyer 2003:26 (noted); Pangelinan & Pangelinan 2003:101 (noted); Zeng et al. 2003:37 (host plant); Cox 2004:371 (flight); Hosang et al. 2004:39 (parasites); Khennavong 2004:53 (distribution); Liebrechts & Chapman 2004:20 (biology); Loc et al. 2004:85 (pathogens); Lu et al. 2004:12 (invasion); Hosang et al. 2004:39 (biocontrol); Menakanit 2004:87 (control); Nguyen et al. 2004:105 (biological control); Ooi 2004:29 (control); Othman 2004:57 (distribution); Peng et al. 2004:44 (noted); Shafia 2004:67 (control); Sindhusake & Winothai 2004:82 (pest status); Tin 2004:75 (distribution); Vanhan 2004:31 (distribution); Viet 2004:90 (biological control); Wijesinghe 2004:77 (distribution); Wu et al 2004:137 (pathogen); Yong Yue et al. 2004:50 (biology); Yueguan & Yankun 2004:35 (distribution); Zhang et al. 2004:522 (biology); Zhong et al. 2004:47 (biology), 2005:2369 (biology); Zhou et al. 2004:50 (biology); Zhou et al. 2004:336 (biology); Ju et al. 2005:246 (pest status); Li et al. 2005:5 (distribution); Lu et al. 2005:255 (biological control), 2005:943 (biological control),

2006:643 (biological control); Luo et al. 2005:142 (control); Ooi & Kenmore 2005:278 (noted); Zhing et al. 2005:2369 (biology); Chapman et al. 2006:88 (status); French 2006:73 (host plants); He et al. 2006:80 (control); Li et al. 2006:17 (biology); Liebregts et al. 2006:6 (biological control); Mo et al. 2006:704 (noted); Nakamura et al. 2006:3-1 (control); Sankaran 2006:3 (biology); Wu et al. 2006:33 (pathogen), 2006:530 (host plants); Xiao et al. 2006:527 (biology); Anonymous 2007:3 (noted); Ding et al. 2007:306 (biological control); Guo 2007:47 (management); Guo et al. 2007:406 (pathogens), 2007b:47 (status); Huang et al. 2007:168 (parasite); Lee & Cheng 2007:150 (Taiwan species); Li et al. 2007:2050 (biology); Rint & Mendoza 2007:195 (biology); Tang et al. 2006:644 (biological control), 2007a:1 (biological control), 2007b:11 (biological control); Guo 2007:48 (pest status); Kao 2007:1 (control); Liebregts 2007:25 (control); Rethinam & Shingh 2007:3 (noted); Sivapragasam & Hong 2007:56 (pest status); Vanhan 2007:41 (pest status); Wang et al. 2007a:14 (pathogens), 2007b:252 (pathogens); Y. Wang 2007:515 (pest risk); Wickramananda 2007:20 (biology); Xiao et al. 2007:530 (control); Zhan et al. 2007:1558 (pathogens); Huang et al. 2008:94 (parasite); Liu et al. 2008:1012 (parasite); Lu et al. 2008:29 (parasite); Qin et al. 2008:44 (control); Xu et al. 2008:112 (parasite); Yamashita et al. 2008:61 (rearing); Giang & Nakamura 2009:159 (biology); Ishiki et al. 2009:539 (rearing), 2011:1423 (rearing); Liu et al. 2009:589 (hemolymph); Pundee et al. 2009:261 (biological control); Rajan et al. 2009:8 (status); Xin et al. 2009:1120 (parasite); Basavaraju et al. 2010:2 (invasion); Bian et al. 2010:30 (pathogen); Borowiec & Sekerka 2010:381 (catalog); Chen et al. 2010:284 (parasite); Li et al. 2009:1570 (control), 2010:2110 (control); Liang et al. 2010:20 (sampling); Lu et al. 2010:350 (pathogen); Qin et al. 2010:132 (control); Sun et al. 2011:935 (parasite); Takano et al. 2010:137 (distribution), 2011:121 (genetics), 2013:335 (biology), 2013:265 (host plants); Wu et al. 2010:644 (control); Yamashita & Takasu 2010:143 (host plants); Xin et al. 2010:366 (eyes); Zhang et al. 2010:552 (control); Zhang et al. 2010:1247 (control); Li et al. 2011:22 (control); Kawazu et al. 2011:99 (mating); Li & Cai 2011:1400 (pathogen); Li et al. 2011:353 (predator); Li et al. 2011:1917 (control); Liu et al. 2011:39 (control), 2012:11 (control); Ma et al. 2011:430 (genetics); Sugeno et al. 2011:682 (rearing); Fang et al. 2011:321 (biology); Takano et al. 2011:634 (host preference), 2012:238 (biology), 2012:173 (biology); Ayri & Ramamurthy 2012:787 (biology); Murata et al. 2012:802 (rearing), 2012:1 (biology); Kawazu et al. 2012:746 (biology); Nguyen et al. 2012:955 (parasite); Shameem & Prathapan 2013:2 (noted); Silva et al. 2014:704 (mites).

Brontispa longissima Guest [sic]. Stapley 1980:17 (biology); Voegelé 1989:315 (biological control); Kimoto & Takizawa 1994:343 (Japan species); Nishikawa et al. 2006:212 (predators).

Brontispa castanea Lea 1926:84 (type:Lord Howe Island, SAMA). Spaeth 1936a:287 (key); Gressitt 1957b:225 (South Pacific species), 1960a:15 (New Guinea species); Hawkeswood 2003:185 (distribution); Howard & Abad 2001:87 (host plants).

Brontispa longissima castanea Lea. Maulik 1938:61 (status); Lepesme 1947:538 (host plants); Uhmman 1958e:210 (catalog), 1964a:453 (catalog).

Brontispa froggatti Sharp 1903(1904):924 (type:New Pomerania, BMNH). Gestro 1905b:456 (noted), 1907:82 (museum list), 1913:8 (catalog), 1919:342 (noted); Weise 1905:299

- (comparative note); Froggatt 1912:24 (biology), 1914a:151 (pest status), 1914b:30 (biology); Reh 1913:531 (noted); Zacher 1915:426 (biology); Maulik 1919:14 (India species), 1937:146 (host plant); Ponniah 1920:192 (ecology); Frost 1924:464 (host plants); Tothill 1929:6 (biology); Böving & Craighead 1931:115 (larva); Ferrière 1933:101 (parasites); Lever 1933:254 (noted), 1935:10 (parasite), 1936:10 (parasite), 1937:328 (biocontrol); Risbec 1934:7 (biology), 1935:168 (biology), 1936:178 (biology), 1937a:47 (biology), 1937b:168 (biology), 1942:63 (biology); Bryant 1936:256 (faunal list); Clausen 1940:612 (predators); O'Connor 1940:36 (biology); Maulik 1937:146 (host plants); Froggatt & O'Connor 1941:131 (biology); Esaki 1943:271 (pest status); Lepesme 1947:539 (host plant); Jolivet & Théodoridès 1951:29 (parasites); Kalshoven 1951:741 (biology); Dumberton 1954:18 (host plant); Speyer 1954:363 (host plants); Thompson 1954:300 (parasites); Womersley 1956:534 (mites); Monrós 1959:30 (illustration); Green 1963:64 (control); Thompson & Simmonds 1964:9 (predators); Balfas & Wikardi 1982:32 (predator); Jolivet 1997:56, 105 (noted); Jolivet & Verma 2002:62 (noted).
- Bronthispa froggatti* Sharp. Weise 1905h:299 (comparative note). 1911a:46 (catalog), 1911b:68 (catalog); Bbowne 1915:152 (control); Baker 1918:3 (noted); Leefmans 1918a:1 (biology); Speyer 1932:224 (noted); Heller 1934:31 (faunal list); Spaeth 1936a:287 (key); Jolivet 1989b:299 (noted).
- Brontispa froggatti* Sharp (sic). Preuss 1911:80 (lapsus calami, host plants).
- Brontispa longissima froggatti* Sharp. Maulik 1938:60 (distribution); Lepesme 1947:539 (host plants); Uhmman 1952c:82 (noted), 1958e:210 (catalog), 1958b:133 (immatures), 1964a:453 (catalog); Monrós 1959:30 (illustrated); Cochereau 1965:661 (parasites), 1969:139 (parasites), 1972:91 (parasites); Kalshoven 1981:447 (noted); Mariau 2001:130 (noted).
- Bronthispa javana* Weise 1922b:16 (type:Indonesia, Java, Samarang, ZMHB). Uhmman 1929a:146 (key), 1935g:144 (faunal list); Spaeth 1936a:288 (synonymy).
- Brontispa javana* Weise. Gestro 1923:18 (comparative note).
- Brontispa longissima javana* Weise. Maulik 1938:60 (distribution); Lepesme 1947:538 (host plants); Uhmman 1958b:133 (immatures), 1958e:212 (catalog); Tjoa 1965:609 (biology); Suprpto 1979:53 (biology); Mariau 2001:130 (noted).
- Oxycephala longipennis* Gestro 1892:1017 (type:Kamali, MCSN). Gestro 1897d:453 (distribution), 1905b:456 (noted); Donckier 1899:555 (catalog); Weise 1905h:299 (noted).
- Bronthispa longipennis* (Gestro). Weise 1911a:46 (catalog), 1911b:68 (catalog); Spaeth 1936a:287 (noted).
- Brontispa longipennis* (Gestro). Gestro 1907:82 (museum list), 1913:8 (catalog); Kalshoven 1951:741 (biology).
- Brontispa longissima longipennis* (Gestro). Maulik 1938:52 (distribution); Lepesme 1947:538 (host plants); Uhmman 1958e:212 (catalog); Mariau 2001:130 (noted).
- Bronthispa reicherti* Uhmman 1929a:145 (type:Ceram, DEI). Staines 1997b:413 (Uhmman species list).
- Brontispa longissima reicherti* Uhmman. Maulik 1938:61 (distribution); Lepesme 1947:538 (host plants); Uhmman 1952c:86 (lectotype), 1958e:212 (catalog).

Bronthispa selebensis Gestro 1923:16 (type:Celebes, Sindjai; Saleier; MSCN). Leefmans 1927: 27 (noted); Spaeth 1936a:287 (noted); Maulik 1937:146 (host plant).

Bronthispa celebensis Gestro. Leefmans 1927b:3 (noted); Uhmman 1929a:146 (noted).

Brontispa froggatti selebensis Gestro. Ferrière 1931:294 (parasite); Awibowo 1934:76 (biology); van der Goot 1935:48 (noted); Lever 1935:10 (noted); Thompson 1954:300 (parasites); Clausen 1958:295 (biological control); DeBach 1962:72 (biological control).

Bronthispa froggatti celebensis Gestro. Leefmans 1929:57 (noted).

Brontispa longissima selebensis Gestro. Maulik 1937:146 (host plants), 1938:60 (distribution); Voûte 1937:31 (noted); Franssen & Mo 1952:326 (parasites); Tjoa 1953:283 (biology); Uhmman 1958e:212 (catalog), 1963a:297 (noted); Woodruff 1979:51 (noted); Kalshoven 1981:447 (noted).

Brontispa selebensis Gestro. Kalshoven 1951:741 (host plant).

Brontispa longissima celebensis Gestro. Lepesme 1947:539 (host plants); Mariau 2001:130 (noted).

Brontispa simmondsi Maulik 1927:105 (type:New Britain, Witu Islands, BMNH). Lever 1935: 10 (noted); Froggatt & O'Connor 1941:132 (noted); Dumberton 1954:18 (host plant).

Bronthispa simmondsi Maulik. Uhmman 1929a:147 (comparative note); Spaeth 1936a:288 (noted).

Brontispa longissima simmondsi Maulik. Maulik 1938:61 (larva); Lepesme 1947:538 (host plants); Uhmman 1958e:212 (catalog).

Distribution: Australia (Lord Howe Island, Northern Territory), Bismarck Islands, Cambodia, China (Guangdong, Hainan), Indonesia (Celebes, Java, Moluccas, Sumatra), Japan (Ryukyu Islands), Laos, Malaysia, Myanmar, New Caledonia, New Hebrides, Papua New Guinea, Philippines, Samoa, Singapore, Solomon Islands, Sri Lanka, Tahiti, Taiwan, Thailand, Vietnam.

Food plants: *Howea forsteriana* (C. Moore & F. Muell.) Wendl. & Drude (Lea 1926); *Areca cathecu* L. (Lever 1937); *Calamus* sp. (Areceae); *Cocos nucifera* L., *Archontophoenix alexandrae* (F. Müll.) H. Wende & Drude, *Caryota* sp., *Metroxylon sagu* Rottb., *Bentnickiopsis* sp., *Balaka* sp., *Roystonea regia* H. B. K., *Washingtonia filifera* Wendl., *W. robusta* H. Wendl., *Hyophorbe lagenicaulis* (L. H. Bailey) H. E. Moore, *Livistona chinensis* R. Br., *Chrysalidocarpus lutescens* (Bory) Wendl. (Yueguan & Yankun 2004); *Areca triandra* Roxb., *Caryota cumingii* Lodd. ex. Mart., *C. ochlandra* Hance, *Phoenix hanceana* Hort. ex. Wendl., *Ravenea rivularis* Jum. & H. Perrier, *Syagrus romanzoffiana* (Cham.) Glassman (Wu et al. 2006); *Kentia* sp. (Howard & Abad 2001); *Latania* sp., *Oreodoxa regia* H.B.K., *Elaeis guinenensis* Jacq., *Thrinax parviflora* Swartz (Lepesme 1947); *Collinia elegans* Liebm., *Phoenix canariensis* Hort. ex. Chabaud, *Rhapis excels* (Thunb.) A. Henry, *R. humilis* Blume (Yamashita & Takasu 2010); *Satakentia liukuensis* (Hatusima) H. E. Moore (Takasu et al. 2010); *Phoenix roebelenii* O'Brien (Takano et al. 2013) (Areceae).

***Brontispa mariana* Spaeth 1937b**

Bronthispa mariana Spaeth 1937b:26 (type:Saipan, BMNH). Swezey 1940:157 (pest status); Staines 2005:47 (Spaeth species list).

Brontispa mariana Spaeth. Maulik 1937:146 (host plants), 1938:69 (key); Lepesme 1947:538 (host plants); Bryan 1949:10 (noted); Barber 1950:246 (noted); Douitt 1950:55 (parasites); Hagen & Douitt 1950:318 (biology); Lange 1950:143 (biology), 1953:249 (biology); Risbec 1950a:379 (host plants); Uhmman 1952c:72 (noted), 1958e:213 (catalog), 1964a:453 (catalog); Oakley 1953:180 (pest status); Pemberton 1953:95 (pest status); Dumberton 1954:18 (host plant); Gressitt 1954a:268 (faunal list), 1954b:175 (noted), 1955:45 (Micronesia species), 1957b:221 (South Pacific species); Kalshoven 1957:9 (host plant); Beer 1958:192 (mites); Clausen 1958:295 (biological control); DeBach 1962:72 (biological control); Johnston 1965:14 (pest list); Lever 1969:109 (biology); Clausen 1978:248 (biological control); Muniappan et al. 1980:359 (parasites); Nair & Daniel 1982:178 (noted); Nafus & Schreiner 1989:87 (biological control); Waterhouse 1997:13 (pest status); Mariau 1999:232 (noted), 2001:131 (noted); Howard & Abad 2001:87 (host plants); Muniappan 2002:105 (parasites).

Planispa mariana (Spaeth). Chûjô 1943:320 (Micronesian species); Esaki 1943:272 (pest status), 1952:815 (pest status).

Planispa castaneipennis Chûjô 1937:225 (type:Marianna Islands, Saipan, Tanapaku, Kyushu, TARI). Esaki 1940b:409 (pest status), 1940b:276 (pest status); Barber 1950:246 (synonymy); Hagen & Douitt 1950:318 (noted); Lange 1950:143 (synonymy); Uhmman 1952c:73 (noted).

Brontispa castaneipennis (Chûjô). Lepesme 1947:545 (host plants); Risbec 1950a:379 (host plants); Monrós 1959:31 (illustration).

Distribution: Micronesia (Caroline Islands, Rota, Saipan, Tinian, Truk, Yap).

Food plants: *Cocos nucifera* L. (Maulik 1937); *Areca catechu* L. (Nair & Daniel 1982) (Arecaceae).

***Brontispa minor* Gressitt 1957b**

Brontispa minor Gressitt 1957b:222 (type:New Guinea, Hollandia Town, BPBM). Gressitt 1960a:14 (New Guinea species), 1963:610 (New Guinea species); Uhmman 1964a:454 (catalog); Howard & Abad 2001:87 (host plants).

Distribution: New Guinea.

Food plants: Pinnate palm (Arecaceae) (Gressitt 1963); *Alpinia* sp. (Zingiberaceae) (Howard & Abad 2001).

***Brontispa norfolkensis* Gressitt 1960a**

Brontispa norfolkensis Gressitt 1960a:19 (type:Norfolk Island, Mt. Bates, BPBM). Uhmman 1964a:454 (catalog); Maddison 1993:22, 26 (host plant).

Distribution: Norfolk Island.

Food plant: *Freycinetia baueriana* Endlicher (Arecaceae) (Maddison 1993).

***Brontispa palauensis* (Esaki & Chûjô 1943)**

Planispa chalybeipennis (Zacher). Chûjô 1937:227 (misidentification); Esaki 1940:409 (nomen nudum).

Planispa palauensis Esaki & Chûjô 1943:322 (type:Palau, TARI). Esaki 1940b:276 (pest status), 1943:271 (pest status), 1952:815 (pest status).

Brontispa palauensis (Esaki & Chûjô). Hagen & Doult 1950:311 (biology); Uhmman 1951d:187 (comparative note), 1952c:72 (noted), 1958e:214 (catalog), 1963a:297 (noted), 1964a:454 (catalog); Gressitt 1953a:93 (noted), 1954a:268 (noted), 1954b:176 (noted), 1955:47 (Micronesian species), 1957b:222 (South Pacific species); Dumberton 1954:18 (host plant); Kalshoven 1957:9 (host plant); Johnston 1965:14 (pest list); Muniappan et al. 1980:359 (parasites); Nafus & Schreiner 1989:87 (biological control); Maddison 1993:84 (host plant); Waterhouse 1997:13 (pest status); Mariau 1999:232 (noted), 2001:131 (noted); Howard & Abad 2001:87 (host plants); Muniappan 2002:105 (parasites); Campbell 2003:37 (noted); Holm & Michaels 2003:111 (noted).

Brontispa palauensis (Zacher). Lepesme 1947:545 (host plants).

Brontispa yoshinoi Barber 1950:245 (type:Ponape, USNM). Hagen & Doult 1950:311 (synonymy); Dumberton 1954:18 (host plant); Gressitt 1955:47 (synonymy); Johnston 1965:14 (pest list); Gaedike & Döbler 1971:395 (types); Staines & Staines 1997:23 (types).

Distribution: Micronesia (Guam, Palau).

Food plants: *Cocos nucifera* L. (Arecaceae) (Esaki & Chûjô 1943); *Pandanus* sp. (Pandanaeae) (Maddison 1993).

***Brontispa palmivora* Gressitt 1963**

Brontispa palmivora Gressitt 1963:610 (type:New Guinea, Wau, BPBM). Staines & Staines 1997:16 (types).

Distribution: New Guinea.

Food plant: Small palm (Arecaceae) (Gressitt 1963).

***Brontispa sacchari* Gressitt 1960a**

Brontispa lateralis sacchari Gressitt 1960a:23 (type:New Guinea, Swart Valley, BPBM). Gressitt 1963:613 (New Guinea species); Uhmman 1964a:454 (catalog); Gaedike & Döbler 1971:387 (types); Samuelson 1996:290 (morphology); Staines & Staines 1997:19 (types).

Distribution: New Guinea.

Food plants: *Saccharum* sp., *Eulalia* sp. (Poaceae), small sedges (Cyperaceae) (Gressitt 1960a).

***Brontispa serricornis* Gressitt 1957b**

Brontispa serricornis Gressitt 1957b:227 (type:New Guinea, Koitaki, BPBM). Gressitt 1960a:14 (New Guinea species), 1963:609 (New Guinea species); Uhmann 1964a:454 (catalog); Staines & Staines 1997:20 (types).

Distribution: New Guinea.

Food plant: Unknown.

***Brontispa simonthomasi* Gressitt 1960a**

Brontispa simonthomasi Gressitt 1960a:21 (type:New Guinea, Hollandia, BPBM). Gressitt 1963:612 (New Guinea species); Uhmann 1964a:454 (catalog); Gaedike & Döbler 1971:394 (types); Cox 1996a:169 (pupa); Staines & Staines 1997:22 (types).

Distribution: New Guinea.

Food plant: Small sedge (Cyperaceae) (Gressitt 1960a).

***Brontispa veitchiae* Gressitt 1960b**

Brontispa veitchiae Gressitt 1960b:105 (type:New Caledonia, Foret de Thy, BPBM). Uhmann 1964a:454 (catalog).

Distribution: New Caledonia.

Food plant: *Veitchia* sp. (Arecaceae) (Gressitt 1960b).

***Calamispa* Gressitt 1957b**

Calamispa Gressitt 1957b:241. Type species:*Calamispa fasciata* Gressitt 1957b, by monotypy. Gressitt 1960a:42 (New Guinea species), 1961:80 (biogeography); Uhmann 1964a:451 (catalog); Würmli 1975a:37 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet & Hawkeswood 1995:153 (host plants); Steiner 2001:82 (host plants).

***Calamispa fasciata* Gressitt 1957b**

Calamispa fasciata Gressitt 1957b:241 (type:Guadalcanal, BPBM). Gressitt 1960a:42 (New Guinea species); Uhmann 1964a:451 (catalog); Howard & Abad 2001:87 (host plants); Steiner 2001:82 (host plants).

Distribution: Solomon Islands.

Food plant: *Calamus* sp. (Araceae) (Gressitt 1957b).

***Caledonispa* Uhmann 1952c**

Caledonispa Uhmann 1952c:82. Type species:*Brontispa sarasini* Heller 1916, by monotypy. Gressitt 1957b:228 (South Pacific species), 1960a:24 (New Guinea species), 1960b:107

(New Caledonia species), 1961:79 (biogeography); Uhmman 1958e:206 (catalog), 1964a:452 (catalog); Würmli 1975a:35 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:310 (host plants); Jolivet & Hawkeswood 1995:152 (host plants); Staines 1997b:413 (Uhmman species list); Chaboo 2007:176 (noted); Jolivet & Verma 2008:314 (noted); Jolivet & Verma 2009:218 (faunal list).

***Caledonispa freycinetiae* Gressitt 1960b**

Caledonispa freycinetiae Gressitt 1960b:108 (type:New Caledonia, Plateau de Dogny, BPBM). Uhmman 1964a:452 (catalog).

Distribution: New Caledonia.

Food plants: *Freycinetia* sp., *Ptychosperma* sp. (Arecaceae) (Gressitt 1960b).

***Caledonispa sarasini* (Heller 1916)**

Brontispa sarasini Heller 1916:306 (type:New Caledonia, SMTD). Risbec 1936:185 (noted), 1942:69 (comparative note); Spaeth 1936a:294 (key); Maulik 1938:50 (comparative note).

Brontispa sarrasini Heller (sic). Lepesme 1947:546 (lapsus calami, host plant).

Brontispa sarazini Heller (sic). Risbec 1950a:379 (lapsus calami, host plants).

Caledonispa sarasini (Heller). Uhmman 1952c:82 (transfer), 1958e:206 (catalog), 1964a:452 (catalog); Gressitt 1957b:228 (South Pacific species), 1960a:24 (New Guinea species), 1960b:107 (New Caledonia species); Maddison 1993:84 (host plant).

Caledonispa sarrasini (Heller) (sic). Mariau 1999:232 (lapsus calami, noted), 2001:131 (noted).

Distribution: New Caledonia.

Food plants: *Cocos nucifera* L. (Arecaceae) (Lepesme 1947); *Pandanus* sp. (Pandanaceae) (Gressitt 1960b).

***Callistola* Dejean 1836**

Callistola Dejean 1835:363 (nomen nudum).

Callistola Dejean 1836:387. Type species:*Hispa speciosa* Boisduval, by monotypy.

GuérinMénéville 1840b:333 (noted); Orbigny 1845:59 (noted); Chenu & Desmarest 1870:341

(noted); Chenu 1884:341 (noted); Barber & Bridwell 1940:6 (nomenclature); Gressitt 1957b:243 (South Pacific species), 1959a:72 (host plants), 1960a:42 (New Guinea species), 1961:81 (biogeography), 1963:641 (New Guinea species), 1982:711 (ecology); Uhmman 1957f:302 (nomenclature), 1958e:203 (catalog), 1964a:447 (catalog); Würmli 1975a:36 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:310 (host plants); Jolivet & Hawkeswood 1995:153 (host plants); Staines 1997b:413 (Uhmman species list), 2005:47 (Spaeth species list); Chaboo 2007:95 (noted).

Oxycephala Chapuis 1875:288 (not Guérin-Ménéville). Gahan 1900:438 (stridulation); Gestro 1913:8 (noted); Weise 1905g:97 (noted), 1911a:46 (catalog), 1911b:69 (redescription),

1913c:282 (nomenclatural note); Zacher 1913:103 (key); Spaeth 1936a:283 (key); Barber & Bridwell 1940:6 (nomenclature); Uhmman 1952c:53 (noted); Gressitt 1955:50 (Micronesian species).

Plesispa (*Plesispella*) Chûjô 1943:325. Type species:*Plesispella spaethi* Chûjô, by original designation. Gressitt 1955:51 (synonymy), 1957b:243 (synonymy).

Plesispella Chûjô. Uhmman 1952c:74 (noted).

Callistola (*Freycinetivora*) Gressitt 1957b:260. Type species:*Callistola (Freycinetivora) freycinetiae* Gressitt 1957b, by original designation. Gressitt 1960a:61 (New Guinea species).

***Callistola (Callistola) angusta* Gressitt 1957b**

Callistola (Callistola) angusta Gressitt 1957b:258 (type:New Britain, between Talalo and Ti, BPBM). Gressitt 1960a:52 (New Guinea species); Uhmman 1964a:447 (catalog).

Distribution: New Britain.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1957b).

***Callistola attenuata* Gressitt 1963**

Callistola attenuata Gressitt 1963:660 (type:New Guinea, Fak Fak, BPBM).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1963).

***Callistola (Callistola) bella* Gressitt 1960a**

Callistola bella Gressitt 1960:57 (type:New Guinea, Wanuma, Adelbert Mts., BPBM). Gressitt 1963:652 (New Guinea species); Uhmman 1964a:448 (catalog).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960).

***Callistola boisduvali* (Weise 1908b)**

Oxycephala speciosa boisduvali Weise 1908b:332 (type:New Guinea, RMNH?). Weise 1911a:47 (catalog), 1911b:69 (catalog); Spaeth 1936a:284 (key); Uhmman 1952c:79 (noted).

Callistola (Callistola) dilutipes boisduvali (Weise). Gressitt 1957b:253 (transfer), 1960a:46 (New Guinea species); Uhmman 1964a:448 (catalog).

Callistola speciosa boisduvali (Weise). Uhmman 1958e:205 (catalog), 1964a:450 (catalog).

Callistola boisduvali boisduvali (Weise). Gressitt 1963:651 (New Guinea species).

Callistola boisduvali (Weise). Maddison 1993:84 (host plant).

Callistola (Callistola) dilutipes bulolensis Gressitt 1957b:254 (type:New Guinea, Morobe District, Bulolo, BPBM). Gressitt 1960a:46 (New Guinea species); Uhmman 1964a:448 (catalog); Staines & Staines 1997:7 (types).

Callistola boisduvali bulolensis Gressitt. Gressitt 1963:652 (New Guinea species); Maddison 1993:84 (host plant).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1963).

***Callistola bomberiana* Gressitt 1963**

Callistola bomberiana Gressitt 1963:657 (type:New Guinea, Bomberi, BPBM). Staines & Staines 1997:4 (types).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1963).

***Callistola (Callistola) bruijnii* (Gestro 1885)**

Oxycephala bruijnii Gestro 1885:158 (type:New Guinea, MCSN). Gestro 1901b:435 (noted), 1905a:131 (comparative note), 1905b:456 (noted), 1913:8 (catalog); Weise 1911a:46 (catalog), 1911b:70 (catalog); Spaeth 1936a:284 (key); Uhmman 1952c:82 (noted).

Oxycephala bruyini Gestro (sic). Donckier 1899:555 (lapsus calami, catalog).

Oxycephala brujni Gestro. Weise 1905g:96 (noted).

Callistola bruijnii (Gestro). Uhmman 1958e:204 (catalog), 1960c:17 (noted), 1964a:448 (catalog).

Callistola (Callistola) bruijnii bruijnii (Gestro). Gressitt 1957b:247 (South Pacific species).

Oxycephala bruijnii morotaiensis Spaeth 1936a:286 (type:Morotai, ZMHB?). Staines 2005:47 (Spaeth species list).

Callistola bruijnii morotaiensis Spaeth. Uhmman 1958e:204 (catalog), 1960c:18 (noted), 1964a:448 (catalog).

Callistola (Callistola) bruijnii morotaiensis (Spaeth). Gressitt 1957b:247 (transfer).

Callistola bruijnii wegneri Uhmman 1960c:21 (type:Talaga-Obi, depository unknown). Uhmman 1964a:448 (catalog); Staines 1997b:413 (Uhmman species list).

Distribution: New Guinea.

Food plant: Unknown.

***Callistola corporaali* (Uhmman 1932b)**

Oxycephala corporaali Uhmman 1932b:13 (type:Moluccas, Buru Station, DEI, NHRS). Spaeth 1936a:284 (key); Uhmman 1952c:86 (noted); Kalshoven 1957:9 (host plant); Descarpentries & Villiers 1959b:501 (types); Gaedike & Döbler 1971:369 (types); Maddison 1993:84 (host plant); Staines 1997b:418 (Uhmman species list).

Callistola corporaali (Uhmman). Gressitt 1957b:247 (transfer); Uhmman 1958e:204 (catalog), 1964a:448 (catalog); Staines 1997b:413 (Uhmman species list).

Distribution: Moluccas.

Food plant: *Pandanus* sp. (Pandanaeae) (Kalshoven 1957).

***Callistola cyclops* Gressitt 1963**

Callistola cyclops Gressitt 1963:659 (type:New Guinea, above Ifar, BPBM).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1963).

***Callistola devastator* Gressitt 1960a**

Callistola devastator Gressitt 1960a:47 (type:New Guinea, Swart Valley, BPBM). Gressitt 1963:649 (New Guinea species); Uhmann 1964a:448 (catalog); Gaedike & Döbler 1971:370 (types); Maddison 1993:85 (host plant); Staines & Staines 1997:7 (types).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1960a).

***Callistola (Callistola) dilutipes* (Weise 1905g)**

Oxycephala dilutipes Weise 1905g:95 (type:New Guinea, Astrolabe Baym ZMHB). Gestro 1905a:131 (comparative note), 1905b:456 (noted), 1913:9 (catalog); Weise 1908b:332 (comparative note), 1911a:46 (catalog), 1911b:69 (catalog); Uhmann 1928b:61 (noted), 1952c:81 (lectotype); Spaeth 1936a:284 (key).

Oxycephala speciosa dilutipes Weise. Gestro 1907:81 (museum list).

Callistola dilutipes (Weise). Uhmann 1958e:204 (catalog), 1964a:448 (catalog); Ochoa 1996:201 (mites).

Callistola (Callistola) dilutipes dilutipes (Weise). Gressitt 1957b:252 (transfer), 1960a:46 (New Guinea species), 1963:649 (New Guinea species).

Callistola dilutipes dilutipes (Weise). Maddison 1993:85 (host plant); Cox 1996a:169 (pupa).

Callistola speciosa (Boisduval). Gestro 1897:449 (misidentification); Spaeth 1936a:284 (correction).

Callistola dilutipes alexandrina Gressitt 1963:649 (type:New Guinea, Dreikikir, BPBM). Gaedike & Döbler 1971:370 (types); Maddison 1993:85 (host plant); Staines & Staines 1997:7 (types).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1957b).

***Callistola elegans* Gressitt 1960a**

Callistola elegans Gressitt 1960a:46 (type:New Guinea, Fak Fak, BPBM). Gressitt 1963:646 (New Guinea species); Uhmann 1964a:448 (catalog); Maddison 1993:85 (host plant).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1960a).

***Callistola (Freycinetivora) dimidiata* Gressitt 1960a**

Callistola (Freycinetivora) dimidiata Gressitt 1960a:63 (type:Solomon Islands, Kwalo, BPBM). Uhmann 1964a:450 (catalog); Gaedike & Döbler 1971:370 (types).

Distribution: Solomon Islands.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960a).

***Callistola (Callistola) esakii* (Chûjô 1943)**

Plesispa (Plesispella) esakii Chûjô 1943:330 (type:Eimilik-Ngarumisukan, Babelthuap, TARI).

Plesispella esakii Chûjô. Uhmman 1952c:74 (noted).

Oxycephala esakii (Chûjô). Gressitt 1955:51 (transfer, biology).

Callistola esakii (Chûjô 1943). Gressitt 1957b:246 (transfer); Uhmman 1958e:204 (catalog), 1964a:448 (catalog); Maddison 1993:24, 85 (host plants); Maddison & Crosby 2009:9 (host plants).

Distribution: Micronesia (Palau).

Food plants: *Pandanus* sp. (Pandanaeae) (Chûjô 1943); *Freycinetia palauensis* [sic], *Flagellaria* sp., *Pleomela* sp. (Gressitt 1955) (Arecaceae).

***Callistola (Callistola) fordi* Gressitt 1957b**

Callistola (Callistola) fordi Gressitt 1957b:254 (type:New Guinea, Morobe District, Bulolo, BPBM). Gressitt 1960a:52 (New Guinea species), 1963:655 (New Guinea species); Uhmman 1964a:449 (catalog).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1957b).

***Callistola freycinetella* Gressitt 1963**

Callistola freycinetella Gressitt 1963:661 (type:New Guinea, W. Cyclops Mts, BPBM). Gressitt 1960a:64 (New Guinea species); Gaedike & Döbler 1971:373 (types); Staines & Staines 1997:9 (types).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1963).

***Callistola (Freycinetivora) freycinetiae* Gressitt 1957b**

Callistola (Freycinetivora) freycinetiae Gressitt 1957b:260 (type:Guadalcanal, Jonapau Mt., between Gold Ridge and Suta, BPBM). Gressitt 1960:64; Uhmman 1964a:450 (catalog).

Callistola freycinetiae Gressitt. Maddison 1993:85 (host plant).

Distribution: Guadalcanal.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1957b); *Pandanus* sp. (Pandanaeae) (Maddison 1993).

***Callistola (Callistola) grossa* (Maulik 1936b)**

Oxycephala grossa Maulik 1936b:397 (type:Moluccas, Laboeha, Batjan, BMNH). Roepke 1935:77 (host plant); Uhmman 1952c:73 (noted); Kalshoven 1957:9 (host plant).

Callistola grossa (Maulik). Uhmman 1958e:204 (catalog), 1960c:18 (faunal list), 1964a:448 (catalog).

Callistola (Callistola) grossa (Maulik). Gressitt 1957b:255 (transfer).

Distribution: Moluccas.

Food plant: *Pandanus* sp. (Pandanaeae) (Maulik 1936).

***Callistola (Callistola) maai* Gressitt 1960a**

Callistola maai Gressitt 1960a:59 (type:New Guinea, Bodem, BPBM). Gressitt 1963:652 (New Guinea species); Uhmman 1964a:449 (catalog); Maddison 1993:85 (host plant).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaceae) (Gressitt 1960a).

***Callistola (Callistola) major* Gressitt 1957b**

Callistola (Callistola) major Gressitt 1957b:257 (type:New Britain, Gisiluve, Nakanai Mts., BPBM). Gressitt 1960a:52 (New Guinea species); Uhmman 1964a:449 (catalog).

Callistola major Gressitt. Maddison 1993:85 (host plant).

Distribution: New Britain.

Food plant: *Pandanus* sp. (Pandanaceae) (Gressitt 1957b).

***Callistola margaretae* Gressitt 1963**

Callistola margaretae Gressitt 1963:654 (type:New Guinea, Karimui, BPBM). Staines & Staines 1997:13 (type).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1963).

***Callistola (Freycinetivora) masoni* Gressitt 1960a**

Callistola (Freycinetivora) masoni Gressitt 1960a:61 (type:New Georgia, Munda, BPBM). Uhmman 1964a:451 (catalog).

Distribution: New Georgia.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960a).

***Callistola melselaari* Gressitt 1960a**

Callistola melselaari Gressitt 1960a:49 (type:New Guinea, Ifar, Cyclops Mts., BPBM). Gressitt 1963:652 (New Guinea species); Uhmman 1964a:449 (catalog).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960a).

***Callistola (Callistola) misolensis* (Spaeth 1936a)**

Oxycephala misolensis Spaeth 1936a:285 (type:Molacca, Misol, BMNH). Uhmman 1952c:73 (noted); Staines 2005:47 (Spaeth species list).

Callistola (Callistola) misolensis (Spaeth). Gressitt 1957b:246 (transfer), 1960a:45 (New Guinea species).

Callistola misolensis (Spaeth). Uhmman 1958e:204 (catalog), 1964a:449 (catalog).

Distribution: Misol Island.

Food plant: Unknown.

***Callistola (Callistola) montana* Gressitt 1960a**

Callistola montana Gressitt 1960a:56 (type: Papua New Guinea, Aiyurop, BPBM). Gressitt 1963:646 (New Guinea species); Uhmman 1964a:449 (catalog), 1968b:251 (museum list); Gaedike & Döbler 1971:382 (types); Maddison 1993:85 (host plant); Staines & Staines 1997:14 (type).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1960).

***Callistola (Callistola) omalleyi* Gressitt 1960a**

Callistola omalleyi Gressitt 1960a:53 (type: Admiralty Islands, Manus Island, Lorengau, BPBM). Uhmman 1964a:449 (catalog); Maddison 1993:85 (host plant).

Distribution: Admiralty Islands.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1960a).

***Callistola (Callistola) pandani* (Gressitt 1955)**

Plesispa (Plesispella) spaethi Chûjô 1943:326 (in part).

Oxycephala pandani Gressitt 1955:55 (type: Palau, Eimilik-Ngarumisukan, USNM). Gaedike & Döbler 1971:384 (types); Staines & Staines 1997:16 (types).

Callistola (Callistola) pandani (Gressitt). Gressitt 1957b:246 (transfer).

Callistola pandani (Gressitt). Uhmman 1958e:204 (catalog), 1964a:449 (catalog); Maddison 1993:61, 62, 85 (host plants).

Distribution: Micronesia (Palau).

Food plant: *Pandanus tectorius* Parkinson ex. J.P. du Roi (Gressitt 1955); *P. kanethirae* Martelli (Maddison 1993) (Pandanaeae).

***Callistola (Callistola) pandenella* Gressitt 1960a**

Callistola pandenella Gressitt 1960a:60 (type: New Guinea, Bomberi, Fak Fak, BPBM). Uhmman 1964a:449 (catalog).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1960a).

***Callistola (Callistola) papuensis* Gressitt 1957b**

Callistola (Callistola) papuensis Gressitt 1957b:252 (type: Papua New Guinea, Moroka, MCZC). Gressitt 1960a:46 (New Guinea species), 1963:647 (New Guinea species); Uhmman 1964a:449 (catalog).

Callistola papuensis Gressitt. Maddison 1993:85 (host plant).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1963).

***Callistola (Callistola) pulchra* Gressitt 1957b**

Callistola (Callistola) pulchra Gressitt 1957b:249 (type:New Guinea, Gewak, Salawaket Range, Huon Peninsula, BPBM). Gressitt 1960a:57 (New Guinea species), 1963:646 (New Guinea species); Uhmman 1964a:449 (catalog); Gaedike & Döbler 1971:385 (types); Staines & Staines 1997:18 (types).

Callistola pulchra Gressitt. Maddison 1993:85 (host plant).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1957b).

***Callistola (Callistola) puncticollis* (Spaeth 1936a)**

Oxycephala puncticollis Spaeth 1936a:284 (type:New Guinea, BMNH). Uhmman 1952c:73 (noted); Staines 2005:47 (Spaeth species list).

Callistola puncticollis (Spaeth). Gressitt 1957b:247 (transfer), 1960a:46 (New Guinea species), 1963:652 (New Guinea species); Uhmman 1958e:205 (catalog), 1964a:450 (catalog).

Distribution: New Guinea.

Food plant: Unknown.

***Callistola ruficollis* (Spaeth 1936a)**

Plesispa (Plesispa) ruficollis Spaeth 1936a:281 (type:Admiralty Islands, Manus Island, BMNH). Staines 2005:48 (Spaeth species list).

Plesispa ruficollis Spaeth. Froggatt 1936:10 (host plants); Lepesme 1947:548 (host plants); Risbec 1950a:379 (host plants); Uhmman 1952c:74 (noted), 1958e:201 (catalog), 1964a:445 (catalog); Johnston 1965:14 (pest list); Mariau 2001:131 (noted); Staines 2004a:315 (host plant); Santiago-Blay 2004:74 (host plants).

Oxycephala ruficollis (Spaeth). Gressitt 1957b:237 (transfer), 1960a:40 (New Guinea species); Uhmman 1964a:447 (catalog); Cox 1996a:170 (pupa); Howard & Abad 2001:87 (host plants); Maddison & Crosby 2009:12 (host plant).

Distribution: Admiralty Islands.

Food plants: *Cocos nucifera* L. (Arecaceae), *Heliconia?* (Heliconiaceae) (Risbec 1950a).

***Callistola sedlacekana* Gressitt 1963**

Callistola sedlacekana Gressitt 1963:656 (type:New Guinea, Enarotadi, BPBM). Gaedike & Döbler 1971:389 (types); Würmli 1976e:363 (distribution); Staines & Staines 1997:20 (types).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1963).

***Callistola (Callistola) spaethi* (Chûjô 1943)**

Plesispa (Plesispella) spaethi Chûjô 1943:326 (type:Angaur, Peleliu, Babelthuap, TARI).

Plesispella spaethi Chûjô. Uhmman 1952c:74 (noted).

Oxycephala spaethi (Chûjô). Gressitt 1955:53 (transfer).

Callistola (Callistola) spaethi (Chûjô). Gressitt 1957b:246 (transfer).

Callistola spaethi (Chûjô). Uhmman 1958e:205 (catalog), 1964a:450 (catalog); Maddison 1993:24, 72, 86 (host plants); Staines & Staines 1997:20 (types); Maddison & Crosby 2009:9 (host plants).

Distribution: Micronesia (Palau).

Food plants: *Pandanus* sp. (Chûjô 1943); *P. tenuifolius* Balf. (Pandanaeae), *Freycinetia palawanensis* Merr. ex. Martelli (Arecaceae), *Flagellaria indica* L. (Flagellariaceae), *Pleomela angustifolia* N. E. Br. (Dracaenaceae) (Gressitt 1955).

***Callistola (Callistola) speciosa* (Boisduval 1835)**

Hispa speciosa Boisduval 1835:535 (type:Waigeo, MNHN).

Callistola speciosa (Boisduval). Dejean 1837:387 (transfer); Guérin-Méneville 1840b:333 (noted); Orbigny 1845:59 (noted); Uhmman 1958e:205 (catalog), 1960c:24 (faunal list), 1964a:450 (catalog), 1966d:275 (noted); Maddison 1993:86 (host plant).

Oxycephala speciosa (Boisduval). Baly 1858:74 (redescription); Gemminger & Harold 1876:3604 (catalog); Lucas 1884:4 (biology); Gestro 1885:157 (distribution), 1892:1017 (distribution), 1895:705 (distribution), 1897d:449 (distribution), 1905b:456 (noted), 1913:9 (catalog); Smith 1889:122 (biology); Donckier 1899:555 (catalog); Gestro 1907:81 (museum list); Weise 1911a:47 (catalog), 1911b:69 (catalog), 1913d:441 (faunal list); Gahan 1915:21 (distribution); Spaeth 1936a:284 (key); Maulik 1937:147 (host plant); Uhmman 1952c:79 (noted); Kalshoven 1957:9 (host plant).

Callistola (Callistola) speciosa speciosa (Boisduval). Gressitt 1957b:247 (South Pacific species, larva), 1960a:46 (New Guinea species), 1963:647 (New Guinea species).

Callistola speciosa speciosa (Boisduval). Maddison 1993:86 (host plant).

Botryonopa speciosa (Boisduval). Blanchard 1853:311 (misidentification); Baly 1858:74 (noted); Weise 1908b:332 (correction).

Oxycephala speciosa blanchardi Weise 1908b:331 (type:New Guinea, ZMHB). Weise 1911a:47 (catalog), 1911b:69 (catalog); Spaeth 1936a:284 (key); Uhmman 1952c:80 (distribution).

Callistola speciosa blanchardi (Weise). Uhmman 1958e:205 (catalog).

Oxycephala speciosa guerini Weise 1908b:331 (type:New Guinea, ZMHB). Weise 1911a:47 (catalog), 1911b:69 (catalog); Spaeth 1936a:283 (key); Uhmman 1952c:80 (lectotype).

Callistola speciosa guerini (Weise). Uhmman 1958e:205 (catalog).

Oxycephala fasciata Weise 1905g:95 (type:New Guinea, ZMHB). Gestro 1905b:456 (noted), 1907:82 (museum list), 1913:9 (catalog); Weise 1911a:46 (catalog), 1911b:69 (catalog); Spaeth 1936a:284 (key); Uhmman 1952:80 (lectotype).

Callistola (Callistola) speciosa fasciata (Weise). Gressitt 1957b:249 (transfer), 1960a:46 (New Guinea species), 1963:647 (New Guinea species); Uhmman 1958e:204 (catalog), 1964a:450 (catalog); Chaboo 2007:150 (phylogeny).

Distribution: Indonesia (Celebes), New Britain, New Guinea.

Food plants: *Pandanus* sp. (Pandanaeae) (Maulik 1937).

***Callistola subvirida* Gressitt 1963**

Callistola subvirida Gressitt 1963:652 (type:New Guinea, Dreikikir, BPBM).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1963).

***Callistola (Callistola) swartensis* Gressitt 1960a**

Callistola swartensis Gressitt 1960a:51 (type:New Guinea, Karubaka, Swart Valley, BPBM).

Gressitt 1963:655 (New Guinea species); Uhmman 1964a:450 (catalog); Staines & Staines 1997:21 (types).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960a).

***Callistola (Callistola) szentwanyi* Gressitt 1960a**

Callistola szentwanyi Gressitt 1960a:50 (type:New Guinea, Baiyer River, BPBM). Gressitt 1963:652 (New Guinea species); Uhmman 1964a:450 (catalog); Maddison 1993:86 (host plant).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960); *Pandanus* sp. (Pandanaeae) (Maddison 1993).

***Callistola tricolor* Gressitt 1963**

Callistola tricolor Gressitt 1963:648 (type:New Guinea, betw. Bomberi and Kalimati, BPBM).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1963).

***Callistola (Callistola) tripartita* (Fairmaire 1883)**

Oxycephala tripartita Fairmaire 1883:54 (type:Duke of York Island, MNHN). Gestro 1892:1020 (distribution), 1897d:453 (distribution), 1905b:456 (noted), 1907:82 (museum list), 1913:9 (catalog); Donckier 1899:556 (catalog); Weise 1911a:47 (catalog), 1911b:70 (catalog); Froggatt 1936:12 (host plants); Spaeth 1936a:284 (key); Lepesme 1947:549 (host plants); Uhmman 1952c:82 (noted); Kalshoven 1957:9 (host plant).

Callistola tripartita (Fairmaire). Risbec 1950a:379 (host plants); Gressitt 1957b:255 (transfer), 1960a:53 (New Guinea species); Uhmman 1958e:205 (catalog), 1964a:450 (catalog), 1966c:322 (faunal list); Maddison 1993:86 (host plant); Mariau 1999:233 (noted), 2001:131 (noted); Howard & Abad 2001:87 (host plants).

Oxycephala wallacei Baly 1887a:270 (type:Solomon Islands, BMNH). Weise 1904c:457 (synonymy); Dumberton 1954:18 (host plant); Staines & Staines 1999:526 (Baly species list); Mariau 2001:131 (noted).

Oxycephala dentata Uhmann 1926:155 (type:Australia, New Mecklenburg, DEI). Spaeth 1936a:284 (noted); Speyer 1954:368 (noted); Uhmann 1952:82 (synonymy); Staines 1997b:418 (Uhmann species list).

Distribution: Australia, Bismarck Archipelago (New Britain, Duke of York, New Ireland, Tabor).

Food plants: *Pandanus* spp. (Pandanaeae) (Froggatt 1936); *Cocos nucifera* L. (Risbec 1950a) (Arecaceae).

***Callistola (Callistola) uhmanni* Gressitt 1960a**

Callistola uhmanni Gressitt 1960a:54 (type:New Guinea, Biak Island, Kampong Landbouw, BPBM). Gressitt 1963:646 (New Guinea species); Uhmann 1964a:450 (catalog); Gaedike & Döbler 1971:392 (types); Maddison 1993:86 (host plant); Staines & Staines 1997:21 (types).

Distribution: New Guinea.

Food plant: *Pandanus* sp. (Pandanaeae) (Gressitt 1960a).

***Callistola (Freycinetivora) varicolor* Gressitt 1957b**

Callistola (Freycinetivora) varicolor Gressitt 1957b:262 (type:Bougainville, ridge above Kokure, Crown Prince Range, BPBM). Gressitt 1960a:61 (New Guinea species); Uhmann 1964a:451 (catalog).

Distribution: Bougainville.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1957b).

***Callistola (Freycinetivora) wrighti* Gressitt 1960a**

Callistola (Freycinetivora) wrighti Gressitt 1960a:64 (type:Kolombangara, behind Kukundu, BPBM). Uhmann 1964a:451 (catalog).

Distribution: Solomon Islands.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960a).

***Callistola (Callistola) zonalis* Gressitt 1960a**

Callistola zonalis Gressitt 1960a:59 (type:New Guinea, Wanuma, Adelbert Mts., BPBM). Gressitt 1963:655 (New Guinea species); Uhmann 1964a:450 (catalog).

Distribution: New Guinea.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960a).

Ceratispa Gestro 1895b

Ceratispa Gestro 1895b:702. Type species: *Ceratispa loriae* Gestro 1895, by monotypy. Donckier 1899:556 (catalog); Spaeth 1936a:280 (noted); Uhmman 1952c:74 (noted), 1964a:446 (catalog); Gressitt 1957b:231 (South Pacific species), 1959a:72 (host plants), 1960a:31 (New Guinea species), 1961:80 (biogeography), 1963a:622 (New Guinea species), 1963b:7 (zoogeography), 1982:711 (ecology); Würmli 1975a:29 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:309 (host plants); Jolivet & Hawkeswood 1995:152 (host plants); Steiner 2001:81 (host plants); Chaboo 2007:103 (noted).

Plesispa (*Ceratispa*) Gestro. Uhmman 1958e:201 (catalog).

Ceratispa (*Metallispa*) Gressitt 1963:639. Type species: *Oxycephala metallica* Gestro, by original designation.

Ceratispa (*Papuispa*) Gressitt 1963:630. Type species: *Oxycephala latirostris* Gestro, by original designation.

Ceratispa (*Metallispa*) *atra* Gressitt 1957b

Ceratispa atra Gressitt 1957b:233 (type:New Guinea, Buvia, BPBM). Uhmman 1952c:74 (noted, manuscript name?), 1964a:446 (catalog); Gressitt 1960a:33 (New Guinea species), 1963:641 (New Guinea species); Staines & Staines 1997:4 (types); Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plant: *Korthalsia beccarii* (sic) (Arecaceae) (Gressitt 1960a).

Ceratispa (*Ceratispa*) *biroi* Gestro 1897d

Ceratispa biroi Gestro 1897d:451 (type:New Guinea, Tamara, MCSN). Donckier 1899:556 (catalog); Gestro 1907:82 (museum list); Gressitt 1957b:232 (South Pacific species), 1960a:32 (New Guinea species), 1963:627 (New Guinea species); Uhmman 1964a:446 (catalog); Hawkeswood & Samuelson 1995:172 (faunal list); Steiner 2001:81 (host plants).

Xiphispa biroi (Gestro). Weise 1911a:47 (catalog), 1911b:70 (catalog); Gestro 1913:7 (noted); Maulik 1937:147 (host plant); Lepesme 1947:549 (host plants).

Plesispa (*Cerathispa*) *biroi* (Gestro). Spaeth 1936a:280 (noted).

Plesispa (*Ceratispa*) *biroi* (Gestro). Uhmman 1952c:76 (noted), 1958e:202 (catalog).

Plesispa biroi (Gestro). Kalshoven 1957:9 (host plant).

Xiphispa papuana Weise 1909:119 (type:New Guinea, ZMHB). Weise 1911a:47 (catalog), 1911b:70 (catalog), 1913c:282 (nomenclature); Spaeth 1936a:280 (synonymy).

Xiphispa weisei Gestro 1913:8 (invalid replacement name). Weise 1913:282 (synonymy); Spaeth 1936a:280 (synonymy).

Distribution: New Guinea.

Food plants: *Areca catechu* L. (Maulik 1937); *Metroxylon* sp., *Areca* sp. (Gressitt 1959); other small palms (Gressitt 1960a); *Pandanus* sp.? (Pandanaeae), *Freycinetia* sp.? (Hawkeswood & Samuelson (1995) (Arecaceae).

***Ceratispa (Papuista) brandti* Gressitt 1960a**

Ceratispa brandti Gressitt 1960a:34 (type:Normanby Island, Wakaiuna, BPBM). Gressitt 1963:632 (New Guinea species); Uhmman 1964a:446 (catalog); Staines & Staines 1997:4 (types).

Distribution: Normanby Island.

Food plant: Palm (Arecaceae) (Gressitt 1960a).

***Ceratispa buergersi* (Uhmman 1952c)**

Plesispa (Ceratispa) buergersi Uhmman 1952c:77 (type:New Guinea, Sepik River, ZMHB). Gressitt 1957b:231 (South Pacific species), 1960a:40 (New Guinea species), 1963:639 (New Guinea species); Uhmman 1958e:202 (catalog), 1964a:446 (catalog); Staines 1997b:418 (Uhmman species list).

Plesispa buergersi (Uhmman). Gaedike & Döbler 1971:367 (types).

Distribution: New Guinea.

Food plant: Unknown.

***Ceratispa (Papuista) calami* Gressitt 1960a**

Ceratispa (Papuista) calami Gressitt 1960a:39 (type:New Guinea, Fak Fak, BPBM). Gressitt 1963:631 (New Guinea species); Uhmman 1964a:446 (catalog); Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plant: *Calamus* sp. (Araceae) (Gressitt 1960a).

***Ceratispa (Ceratispa) cyclops* Gressitt 1963**

Ceratispa (Ceratispa) cyclops Gressitt 1963:628 (type:New Guinea, Hollandia-Binnen, BPBM). Staines & Staines 1997:6 (types); Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plant: Palms (Arecaceae) (Gressitt 1963).

***Ceratispa (Ceratispa) furcistrostris* Gressitt 1963**

Ceratispa (Ceratispa) furcistrostris Gressitt 1963:625 (type:New Guinea, 8 km inland from Cape Rodney, BPBM). Gaedike & Döbler 1971:374 (types); Staines & Staines 1997:9 (types).

Distribution: New Guinea.

Food plant: Small palm (Arecaceae) (Gressitt 1963).

***Ceratispa (Papuista) kolbei* (Gestro 1913)**

Xiphispa kolbei Gestro 1913:11 (type:New Guinea, Ramu River, MCSN, ZMHB). Gestro 1913:10 (catalog).

Oxycephala kolbei (Gestro). Weise 1913c:282 (transfer).

Plesispa (*Cerathispa*) *kolbei* (Gestro). Spaeth 1936a:281 (transfer).

Plesispa (*Ceratispa*) *kolbei* (Gestro). Uhmman 1952c:74 (noted), 1958e:202 (catalog).

Ceratispa kolbei (Gestro). Gressitt 1957b:235 (transfer), 1960a:34 (New Guinea species), 1963:637 (New Guinea species); Uhmman 1964a:446 (catalog); Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plants: Rattan (Gressitt 1960a) (Pandanaeae); *Calamus* sp. (Gressitt 1963) (Araceae).

***Ceratispa* (*Papuispa*) *latirostris* (Gestro 1885)**

Oxycephala latirostris Gestro 1885:160 (type:New Guinea, Fly River, HNHM). Gestro 1892:1020 (distribution), 1897d:453 (distribution), 1905b:456 (noted), 1907:82 (museum list); Donckier 1899:555 (catalog); Weise 1911a:46 (catalog), 1911b:69 (catalog), 1913c:282 (catalog).

Xiphispa latirostris (Gestro). Gestro 1913:7 (catalog).

Plesispa (*Cerathispa*) *latirostris* (Gestro). Spaeth 1936a:281 (transfer).

Plesispa (*Ceratispa*) *latirostris* (Gestro). Uhmman 1952c:74 (noted), 1958e:202 (catalog).

Ceratispa latirostris (Gestro). Gressitt 1957b:233 (South Pacific species), 1960a:34 (New Guinea species), 1963:638 (New Guinea species); Uhmman 1964a:446 (catalog); Steiner 2001:82 (host plants).

Oxycephala albertisii Gestro 1885:161 (type:New Guinea, Fly River, HNHM). Gestro 1892:1020 (distribution), 1897d:453 (distribution), 1905b:456 (noted), 1907:82 (museum list); Donckier 1899:555 (catalog); Weise 1911a:46 (catalog), 1911b:69 (catalog), 1913c:282 (catalog).

Xiphispa albertisii (Gestro). Gestro 1913:7 (catalog); Spaeth 1936a:281 (synonymy).

Oxycephala obtusirostris Gestro 1898a:257 (type:New Guinea, Erima, Baja dell; Astrolabio, HNHM). Gestro 1901b:435 (noted), 1905b:456 (noted), 1907:82 (museum list); Weise 1911a:46 (catalog), 1911b:69 (catalog).

Xiphispa obtusirostris (Gestro). Gestro 1913:10 (catalog); Spaeth 1936a:281 (synonymy).

Oxycephala carinaerostris Csiki 1900a:196 (type:New Guinea, Sattelberg, Huron Gulf, HNHM). Gestro 1905b:456 (noted), 1907:82 (museum list), 1913:9 (catalog); Weise 1911a:46 (catalog), 1911b:70 (catalog), 1913c:282 (catalog).

Xiphispa carinaerostris (Csiki). Spaeth 1936a:281 (synonymy).

Xiphispa brunnea Uhmman 1927e:351 (type:New Guinea, Pionier Bivak, Mamberamo River, RMNH). Spaeth 1936a:281 (synonymy); Staines 1997b:420 (Uhmman species list).

Distribution: New Guinea.

Food plants: Palms (Gressitt 1960a); *Calamus* sp. (Araceae); *Daemonorops* sp., *Korthalsia beccarii* (sic), (Gressitt 1963) (Arecaceae).

***Ceratispa legalis* Gressitt 1960a**

Ceratispa legalis Gressitt 1960a:33 (type:New Britain, Keravat, BPBM). Uhmman 1964a:446 (catalog); Steiner 2001:81 (host plants).

Distribution: New Britain.

Food plant: Rattan (Arecaceae) (Gressitt 1960a).

***Ceratispa (Ceratispa) loriae* Gestro 1895**

Ceratispa loriae Gestro 1895:703 (type:New Guinea, Moroka, MCSN). Gestro 1897d:454 (distribution), 1907:82 (museum list); Donckier 1899:586 (catalog); Gressitt 1957b:232 (South Pacific species), 1960a:32 (New Guinea species), 1963:627 (New Guinea species); Uhmman 1952c:74 (noted), 1964a:446 (catalog).

Xiphispa loriae (Gestro). Weise 1911a:47 (catalog), 1911b:70 (catalog); Gestro 1913:9 (catalog).

Plesispa (Cerathispa) loriae (Gestro). Spaeth 1936a:280 (transfer).

Plesispa (Ceratispa) loriae (Gestro). Uhmman 1958e:203 (catalog).

Distribution: New Guinea.

Food plant: Unknown.

***Ceratispa (Papuispa) meijerei* (Weise 1911d)**

Xiphispa meijerei Weise 1911d:175 (type:New Guinea, Biak Eiland, ZMAN). Weise 1911a:47 (catalog), 1911b:70 (catalog), 1913d:441 (faunal list); Gestro 1913:10 (catalog).

Plesispa (Cerathispa) meijerei (Weise). Spaeth 1936a:281 (transfer).

Plesispa (Ceratispa) meijerei (Weise). Uhmman 1952c:76 (noted), 1958e:203 (catalog).

Ceratispa meijerei (Weise). Gressitt 1957b:235 (transfer), 1960a:38 (New Guinea species), 1963:633 (New Guinea species); Uhmman 1964a:446 (catalog).

Distribution: Biak Island, Waigeu Island.

Food plant: Palm (Arecaceae) (Gressitt 1960a).

***Ceratispa (Metallispa) metallica* (Gestro 1885)**

Oxycephala metallica Gestro 1885:159 (type:New Guinea, MCSN). Gestro 1892:1020 (distribution), 1897d:453 (distribution), 1907:82 (museum list); Donckier 1899:555 (catalog); Weise 1913c:282 (catalog).

Xiphispa metallica (Gestro). Weise 1911a:46 (catalog), 1911b:70 (catalog); Gestro 1913:10 (catalog).

Plesispa metallica (Gestro). Spaeth 1936a:281 (transfer).

Plesispa (Ceratispa) metallica (Gestro). Uhmman 1958e:203 (catalog).

Ceratispa metallica (Gestro). Gressitt 1957b:235 (South Pacific species), 1960a:32 (New Guinea species); Uhmman 1964a:447 (catalog); Steiner 2001:81 (host plants).

Ceratispa (Metallispa) metallica metallica (Gestro). Gressitt 1963:640 (New Guinea species).

Ceratispa (Metallispa) metallica purpurea Gressitt 1963:640 (type:New Guinea, Wewak, BPBM). Gaedike & Döbler 1971:381 (types); Staines & Staines 1997:14 (type); Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plants: Rattan (Gressitt 1960a); *Calamus* sp. (Araceae), *Daemonorops* sp., *Korthalsia* sp. (Gressitt 1963) (Arecaceae).

***Ceratispa (Papuispa) normanbyensis* Gressitt 1960a**

Ceratispa normanbyensis Gressitt 1960a:35 (type:Normanby Island, Wakaiuna, BPBM). Gressitt 1963:636 (New Guinea species); Uhmman 1964a:447 (catalog); Staines & Staines 1997:15 (type).

Distribution: Normanby Island.

Food plant: Palm (Arecaceae) (Gressitt 1960a).

***Ceratispa (Ceratispa) palmicola* Gressitt 1963**

Ceratispa (Ceratispa) palmicola Gressitt 1963:629 (type:New Guinea, Wau, BPBM). Gaedike & Döbler 1971:384 (types); Samuelson 1996:290 (morphology); Staines & Staines 1997:16 (type); Chaboo 2007:150 (phylogeny).

Distribution: New Guinea.

Food plant: Small pinnate palm (Arecaceae) (Gressitt 1963).

***Ceratispa (Papuispa) palmivora* Gressitt 1960a**

Ceratispa palmivora Gressitt 1960a:38 (type:New Guinea, Maprik, BPBM). Gressitt 1963:636 (New Guinea species); Uhmman 1964a:447 (catalog); Steiner 2001:82 (host plants).

Distribution: New Guinea.

Food plant: *Calamus* sp. (Araceae) (Gressitt 1960a).

***Ceratispa (Papuispa) papuensis* Gressitt 1963**

Ceratispa (Papuispa) papuensis Gressitt 1963:637 (type:New Guinea, Popondetta, BPBM). *Ceratispa papuensis* Gressitt. Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plant: *Calamus* sp. (Araceae) (Gressitt 1963).

***Ceratispa (Papuispa) piceonigra* Gressitt 1963**

Ceratispa (Papuispa) piceonigra Gressitt 1963:632 (type:New Guinea, Popondetta, BPBM). *Ceratispa piceonigra* Gressitt. Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plant: *Calamus* sp. (Araceae) (Gressitt 1963).

***Ceratispa (Papuispa) pinangae* Gressitt 1960a**

Ceratispa pinangae Gressitt 1960a:36 (type:Biak, Mangrowawa, BPBM). Uhmman 1964a:447 (catalog).

Distribution: Biak Island.

Food plant: *Pinanga* sp. (Arecaceae) (Gressitt 1960a).

***Ceratispa (Papuista) rotana* Gressitt 1963**

Ceratispa (Papuista) rotana Gressitt 1963:634 (type:New Guinea, Dawai River nr. Sumberbaba, BPBM).

Ceratispa rotana Gressitt. Gaedike & Döbler 1971:387 (types); Staines & Staines 1997:19 (types); Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plant: Rattan (Arecaceae) (Gressitt 1963).

***Ceratispa (Papuista) sedlaceki* Gressitt 1963**

Ceratispa (Papuista) sedlaceki Gressitt 1963:635 (type:New Guinea, Mt. Misim, BPBM).

Ceratispa sedlaceki Gressitt. Staines & Staines 1997:20 (types); Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plant: Rattan (Arecaceae) (Gressitt 1963).

***Ceratispa (Ceratispa) spiniceps* (Weise 1911d)**

Xiphispa spiniceps Weise 1911d:174 (type:New Guinea, Biak Eiland, ZMHB). Weise 1911a: 47 (catalog), 1911b:70 (catalog), 1913d:441 (faunal list); Gestro 1913:10 (catalog).

Plesispa spiniceps (Weise). Spaeth 1936a:280 (transfer).

Plesispa (Ceratispa) spiniceps (Weise). Uhmman 1952c:76 (noted), 1958e:203 (catalog).

Ceratispa spiniceps (Weise). Gressitt 1957b:232 (transfer), 1960a:32 (New Guinea species), 1963:627 (New Guinea species); Uhmman 1964a:447 (catalog).

Distribution: New Guinea, Biak.

Food plants: Palms (Gressitt 1960a); *Pinanga* sp. (Gressitt 1963) (Arecaceae).

***Ceratispa (Papuista) wilsoni* Gressitt 1963**

Ceratispa (Papuista) wilsoni Gressitt 1963:633 (type:New Guinea, Dawai River, 5 mi nr. Sumberbaba, BPBM). Cox 1996a:170 (pupa).

Ceratispa wilsoni Gressitt. Staines & Staines 1997:23 (types); Steiner 2001:81 (host plants).

Distribution: New Guinea.

Food plant: Unknown.

***Cryptonychus* Gyllenhal 1817**

Cryptonychus Gyllenhal 1817:7. Type species:*Hispa (Cryptonychus) porrecius* Gyllenhal 1817, by monotypy. Guérin-Méneville 1844a:266 (noted); Baly 1858:75 (redescription); Thomson 1858:224 (faunal list); Chenu & Desmarest 1870:341 (noted); Chapuis 1875:287 (redescription); Gemminger & Harold 1876:3603 (catalog); Chenu 1884:341 (noted); Péringuey 1898:114 (faunal list); Donckier 1899:553 (catalog); Kolbe 1899:184 (revision); Gestro 1903:154 (nomenclature), 1905b:505 (faunal list), 1906:132 (noted); Weise 1903:61 (faunal list), 1911a:48 (catalog), 1911b:71 (redescription); Collart 1928:337 (biology), 1934:249 (host plants); Uhmman 1931i:849 (museum list), 1940g:121 (claws), 1942a:9 (faunal list), 1942c:17 (key), 1952c:71 (noted), 1954h:178 (faunal list), 1958e:192 (catalog), 1961a:22 (faunal list), 1964a:444 (catalog); Spaeth 1933a:1 (key), 1936a:294 (key); Lepesme 1947:550 (host plants); Würmli 1975a:28 (genera); Medler 1980:263 (faunal list); Seeno & Wilcox 1982:162 (catalog); Jolivet 1989b:309 (host plants); Jolivet & Hawkeswood 1995:151 (host plants); Staines 1997b:414 (Uhmman species list); Staines & Staines 1999:525 (Baly species list); Staines 2004a:314 (host plants), 2005:47 (Spaeth species list); Chaboo 2007:43 (noted).
Cryptonychus (Brachycryptonychus) Spaeth 1933a:5 (nomen nudum). Staines 2005:47 (Spaeth species list).

Cryptonychus (Aulocryptonychus) Spaeth 1933a:6. Type species:*Cryptonychus kolbei* Weise, by monotypy. Uhmman 1942c:17 (revision); Staines 2005:47 (Spaeth species list).

Cryptonychus (Cochleocryptonychus) Spaeth 1933a:7. Type species:*Cryptonychus cochlearius* Kolbe, by monotypy. Uhmman 1940g:121 (claws), 1942c:17 (revision); Staines 2005:47 (Spaeth species list).

Cryptonychus (Paracryptonychus) Spaeth 1933a:6. Type species:*Cryptonychus lionotus* Kolbe, by monotypy. Uhmman 1942c:17 (revision); Staines 2005:48 (Spaeth species list).

***Cryptonychus (Cryptonychellus)* Weise 1910c**

Cryptonychus (Cryptonychellus) Weise 1910c:240. Type species:*Cryptonychus angusticeps* Gestro, by monotypy. Weise 1911a:49 (catalog), 1911b:72 (catalog); Spaeth 1933a:2 (key), 1936a:293 (key); Uhmman 1940g:121 (claws), 1954f:17 (faunal list), 1958e:193 (catalog); Würmli 1975a:28 (genera).

Cryptonychellus Weise. Medler 1980:263 (faunal list).

***Cryptonychus (Cryptonychellus) angusticeps* Gestro 1907**

Cryptonychus angusticeps Gestro 1907:67 (type:German East Africa, south of Mount Kilimangiaro, Budapest). Uhmman 1931f:226 (museum list).

Cryptonychus (Cryptonychellus) angusticeps Gestro. Weise 1910c:240 (faunal list), 1911a:49 (catalog), 1911b:72 (catalog); Uhmman 1931i:843 (noted), 1958e:193 (catalog). *Cryptonychus (Brachycryptonychus) angusticeps* Gestro. Spaeth 1933a:2 (noted).

Distribution: Kenya.

Food plant: Unknown.

***Cryptonychus (Cryptonychellus) breviceps* Weise 1911c**

Cryptonychus (Cryptonychellus) breviceps Weise 1911c:77 (type:Cameroon, Lolodorf, ZMHB).
Weise 1911a:49 (catalog), 1911b:72 (catalog); Uhmann 1931g:78 (museum list),
1931i:843 (type), 1958e:193 (catalog), 1964a:444 (catalog), 1967c:256 (faunal list),
1968a:360 (faunal list); Lepesme 1947:550 (host plants); Risbec 1950a:379 (host plants);
Mariau 1999:233 (noted), 2001:131 (noted).

Cryptonychus (Brachycryptonychus) breviceps Weise. Spaeth 1933a:5 (noted); Uhmann
1936a:439 (faunal list), 1953b:12 (distribution).

Cryptonychellus breviceps Weise. Uhmann 1954h:181 (faunal list), 1954l:1114 (pupa), 1961a:84
(distribution); Medler 1980:263 (faunal list).

Cryptonychus (Cryptonychellus) breviceps thysvilleana (Uhmann). Lepesme 1947:550
(misidentification); Uhmann 1953b:12 (noted), 1958e:193 (catalog).

Gyllenhalius palmarum Maulik 1930:53 (type:Gold Coast, Aburi, BMNH). Lepesme 1947:551
(host plants); Gaedike & Döbler 1971:383 (types); Howard & Abad 2001:100 (host
plants).

Gyllenhaleus palmarum Maulik. Maulik 1937:148 (host plant).

Cryptonychus (Brachycryptonychus) palmarum (Maulik). Spaeth 1933a:6 (noted); Maulik
1937:148 (host plant); Uhmann 1953:12 (synonymy).

Cryptonychus (Cryptonychellus) breviceps palmarum (Maulik). Mariau 2001:131 (noted).

Distribution: Cameroon, Congo, Equatorial Guinea, Guinea, Ivory Coast, Nigeria.

Food plants: *Elaeis* sp., *Cocos nucifera* L. (Maulik 1930); *Cocos romanzoffiana* Cham.
(Lepesme 1947) (Arecaceae).

***Cryptonychus (Cryptonychellus) exiguus* Spaeth 1933a**

Cryptonychus (Brachycryptonychus) exiguus Spaeth 1933a:12 (type:Uganda, Kampala, BMNH).
Staines 2005:47 (Spaeth species list).

Cryptonychus (Cryptonychellus) exiguus Spaeth. Lepesme 1947:551 (host plants); Uhmann
1958e:193 (catalog).

Distribution: Uganda.

Food plant: *Cocos romanzoffiana* Cham. (Arecaceae) (Lepesme 1947).

***Cryptonychus (Cryptonychellus) ferrugineus* Spaeth 1933a**

Cryptonychus (Brachycryptonychus) ferrugineus Spaeth 1933a:7 (type:Nyassaland, Cholo,
NHMW). Staines 2005:47 (Spaeth species list).

Cryptonychus (Cryptonychellus) ferrugineus Spaeth. Uhmann 1958e:193 (catalog).

Distribution: South Africa.

Food plant: Unknown.

***Cryptonychus (Cryptonychellus) sorex* Uhmann 1954f**

Cryptonychus (Cryptonychellus) sorex Uhmann 1954f:17 (type:Lusinga, MRAC). Uhmann 1958e:193 (catalog); Staines 1997b:414 (Uhmann species list).

Distribution: Rhodesia.

Food plant: Unknown.

Cryptonychus (Cryptonychus) Gyllenhal

Cryptonychus (Cryptonychus) Gyllenhal. Weise 1911a:48 (catalog), 1911b:71 (redescription); Spaeth 1933a:3 (noted), 1936a:294 (noted); Uhmann 1942c:17 (revision), 1958e:193 (catalog), 1964a:444 (catalog).

***Cryptonychus apicalis* Pic 1924b**

Cryptonychus apicalis Pic 1924b:100 (type:Republic of Central Africa, Chari, Ft. Sibut, MNHN). Uhmann 1937g:371 (museum list), 1956f:339 (catalog).

Cryptonychus (Cryptonychus) apicalis Pic. Uhmann 1931g:78 (museum list), 1931i:843 (noted), 1942c:20 (noted), 1953b:14 (distribution), 1958e:194 (catalog), 1964a:444 (catalog); Spaeth 1933a:3 (noted); Descarpentries & Villiers 1959b:501 (types).

Cryptonychus procerus apicalis Pic. Uhmann 1961a:22 (noted)

Distribution: Cameroon, Congo, Mozambique.

Food plant: Unknown.

***Cryptonychus apicicornis* Kolbe 1899**

Cryptonychus apicicornis Kolbe 1899:192 (type:Cameroon, Lolodorf, ZMHB). Gestro 1905b:544 (catalog); Uhmann 1931i:842 (type), 1954h:180 (key).

Cryptonychus (Cryptonychus) apicicornis Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1942c:18 (key), 1958e:194 (catalog); Spaeth 1933a:10 (noted).

Cryptonychus apicicornis ugandina Spaeth 1933a:10 (type:Uganda, Daro, BMNH). Staines 2005:47 (Spaeth species list).

Cryptonychus (Cryptonychus) apicicornis ugandina Spaeth. Uhmann 1958e:194 (catalog), 1958f:489 (noted), 1964a:444 (catalog).

Distribution: Cameroon, Equatorial Guinea, Uganda.

Food plant: Unknown.

***Cryptonychus barombicus* Kolbe 1899**

Cryptonychus barombicus Kolbe 1899:199 (type:Cameroon, Barombi Station, ZMHB). Gestro 1905b:544 (catalog); Uhmann 1931i:841 (type).

Cryptonychus (Cryptonychus) barombicus Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1958e:194 (catalog).

Distribution: Cameroon.

Food plant: Unknown.

***Cryptonychus brevicollis* Gestro 1905b**

Cryptonychus brevicollis Gestro 1905b:514 (type:Fernando Poo, Basile, MCSN). Uhmman 1931i:843 (museum list), 1949b:675 (noted).

Cryptonychus (Cryptonychus) brevicollis Gestro. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmman 1958e:194 (catalog).

Distribution: Equatorial Guinea, Uganda.

Food plant: Unknown.

***Cryptonychus crassirostris* Gestro 1905b**

Cryptonychus crassirostris Gestro 1905b:511 (type:Fernando Poo, Basile, MCSN). Uhmman 1954h:180 (key).

Cryptonychus (Cryptonychus) crassirostris Gestro. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmman 1942c:18 (key), 1958e:194 (catalog).

Distribution: Equatorial Guinea.

Food plant: Unknown.

***Cryptonychus cribricollis* Gestro 1905b**

Cryptonychus cribricollis Gestro 1905b:512 (type:Gabon, Lambarene, MCSN).

Cryptonychus (Cryptonychus) cribricollis Gestro. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmman 1936a:439 (faunal list), 1942c:18 (key), 1958e:194 (catalog), 1966b:212 (faunal list), 1967c:256 (faunal list).

Distribution: Congo, Gabon.

Food plant: Unknown.

***Cryptonychus devius* Kolbe 1899**

Cryptonychus devius Kolbe 1899:198 (type:Cameroon, ZMHB). Gestro 1905b:544 (catalog); Uhmman 1931i:841 (museum list), 1954h:180 (key).

Cryptonychus (Cryptonychus) devius Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmman 1936a:438 (faunal list), 1942c:18 (key), 1958e:194 (catalog), 1966b:212 (faunal list), 1967c:256 (faunal list).

Distribution: Cameroon, Congo.

Food plant: Unknown.

***Cryptonychus discolor* Gestro 1905b**

Cryptonychus discolor Gestro 1905b:506 (type:Fernando Poo, MCSN).

Cryptonychus (Cryptonychus) discolor Gestro. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmman 1958e:194 (catalog).

Distribution: Equatorial Guinea.

Food plant: Unknown.

***Cryptonychus dubius* Baly 1858**

Cryptonychus dubius Baly 1858:77 (type:Old Calabar, BMNH). Gemminger & Harold 1876: 3603 (catalog); Donckier 1899:553 (catalog); Kolbe 1899:194 (noted); Weise 1903:61 (faunal list); Gestro 1905b:506 (faunal list); Pic 1924c:28 (comparative note); Uhmman 1931c:2 (museum list), 1931g:77 (museum list), 1931i:842 (museum list), 1954h:180 (faunal list), 1956g:78 (faunal list); Spaeth 1933a:11 (redescription); Medler 1980:263 (faunal list); Staines & Staines 1999:525 (Baly species list).

Cryptonychus (Cryptonychus) dubius Baly. Weise 1911a:48 (catalog), 1911b:72 (catalog); Spaeth 1933a:11 (noted); Uhmman 1942c:18 (key), 1958e:194 (catalog), 1958f:489 (noted), 1964a:444 (catalog).

Cryptonychus dubius unicolor Kolbe 1899:195 (type:Cameroon, ZMHB). Achard 1917:66 (distribution); Uhmman 1931i:842 (museum list).

Cryptonychus (Cryptonychus) dubius unicolor Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog), 1913:163; Uhmman 1931g:77 (museum list), 1936a:439 (faunal list), 1942c:18 (key), 1953b:14 (distribution), 1954h:180 (faunal list), 1958e:195 (catalog), 1958f:489 (noted), 1964a:444 (catalog), 1966b:212 (faunal list), 1967c:256 (faunal list).

Cryptonychus rufipes Pic 1924c:27 (type:Cameroon, Bipindi, MNHN).

Cryptonychus (Cryptonychus) dubius rufipes Pic. Spaeth 1933a:11 (noted); Uhmman 1958e:195 (catalog), 1964a:444 (catalog); Descarpentries & Villiers 1959b:501 (types).

Cryptonychus dubius obscurus Pic 1934d:9 (type:Gabon, Ivindo, MNHN).

Cryptonychus (Cryptonychus) dubius obscura Pic. Uhmman 1954h:180 (faunal list), 1958e:195 (catalog), 1964a:444 (catalog); Descarpentries & Villiers 1959b:501 (types).

Distribution: Cameroon, Congo, Equatorial Guinea, Gabon, Guinea, Nigeria, Uganda.

Food plant: Unknown.

***Cryptonychus extremus* Péringuey 1898**

Cryptonychus extremus Péringuey 1898:114 (type:Natal, Pine Town, SAMC). Donckier 1899:553 (catalog); Gestro 1903:157 (noted), 1905b:543 (catalog); Uhmman 1956f:339 (catalog), 1956g:78 (faunal list).

Cryptonychus (Cryptonychus) extremus Péringuey. Weise 1911a:48 (catalog), 1911b:71 (catalog); Spaeth 1933a:13 (noted); Uhmman 1953b:13 (faunal list), 1958e:195 (catalog), 1958f:489 (noted), 1964a:444 (catalog).

Cryptonychus cochlearius Kolbe 1899:187 (type:Togo, Bismarckburg; Kraut, ZMHB). Gestro 1905b:543 (catalog); Collart 1928:338 (host plant), 1934:249 (host plant); Uhmman 1931c:1 (museum list), 1931g:77 (museum list), 1931i:840 (museum list); Maulik 1937:148 (host plant); Risbec 1950a:386 (host plants).

Cryptonychus (Cochleocryptonychus) cochlearius Kolbe. Spaeth 1933a:13 (redescription); Uhmman 1936a:435 (faunal list), 1937g:371 (museum list).

Cryptonychus (Cryptonychus) extremus cochlearia Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Collart 1928:338 (host plant), 1934:249 (faunal list); Uhmman 1931i:840 (museum list), 1936a:435 (faunal list), 1953b:13 (noted), 1954f:16 (faunal list), 1954h:181 (faunal list), 1958e:195 (catalog), 1958f:489 (noted), 1961a:22 (distribution),

1964a:444 (catalog), 1967c:256 (faunal list); Spaeth 1933a:13 (noted); Risbec 1950a:386 (noted); Staines 2004a:315 (host plant).

Cryptonychus congoensis Kolbe 1899:188 (type:Congo, Kimpoko, ZMHB). Gestro 1905b:543 (catalog); Uhmann 1931i:841 (noted).

Cryptonychus (Cryptonychus) congoensis Kolbe. Weise 1911a:48 (catalog), 1911b:71 (catalog); Spaeth 1933a:13 (synonymy); Uhmann 1936:436 (synonymy).

Cryptonychus thoracicus Achard 1917:64 (type:Fort Crampel, MNHN?).

Cryptonychus (Cryptonychus) thoracicus Achard. Spaeth 1933a:13 (synonymy).

Cryptonychus (Cryptonychus) cochlearius obscurata Uhmann 1936a:435 (type:Mahagi, Atshor, depository unknown). Staines 1997b:414 (Uhmann species list).

Cryptonychus (Cryptonychus) extremus obscurata Uhmann. Uhmann 1958e:196 (catalog).

Distribution: Cameroon, Congo, Guinea, South Africa, Togo, Uganda.

Food plants: *Carex* spp. (Cyperaceae) (Collart 1928); *Oryza sativa* L. (Poaceae) (Risbec 1950a); *Amomum* sp., *Aframomum* sp. (Zingiberaceae) (Uhmann 1954).

***Cryptonychus gracilicornis* Kolbe 1899**

Cryptonychus gracilicornis Kolbe 1899:197 (type:Togo, Bismarckburg, ZMHB). Gestro 1905b:544 (catalog); Uhmann 1931i:842 (type), 1954h:179 (key).

Cryptonychus (Cryptonychus) gracilicornis Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1958e:196 (catalog).

Distribution: Togo.

Food plant: Unknown.

***Cryptonychus interpres* Kolbe 1899**

Cryptonychus interpres Kolbe 1899:191 (type:Cameroon, Yaunde Station, ZMHB, DEI). Weise 1903:61 (faunal list); Gestro 1905b:544 (catalog); Uhmann 1931i:842 (type), 1954h:181 (faunal list); Gaedike & Döbler 1971:377 (types); Würmli 1976e:363 (distribution).

Cryptonychus (Cryptonychus) interpres Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1942c:18 (key), 1958e:196 (catalog).

Distribution: Cameroon, Congo.

Food plant: Unknown.

***Cryptonychus kolbei* Weise 1913**

Cryptonychus kolbei Weise 1913:162 (type:Westl. v. Ruwenzori, N.W. Beni, ZMHB). Uhmann 1931g:78 (museum list), 1931i:842 (type), 1942a:10 (faunal list), 1949b:673 (host plants).

Cryptonychus (Cryptonychus) kolbei Weise. Uhmann 1958e:196 (catalog); Staines 2004a:314 (host plants).

Cryptonychus (Aulocryptonychus) kolbei Weise. Spaeth 1933a:6 (noted); Uhmann 1936a:439 (faunal list), 1953b:12 (distribution).

Distribution: Congo, Uganda.

Food plants: *Amomum* sp., *Aframomum* sp. (Uhmann 1949b) (Zingiberaceae).

***Cryptonychus leonardi* Gestro 1905b**

Cryptonychus leonardi Gestro 1905b:508 (type:N'djole, MCSN).

Cryptonychus (Cryptonychus) leonardi Gestro. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1958e:196 (catalog).

Distribution: Congo.

Food plant: Unknown.

***Cryptonychus leoninus* Spaeth 1933a**

Cryptonychus leoninus Spaeth 1933a:9 (type:Sierra Leone, BMNH). Staines 2005:47 (Spaeth species list).

Cryptonychus (Cryptonychus) leoninus Spaeth. Uhmann 1954i:1114 (faunal list), 1956g:78 (faunal list), 1958e:196 (catalog).

Distribution: Sierra Leone.

Food plant: Unknown.

***Cryptonychus lionotus* Kolbe 1899**

Cryptonychus lionotus Kolbe 1899:189 (type:Cameroon, Johann-Albrechts hohne, ZMHB, DEI). Gestro 1905b:545 (catalog); Weise 1915:180 (faunal list); Pic 1924c:28 (comparative note); Uhmann 1931i:843 (type), 1954h:181 (key); Gaedike & Döbler 1971:379 (types).

Cryptonychus (Cryptonychus) lionotus Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1958e:196 (catalog), 1964a:444 (catalog), 1967c:256 (faunal list).

Cryptonychus (Paracryptonychus) lionotus Kolbe (sic). Spaeth 1933a:6 (lapsus calami, noted).

Cryptonychus annulipes Pic 1924c:28 (type:Cameroon, Victoria, MNHN). Spaeth 1933a:6 (synonymy); Uhmann 1954h:181 (synonymy); Descarpentries & Villiers 1959b:501 (types).

Distribution: Cameroon, Congo, Equatorial Guinea.

Food plant: Unknown.

***Cryptonychus murrayi* Baly 1858**

Cryptonychus murrayi Baly 1858:76 (type:west coast of Africa (Nigeria), Old Calabar, BMNH). Gemminger & Harold 1876:3603 (catalog); Gorham & Gahan 1892:93 (faunal list); Donckier 1899:553 (catalog); Kolbe 1899:200 (redescription); Weise 1903:61 (faunal list), 1915:180 (faunal list); Gestro 1905b:506 (faunal list); Achard 1917:66 (distribution); Uhmann 1931g:77 (museum list), 1931i:841 (noted), 1937g:371 (museum list), 1949b:673 (noted), 1954h:181 (faunal list), 1958f:489 (faunal list), 1961a:84 (distribution), 1966b:212 (faunal list); Maulik 1932:306 (larva), 1937:148 (host plants); Medler 1980:263 (faunal list); Cox 1996a:170 (pupa); Staines & Staines 1999:525 (Baly species list); Staines 2004a:314 (host plants).

Cryptonychus (Cryptonychus) murrayi Baly. Weise 1911a:48 (catalog), 1911b:72 (catalog); Spaeth 1933a:3 (noted); Uhmann 1936a:437 (faunal list), 1936c:408 (museum list), 1942c:18 (noted), 1953b:14 (noted), 1958e:196 (catalog), 1964a:444 (catalog), 1967c:256 (faunal list).

Cryptonychus bigotii Thomson 1858:224 (type:Gabon, depository unknown). Gemminger & Harold 1876:3603 (synonymy); Kolbe 1899:200 (synonymy); Gestro 1905b:544 (catalog); Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1931i:841 (synonymy).

Cryptonychus porrectus (Gyllenhal). Kraatz 1895:190 (misidentification); Kolbe 1899:200 (correction).

Cryptonychus reichenowi Kolbe 1899:193 (type:Upper Guinea, Aquapin, ZMHB). Gestro 1905b:544 (catalog); Uhmann 1931i:842 (type), 1937g:372 (museum list).

Cryptonychus (Cryptonychus) reichenowi Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1931g:77 (museum list), 1942:18 (synonymy).

Cryptonychus murrayi cornuta Uhmann 1953b:14 (type:Belgian Congo, Eala, MRAC). Uhmann 1958e:197 (catalog), 1958f:489 (noted), 1964a:444 (catalog); Staines 1997b:414 (Uhmann species list).

Cryptonychus murrayi inapicalis Uhmann 1958f:489 (type:Uganda, Katera, BMNH). Uhmann 1961a:84 (distribution), 1964a:444 (catalog); Staines 1997b:414 (Uhmann species list).

Distribution: Cameroon, Equatorial Guinea, Gabon, Kenya, Nigeria, Senegal, Togo, Uganda.

Food plants: *Amomum* sp. (Maulik 1932); *Aframomum* sp. (Uhmann 1954) (Zingiberaceae).

***Cryptonychus neavei* Spaeth 1933a**

Cryptonychus neavei Spaeth 1933a:9 (type:Katanga, BMNH). Staines 2005:47 (Spaeth species list).

Cryptonychus (Cryptonychus) neavei Spaeth. Uhmann 1958e:197 (catalog).

Distribution: Congo.

Food plant: Unknown.

***Cryptonychus nigrofasciatus* Pic 1934d**

Cryptonychus nigrofasciatus Pic 1934d:9 (type:Gabon, Lastoursville, MNHN).

Cryptonychus (Cryptonychus) nigrofasciatus Pic. Uhmann 1942c:19 (key), 1953b:14 (distribution), 1958e:197 (catalog), 1958f:489 (faunal list), 1964a:444 (catalog); Descarpentries & Villiers 1959b:501 (types).

Cryptonychus aberrans Uhmann 1936a:437 (type:Lubutu, Lubutu; Buhunde, Uluku; Likimi, Monveda, ZMHB; Haut Uele, Moto MRAC; Sankuru, Komi, MRAC). Uhmann 1936c:408 (museum list); Staines 1997b:414 (Uhmann species list).

Cryptonychus nigrofasciatus aberrans Uhmann. Uhmann 1942c:18 (key), 1953b:14 (distribution), 1958e:197 (catalog).

Distribution: Cameroon, Congo, Gabon, Uganda.

Food plant: Unknown.

***Cryptonychus porrectus* (Gyllenhal 1817)**

Hispa porrectus Gyllenhal 1817:6 (type:Sierra Leone, UZIU). Gyllenhal 1817:7 (noted); Latreille 1829:143 (noted).

Hispa porrecta Schönherr 1817:9 (type:Sierra Leone).

Cryptonychus porrectus (Gyllenhal). Guérin-Méneville 1844a:266 (transfer); Baly 1858:76 (redescription); Gemminger & Harold 1876:553 (catalog); Donckier 1899:553 (catalog); Kolbe 1899:190 (revision); Gestro 1905b:543 (catalog); Uhmman 1931g:77 (museum list), 1931i:841 (noted), 1954h:179 (key), 1966b:213 (faunal list); Risbec 1950a:386 (host plants).

Cryptonychus (Cryptonychus) porrectus (Gyllenhal). Weise 1911a:48 (catalog), 1911b:72 (catalog); Spaeth 1933a:2 (redescription); Uhmman 1942c:19 (noted), 1953b:14 (noted), 1958e:197 (catalog); Risbec 1950a:386 (host plant).

Cryptonychus gestroi Achard 1917:65 (type:Fort Sibut, Fort Crampel, MNHN?). Spaeth 1933a:8 (synonymy).

Cryptonychus nyassicus Kolbe 1899:191 (type:Nyassa, Pyramidenberg, ZMHB). Gestro 1905b:543 (catalog); Uhmman 1931i:841 (noted).

Cryptonychus (Cryptonychus) nyassicus Kolbe. Weise 1911a:48 (catalog), 1911b:72 (catalog); Spaeth 1933a:8 (synonymy); Uhmman 1936:436 (synonymy).

Cryptonychus punctatostratus Kraatz 1895:190 (type:Togo, DEI?). Donckier 1899:553 (catalog); Kolbe 1899:191 (synonymy).

Alurnus rostratus Kirby 1818:444 (type:locality unspecified, depository unknown). Latreille 1829:143 (noted); Baly 1858:76 (synonymy); Kolbe 1899:191 (synonymy).

Cryptonychus rostratus (Kirby). Risbec 1950b:147 (noted).

Distribution: Cameroon, Congo, Equatorial Guinea, Guinea Bissau, Senegal, Sierra Leone, Togo.

Food plant: *Oryza sativa* L. (Poaceae) (Risbec 1950a).

***Cryptonychus proboscideus* Thomson 1858**

Cryptonychus proboscideus Thomson 1858:225 (type:Gabon, depository unknown). Kolbe 1899:195 (noted); Gestro 1905b:544 (catalog); Uhmman 1931i:842 (museum list).

Cryptonychus (Cryptonychus) proboscideus Thomson. Weise 1911a:48 (catalog), 1911b:72 (catalog); Spaeth 1933a:11 (noted); Uhmman 1958e:198 (catalog).

Cryptonychus similis Kraatz 1895:191 (type:Togo, DEI). Donckier 1899:553 (catalog); Kolbe 1899:196 (synonymy); Gaedike & Döbler 1899:389 (types).

Distribution: Gabon, Togo.

Food plant: Unknown.

***Cryptonychus procerus* Weise 1915**

Cryptonychus (*Cryptonychellus*) *procerus* Weise 1915:181 (type:Belgian Congo, Kimuenza, ZMHB). Spaeth 1933a:8 (as synonym of *C. porrectus*).

Cryptonychus (*Cryptonychus*) *procerus* Weise. Uhmann 1936a:407 (reinstated), 1936c:407 (museum list), 1942c:19 (noted), 1953b:14 (faunal list), 1954f:18 (faunal list), 1957j:124 (faunal list), 1958e:198 (catalog), 1964a:444 (catalog).

Cryptonychus procerus Weise. Uhmann 1954h:178 (key), 1961a:22 (distribution), 1966b:213 (faunal list).

Distribution: Angola, Cameroon, Congo.

Food plant: Unknown.

***Cryptonychus schoutedeni* Uhmann 1937g**

Cryptonychus (*Cryptonychus*) *schoutedeni* Uhmann 1936c:407. Nomen Nudum.

Cryptonychus (*Cryptonychus*) *schoutedeni* Uhmann 1937g:371 (type:Equator, Flandiea, MRAC). Uhmann 1942c:18 (key), 1953b:15 (distribution), 1958e:198 (catalog); Gaedike & Döbler 1971:388 (types); Staines 1997b:414 (Uhmann species list).

Distribution: Congo.

Food plant: Unknown.

***Cryptonychus striolatus* Uhmann 1936a**

Cryptonychus (*Cryptonychus*) *striolatus* Uhmann 1936a:438 (type:Belgian Congo, Lubutu, Lubutu, MRAC). Uhmann 1936c:407 (museum list), 1942c:18 (key), 1953b:15 (distribution), 1958e:198 (catalog); Gaedike & Döbler 1971:390 (types); Staines 1997b:414 (Uhmann species list).

Distribution: Congo.

Food plant: Unknown.

***Cryptonychus tenuirostris* Gestro 1905b**

Cryptonychus tenuirostris Gestro 1905b:509 (type:Fernando Poo, MCSN).

Cryptonychus (*Cryptonychus*) *tenuirostris* Gestro. Weise 1911a:48 (catalog), 1911b:72 (catalog); Uhmann 1936c:408 (museum list), 1958e:198 (catalog).

Distribution: Congo, Equatorial Guinea.

Food plant: Unknown.

***Drescheria* Weise 1922b**

Drescheria Weise 1922b:60. Type species:*Drescheria reinecki* Weise, by monotypy. Spaeth 1936a:293 (key); Uhmann 1940g:121 (claws), 1952c:73 (noted), 1958e:192 (catalog), 1964a:444 (catalog); Würmli 1975a:33 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:310 (host plants); Jolivet & Hawkeswood 1995:152 (host plants).

***Drescheria reinecki* Weise 1922b**

Drescheria reinecki Weise 1922b:61 (type:Indonesia, Java, Mount Merbabu, NHRS). Uhmann 1935g:144 (faunal list), 1939c:42 (noted), 1952c:73 (noted), 1958e:192 (catalog), 1964a:444 (catalog); Kalshoven 1957:8 (host plant); Monrós 1959:29 (illustration).

Distribution: Indonesia (Java).

Food plant: Bamboo (Poaceae) (Uhmann 1939c).

***Gestronella* Weise 1911a**

Gestronella Weise 1911a:71. Type species:*Xiphispa centrolineata* Fairmaire 1890, designated by Uhmann 1931i. Weise 1911b:70 (description); Gestro 1913:10 (key); Spaeth 1936a:293 (key); Uhmann 1952c:71 (noted), 1958e:191 (catalog); Würmli 1975a:27 (genera); Seeno & Wilcox 1982:162 (catalog); Jolivet 1989b:309 (host plants); Jolivet & Hawkeswood 1995:151 (host plants); Santiago-Blay 2004:64 (host plants).

***Gestronella centrolineata* (Fairmaire 1890)**

Xiphispa centrolineata Fairmaire 1890:cciii (type:Madagascar, MNHN?). Donckier 1899:554 (catalog); Alluaud 1900:326 (faunal list); Gestro 1909c:200 (noted), 1909b:227 (Madagascar species); Weise 1910d:500 (faunal list); Uhmann 1931i:844 (museum list).

Xiphispa (Gestronella) centrolineata Fairmaire. Weise 1911a:47 (catalog), 1911b:71 (catalog); Gestro 1913:10 (catalog).

Gestronella centrolineata (Fairmaire). Uhmann 1952c:71 (noted), 1958e:191 (catalog), 1960b:60 (faunal list), 1963a:287 (redescription, larva); Plenet 1965 :208 (host plant) ; Appert 1974:559 (host plant); Jolivet 1979:643 (host plants); Mariau 1988:460 (parasites), 1999:233 (noted), 2001:131 (noted).

Distribution: Madagascar.

Food plants: Palm (Uhmann 1963a); *Acanthophoenix crinita* Wendl. (Jolivet 1979); *Cocos nucifera* L. (Appert 1974) (Arecaceae).

***Gestronella convexicollis* (Fairmaire 1897)**

Xiphispa convexicollis Fairmaire 1897:403 (type:Madagascar, Sainte Marie, MNHN?). Donckier 1899:554 (catalog); Alluaud 1900:326 (faunal list); Gestro 1909b:228 (Madagascar species), 1909c:200 (noted); Weise 1910d:500 (faunal list).

Xiphispa (Gestronella) convexicollis Fairmaire. Weise 1911a:47 (catalog), 1911b:71 (catalog); Gestro 1913:10 (catalog).

Gestronella convexicollis (Fairmaire). Uhmman 1958e:191 (catalog).

Distribution: Madagascar.

Food plant: Unknown.

***Gestronella latirostris* (Gestro 1909c)**

Xiphispa latirostris Gestro 1909c:201 (type:Madagascar, Antsianaka, MCSN). Gestro 1909b:228 (Madagascar species); Weise 1910d:500 (faunal list).

Xiphispa (Gestronella) latirostris Gestro. Weise 1911a:47 (catalog), 1911b:71 (catalog); Gestro 1913:10 (catalog).

Gestronella latirostris (Gestro). Uhmman 1958e:191 (catalog).

Distribution: Madagascar.

Food plant: Unknown.

***Gestronella lugubris* (Fairmaire 1890)**

Xiphispa lugubris Fairmaire 1890:xxiii (type:Madagascar, MNHN?). Donckier 1899:554 (catalog); Alluaud 1900:326 (faunal list); Gestro 1909b:228 (Madagascar species), 1909c:202 (noted), 1910d:500 (faunal list); Lepesme 1947:549 (host plants); Risbec 1950a:379 (host plants).

Xiphispa (Gestronella) lugubris Fairmaire. Weise 1911a:47 (catalog), 1911b:71 (catalog).

Brontispa lugubris (Fairmaire). Gestro 1913:7 (transfer); Spaeth 1936a:287 (noted).

Gestronella lugubris (Fairmaire). Uhmman 1958e:191 (catalog); Appert 1974:559 (biology); Mariau 1988:460 (parasites), 1999:233 (noted), 2001:131 (noted).

Distribution: Madagascar.

Food plant: *Cocos nucifera* L. (Arecaceae) (Lepesme 1947).

***Gestronella obtusicollis* (Fairmaire 1897)**

Xiphispa obtusicollis Fairmaire 1897:403 (type:Madagascar, Sainte Marie, MNHN?). Donckier 1899:554 (catalog); Alluaud 1900:326 (faunal list); Gestro 1909b:228 (Madagascar species), 1909c:200 (noted); Weise 1910d:500 (faunal list).

Xiphispa (Gestronella) obtusicollis Fairmaire. Weise 1911a:47 (catalog), 1911b:71 (catalog); Gestro 1913:10 (catalog).

Oxycephala obtusicollis (Fairmaire). Weise 1913c:282 (catalog).

Gestronella obtusicollis (Fairmaire). Uhmman 1958e:192 (catalog).

Distribution: Madagascar.

Food plant: Unknown.

***Gestronella valida* (Fairmaire 1897)**

Xiphispa valida Fairmaire 1897:404 (type:Madagascar, Antsianaka, MNHN?). Donckier 1899:554 (catalog); Alluaud 1900:326 (faunal list); Gestro 1909b:227 (Madagascar species), 1909c:199 (noted); Weise 1910d:500 (faunal list).

Xiphispa (Gestronella) valida Fairmaire. Weise 1911a:47 (catalog), 1911b:71 (catalog); Gestro 1913:10 (catalog).

Gestronella valida (Fairmaire). Uhmman 1958e:192 (catalog), 1964c:169 (faunal list).

Distribution: Madagascar.

Food plant: Unknown.

***Gyllenhaleus* Weise 1903**

Gyllenhaleus Weise 1903:62. Type species: *Cryptonychus bipunctatus* Baly 1858, by monotypy. Maulik 1932:306 (noted); Würmli 1975a:28 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:309 (host plants); Jolivet & Hawkeswood 1995:151 (host plants); Staines 2004a:315 (host plants); Chaboo 2007:43 (noted).

Gyllenhalius Weise (sic). Gestro 1903:154 (lapsus calami, faunal list), 1905b:515 (faunal list).

Cryptonychus (Gyllenhaleus) Weise. Weise 1911a:49 (catalog), 1911b:72 (redescription); Uhmman 1930h:129 (key), 1940g:121 (claws), 1958e:198 (catalog), 1964a:445 (catalog); Spaeth 1933a:5 (key).

Cryptonychus (Cryptonychinus) Spaeth 1933a:5. Type species: *Cryptonychus feae* Gestro, by original designation. Uhmman 1958e:198 (synonymy).

***Gyllenhaleus bipunctatus* (Baly 1858)**

Cryptonychus bipunctatus Baly 1858:78 (type:Old Calabar, BMNH). Gemminger & Harold 1876:3603 (catalog); Duvivier 1892b:378 (faunal list); Donckier 1899:553 (catalog); Kolbe 1899:202 (noted); Weise 1903:61 (faunal list); Uhmman 1931g:78 (museum list), 1954h:180 (key); Staines & Staines 1999:525 (Baly species list).

Gyllenhalius bipunctatus (Baly). Gestro 1903:156 (nomenclature), 1905b:515 (faunal list).

Gyllenhaleus bipunctatus (Baly). Weise 1911a:49 (catalog), 1911b:72 (catalog); Achard 1917:66 (distribution); Collart 1928:338 (host plants), 1934:249 (host plants); Maulik 1932:312 (larva), 1937:148 (host plant); Cox 1996a:170 (pupa); Staines 2004a:315 (host plants).

Cryptonychus (Gyllenhaleus) bipunctatus Baly. Uhmman 1930h:129 (key), 1931i:843 (noted), 1936a:439 (faunal list), 1937g:372 (museum list), 1942c:21 (noted), 1953b:15 (noted), 1958e:198 (catalog), 1964a:445 (catalog); Spaeth 1933a:5 (noted); Monrós 1959:30 (illustration).

Gyllenhaleus bipunctatus quadrimaculatus Gestro 1906:470 (type:Gabon, Franceville, MCSN). Weise 1911a:49 (catalog), 1911b:72 (catalog); Collart 1928:338 (host plants), 1934:249 (host plants); Uhmman 1931g:78 (museum list), 1936a:439 (faunal list), 1958e:199 (catalog); Maulik 1932:312; Spaeth 1933a:312 (synonymy); Staines 2004a:315 (host plants).

Cryptonychus (Gyllenhaleus) quadrimaculata Gestro. Uhmman 1930h:129 (key).

Cryptonychus (Gyllenhaleus) bipunctatus quadrimaculata (Gestro). Uhmman 1966b:213 (faunal list).

Cryptonychus (Gyllenhaleus) schubotzi Weise 1915:180 (type:Belgian Congo, Duma, Ubangi Distrikt, ZMHU, NRHS). Uhmans 1930h:129 (key), 1931g:78 (museum list), 1935b:121 (synonymy); Spaeth 1933a:5 (synonymy).

Cryptonychus (Gyllenhaleus) bipunctatus subnotata Pic 1924c:28 (type:Portuguese Congo, MNHN). Uhmans 1958e:199 (catalog), 1964a:445 (catalog); Descarpentries & Villiers 1959b:501 (types).

Cryptonychus (Gyllenhaleus) subnotata Pic. Uhmans 1930h:129 (key).

Distribution: Cameroon, Congo, Equatorial Guinea, Gabon.

Food plants: *Costus afer* Kr. (Costaceae) (Collart 1928); *Amomum* sp., *Aframomum* sp. (Zingiberaceae) (Uhmans 1954).

***Gyllenhaleus feae* Gestro 1903**

Gyllenhalius feae Gestro 1903:155 (type:Riv. N. Gamie, ISNB). Gestro 1905b:516 (lapsus calami).

Cryptonychus (Gyllenhaleus) feae Gestro. Weise 1911a:49 (catalog), 1911b:72 (catalog), 1913:111 (noted); Uhmans 1930h:129 (key), 1931g:79 (museum list), 1931i:844 (museum list), 1958e:199 (catalog).

Cryptonychus (Cryptonychinus) feae (Gestro). Spaeth 1933a:5 (noted); Uhmans 1936a:440 (faunal list), 1937g:372 (museum list), 1953b:14 (distribution), 1966b:214 (faunal list).

Cryptonychus feae (Gestro). Uhmans 1954h:181 (key).

Cryptonychus (Gyllenhaleus) concolor Uhmans 1930h:128 (type:Effenbeinküste, Assinie, DEI). Spaeth 1933a:5 (noted); Uhmans 1954h:181 (synonymy); Gaedike & Döbler 1971:368 (types); Staines 1997b:414 (Uhmans species list).

Distribution: Congo, Equatorial Guinea.

Food plant: Unknown.

***Gyllenhaleus macrorrhinus* Gestro 1906b**

Gyllenhalius macrorrhinus Gestro 1906b:470 (type:Congo, Kassai, MCSN). Gestro 1905b:545 (catalog); Collart 1934:249 (host plants); Staines 2004a:315 (host plants).

Cryptonychus (Gyllenhaleus) macrorrhinus Gestro. Weise 1911a:49 (catalog), 1911b:73 (catalog); Uhmans 1930h:129 (key), 1931g:78 (museum list), 1931i:844 (noted), 1936a:440 (faunal list), 1937g:372 (museum list), 1942c:21 (noted), 1953b:16 (noted), 1955c:242 (distribution), 1958e:199 (catalog); Spaeth 1933a:11 (redescription).

Cryptonychus (Cryptonychinus) macrorrhinus Gestro. Uhmans 1936c:408 (museum list).

Cryptonychus (Gyllenhaleus) macrorrhinus uniformis Uhmans 1936a:440 (type:Lubutu, Kakolo; Kirundu, Lubutu, MRAC). Uhmans 1942c:21 (noted), 1958e:199 (catalog); Staines 1997b:414 (Uhmans species list).

Distribution: Congo, Rwanda, Uganda.

Food plant: *Costus afer* (Costaceae) (Collart 1928).

***Ischnispa* Gressitt 1963**

Ischnispa Gressitt 1963:614. Type species:*Ischnispa sulcata* Gressitt, by original designation. Würmli 1975a:35 (genera); Gressitt 1982:711 (ecology); Seeno & Wilcox 1982:163 (catalog).

***Ischnispa nigra* Gressitt 1963**

Ischnispa nigra Gressitt 1963:616 (type:New Guinea, Mt. Kainai, BPBM).

Distribution: New Guinea.

Food plant: Unknown.

***Ischnispa sulcata* Gressitt 1963**

Ischnispa sulcata Gressitt 1963:615 (type:New Guinea, Waris, BPBM).

Distribution: New Guinea.

Food plant: Unknown.

Incerte Sedis

***Ischnispa myra* Gressitt**

Ischnispa myra Gressitt (manuscript name?). Samuelson 1996:290 (morphology).

Distribution: New Guinea.

Food plant: Unknown.

***Isopedhispa* Spaeth 1936a**

Isopedhispa Spaeth 1936a:291. Type species:*Isopedhispa ferruginea* Spaeth, by original designation. Uhmman 1940g:123 (claws), 1952c:73 (noted), 1958e:206 (catalog), 1964a:351 (catalog); Gressitt 1957b:264 (South Pacific species), 1960a:66 (New Guinea species), 1960b:111 (New Caledonia species), 1961:79 (biogeography); Würmli 1975a:35 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:310 (host plants); Jolivet & Hawkeswood 1995:153 (host plants); Staines 2005:48 (Spaeth species list); Chaboo 2007:176 (noted); Jolivet & Verma 2009:218 (faunal list).

***Isopedhispa cocotis* (Maulik 1933d)**

Plesispa cocotis Maulik 1933d:280 (type:New Caledonia, BMNH). Risbec 1934:10 (noted), 1936:183 (host plants), 1942:67 (biology), 1950a:379 (host plants); Maulik 1937:146 (host plants); Lepesme 1947:547 (host plants); Dumberton 1954:18 (host plant); Speyer 1954:368 (noted); Johnston 1965:14 (pest list); Howard & Abad 2001:87 (host plants); Santiago-Blay 2004:74 (host plants).

Isopedhispa cocotis (Maulik). Spaeth 1936a:293 (transfer); Uhmman 1952c:73 (noted), 1954k:8 (noted), 1958e:206 (catalog), 1964a:452 (catalog); Gressitt 1957b:264 (South Pacific

species), 1960a:66 (New Guinea species), 1960b:111 (New Caledonia species); Kalshoven 1957:9 (host plant); Mariau 1999:233 (noted), 2001:131 (noted).

Distribution: New Caledonia.

Food plant: *Cocos nucifera* L. (Arecaceae) (Maulik 1933).

***Isopedhispa ferruginea* Spaeth 1936a**

Isopedhispa ferruginea Spaeth 1936a:291 (type:New Caledonia, Mt. Panie, BMNH). Gressitt 1957b:265 (South Pacific species), 1960a:66 (New Guinea species), 1960b:111 (New Caledonia species); Uhmman 1952c:73 (noted), 1958e:206 (catalog), 1964a:452 (catalog); Staines 2005:48 (Spaeth species list).

Distribution: New Caledonia.

Food plant: Unknown.

***Nesohispa* Maulik 1913**

Nesohispa Maulik 1913:237. Type species:*Nesohispa lambaciras* Maulik 1913, by monotypy. Spaeth 1936a:294 (key); Lepesme 1947:546 (host plants); Uhmman 1952c:73 (noted), 1958e:207 (catalog), 1964a:452 (catalog); Würmli 1975a:33 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:310 (host plants); Jolivet & Hawkeswood 1995:152 (host plants).

***Nesohispa lambaciras* Maulik 1913**

Nesohispa lambaciras Maulik 1913:239 (type:Seychelles, Mahé; Cascade Estate, BMNH). Maulik 1937:146 (host plant); Lepesme 1947:546 (host plants); Uhmman 1952c:73 (noted), 1958e:207 (catalog), 1964a:452 (catalog); Monrós 1959:30 (illustration).

Distribution: Seychelles.

Food plants: *Stevensonia* sp. (Maulik 1913); *Phoenicophorium* sp. (Lepesme 1947) (Arecaceae).

***Octodonta* Chapuis 1875**

Octodonta Chapuis 1875:289. Type species:*Octodonta depressa* Chapuis 1875, by monotypy. Gemminger & Harold 1876:3603 (catalog); Donckier 1899:554 (catalog); Weise 1911a:45 (catalog), 1911b:68 (catalog); Gestro 1917:400 (faunal list); Spaeth 1936a:278 (noted); Uhmman 1952c:74 (noted), 1956h:3 (catalog), 1957f:302 (nomenclature), 1958e:214 (catalog), 1964a:454 (catalog); Gressitt 1957b:217 (New Guinea species), 1959a:72 (host plants), 1960a:11 (New Guinea species), 1961:79 (biogeography), 1963:606 (New Guinea species), 1982:711 (ecology); Würmli 1975a:32 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:309 (host plants); L. Medvedev 1992:152 (Vietnam species); Jolivet & Hawkeswood 1995:152 (host plants); Kimoto 1999:105 (southeast Asia species); Steiner 2001:82 (host plants); Mohamedsaid 2004:168

(Malaysian species); Staines 2005:48 (Spaeth species list); Chaboo 2007:176 (noted).
Octodonta (Uhmanna) Spaeth 1936a:282. Type species:*Brontispa angulosa* Uhmann 1931.
Uhmann 1952c:72 (noted); Staines 2005:47 (Spaeth species list).

***Octodonta affinis* (Uhmann 1935g)**

Bronthispa affinis Uhmann 1935g:144 (type:Indonesia, Java, Noesa Kambangan, DEI).

Brontispa affinis Uhmann. Maulik 1938:70 (key); Lepesme 1947:538 (host plants); Risbec 1950a:379 (host plants); Kalshoven 1951:752 (host plants); Uhmann 1953h:89 (type); Johnston 1965:13 (pest list); Gaedike & Döbler 1971:364 (types); Staines 1997b:412 (Uhmann species list).

Octodonta affinis (Uhmann). Kalshoven 1951:752 (host plants), 1957:8 (host plants); Uhmann 1952c:72 (noted), 1958e:214 (catalog); Mariau 2001:131 (noted).

Distribution: Indonesia (Java).

Food plants: *Cocos nucifera* L. (Lepesme 1947); *Metroxylon* sp. (Kalshoven 1951) (Arecaceae).

***Octodonta angulosa* (Uhmann 1930-1932)**

Bronthispa angulosa Uhmann 1930-1932:35 (type:Philippines, Mindoro, Mangarin, DEI).

Brontispa angulosa Uhmann. Maulik 1938:70 (key); Lepesme 1947:538 (host plants); Risbec 1950a:379 (host plants); Johnston 1965:13 (pest list); Baltazar 1968:221 (faunal list); Gaedike & Döbler 1971:364 (types); Staines 1997b:412 (Uhmann species list).

Octodonta (Uhmanna) angulosa (Uhmann). Spaeth 1936a:283 (transfer); Uhmann 1952c:85 (noted), 1958e:215 (catalog), 1964(1965):255 (faunal list); Kalshoven 1957:8 (host plants); Orense & Pacumbaba 1992:45 (biology).

Distribution: Philippines (Luzon, Mindanao, Mindoro).

Food plant: *Cocos nucifera* L. (Lepesme 1947); *Corypha elata* L. (Orense & Pacumbaba 1992) (Arecaceae).

***Octodonta banguiensis* (Uhmann 1933a)**

Bronthispa banguiensis Uhmann 1933a:63 (type:Philippines, Luzon, Bangui, ZMHB, BMNH).

Brontispa banguiensis Uhmann. Maulik 1938:70 (key); Lepesme 1947:538 (host plants); Risbec 1950a:379 (host plants); Johnston 1965:13 (pest list); Baltazar 1968:221 (faunal list); Gaedike & Döbler 1971:365 (types); Staines 1997b:413 (Uhmann species list).

Octodonta (Uhmanna) banguiensis (Uhmann). Spaeth 1936a:286 (transfer); Uhmann 1952c:86 (noted), 1958e:215 (catalog), 1964(1965):255 (faunal list); Kalshoven 1957:8 (host plants).

Distribution: Philippines (Luzon).

Food plant: *Cocos nucifera* L. (Arecaceae) (Maulik 1937).

***Octodonta depressa* Chapuis 1875**

Octodonta depressa Chapuis 1875:290 (type:Malacca, ISNB). Chapuis 1875b:43, plate 128, fig. 5 (illustration); Gemminger & Harold 1876:3603 (catalog); Donckier 1899:554 (catalog); Gestro 1899c:318 (distribution), 1901b:435 (noted), 1917:400 (distribution), 1922:101 (faunal list); Weise 1911a:45 (catalog), 1911b:68 (catalog); Spaeth 1936a:278 (noted); Uhmman 1952c:84 (noted), 1956h:1 (noted), 1958e:214 (catalog), 1964(1965):241 (faunal list); L. Medvedev 1982:148 (host plant), 1992:152 (Vietnam species); Kimoto 1999:105 (southeast Asia species), 2000:138 (catalog); Steiner 2001:82 (host plants); Mohamedsaid 2004:168 (Malaysian species); Zaitsev 2006:1029 (immatures).

Bronthispa depressa (Chapuis). Gestro 1919:343 (host plant).

Brontispa depressa (Chapuis). Gestro 1913:8 (catalog); Lepesme 1947:543 (host plants); Risbec 1950a:379 (host plants); Baltazar 1968:221 (faunal list); Mariau 1999:232 (noted); Mohamedsaid 2009:98 (noted).

Octodonta depressa Chapuis. Hua 2002:294 (faunal list).

Downesia (Paradownesia) anceyi Pic 1924:5 (type:Vietnam, Saigon, MNHN).

Leptispa anceyi (Pic). Uhmman 1958e:184 (catalog); Descarpentries & Villiers 1959b:500 (types); Kimoto 1999:102 (southeast Asia species); L. Medvedev 1992:152 (synonymy).

Distribution: Indonesia (Java, Sumatra), Malaysia, Philippines (Mindanao), Taiwan, Thailand, Vietnam.

Food plants: *Normanbya merrillii* Becc. (Gestro 1919); *Cocos nucifera* L. (Lepesme 1947) (Arecaceae); *Calamus* sp. (Medvedev 1983) (Araceae).

***Octodonta korthalsiae* Gressitt 1960a**

Octodonta korthalsiae Gressitt 1960a:12 (type:New Guinea, Lae, BPBM). Gressitt 1963:608 (New Guinea species); Uhmman 1964a:454 (catalog); Steiner 2001:82 (host plants).

Distribution: New Guinea.

Food plant: *Korthalsia beccarii* (sic) (Arecaceae) (Gressitt 1960a).

***Octodonta maffinensis* Gressitt 1957b**

Octodonta maffinensis Gressitt 1957b:219 (type:New Guinea, Maffin Bay, CASC). Gressitt 1960a:11 (New Guinea species), 1960b:217 (New Caledonia species), 1963:608 (New Guinea species); Uhmman 1964a:454 (catalog); Steiner 2001:82 (host plants).

Distribution: New Guinea.

Food plant: *Calamus* sp. (Araceae), *Metroxylon* sp., *Cocos* sp. (Arecaceae) (Gressitt 1960b).

***Octodonta nipae* (Maulik 1921)**

Plesispa nipae Maulik 1921:451 (type:Malacca, BMNH). Corbett 1922:56 (host plants), 1929:267 (pest status); Susainathan 1923:29 (noted); Gater 1925:164 (noted); Dammerman 1929:91 (biology); Spaeth 1936a:279 (noted); Maulik 1937:147 (host plants); Lange 1950:146 (photo); Beer & Nucifora 1965:38 (mites); Lindquist 1986:353 (mites); Santiago-Blay 2004:74 (host plants).

Plesispa nipa Maulik. Lepesme 1947:547 (host plants).

Plesispa nipa Maulik. Kalshoven 1951:755 (host plants); Speyer 1954:368 (host plants).

Plesispa nipes Maulik. Fong 1990:102 (noted).

Octodonta nipae (Maulik). Uhmman 1952c:85 (noted), 1958e:214 (catalog), 1964a:454 (catalog); Kalshoven 1957:8 (host plants), 1981:453 (host plants); Monrós 1959:31 (illustration); Kimoto 2000:138 (catalog); Mohamedsaid 2000a:358 (faunal list), 2004:168 (Malaysian species); Steiner 2001:61 (host plants); Sun et al. 2003:286 (biology); Zhang 2003:1 (pest status); Laing et al. 2005:160 (noted); wu et al. 2007:25 (introduction); Yu et al. 2007:264 (biology), 2009:72 (biology); Fengyu et al. 2009:72 (host plants); Hu & Weng 2009a:196 (life history), 2009b:291 (life history); Hou & Weng 2010:1676 (biology); Vassiliou et al. 2010:51 (introduction); Hou et al. 2011:111 (noted); Xi et al. 2013:800 (biology); Xu et al. 2011:922 (biological control); Feng & Hou 2014:29 (physiology); Hua et al. 2014:265 (physiology); Hou et al. 2014:1486 (host plants); Tang et al. 2014:1 (physiology), 2014b:647 (parasites); Li et al. 2014:348 (mating); Hou et al. 2014:1010 (biology).

Distribution: China (Hainan), Malaysia.

Food plants: *Nipa fructicans* Thunb., *Metroxylon sagu* Rottb., *Oncosperma* sp. (Maulik 1921); *Areca catechu* L. (Lepesme 1947); *Calamus manan* (Steiner 2001) (Araceae); *Washingtonia filifera* (Linden ex. André) H. Wendl. (Sun et al. 2003); *Phoenix canariensis* Hort. ex Chabaud, *P. hanceana* Naud (Hou & Weng 2009a); *W. robusta* H. Wendl. (Yu et al. 2009); *Aarchontophoenix alexandrae* H. Wendl & Drude, *Chrysalidocarpus lutescens* H. Wendl, *Cocos nucifera* L., *Elaeis guineensis* Jacq., *Hyophorbe lagenicaulis* (L. Bailey) H.E. Moore, *Livistonia chinensis* (Jacq.) R. Br. ex Mart., *Roystonea regia* (Kunth) O.F. Cook, *Syagrus romanzoffiana* (Cham.) Glassman (Vassiliou et al. 2011); *Trachycarpus fortunei* (Hooker) H. Wendl, *Phoenix roebelenii* O'Brien (Hou et al. 2014) (Arecaceae).

***Octodonta subparallela* Spaeth 1936a**

Octodonta subparallela Spaeth 1936a:289 (type:Papua New Guinea, Kokoda, BMNH). Uhmman 1952c:71 (noted), 1958e:215 (catalog), 1964a:454 (catalog); Gressitt 1957b:217 (South Pacific species), 1960a:11 (New Guinea species), 1963:607 (New Guinea species); Howard & Abad 2001:87 (host plants); Steiner 2001:82 (host plants); Staines 2005:48 (Spaeth species list).

Octodonta (Octodonta) subparallela Spaeth. Cox 1996a:170 (pupa).

Distribution: New Britain, New Guinea, New Ireland.

Food plants: *Calamus* sp. (Gressitt 1957b) (Araceae), *Korthalsia beccarii* (sic), *Metroxylon* sp. (Gressitt 1960a) (Arecaceae).

***Octodonta surigaoana* (Uhmann 1933a)**

Bronthispa surigaoana Uhmann 1933a:63 (type:Philippines, Mindanao, Surigao, DEI).

Brontispa surigaoana Uhmann. Maulik 1938:70 (key); Lepesme 1947:538 (host plants); Risbec 1950a:379 (host plants); Johnston 1965:14 (pest list); Baltazar 1968:221 (faunal list); Mariau 1999:232 (noted), 2001:131 (noted); Staines 1997b:413 (Uhmann species list).

Octodonta (Uhmanna) surigaoana (Uhmann). Spaeth 1936a:283 (transfer); Uhmann 1952c:86 (noted), 1958e:215 (catalog); Kalshoven 1957:8 (host plants); Descarpentries & Villiers 1959b:502 (types), 1964(1965):255 (faunal list); Gaedike & Döbler 1971:391 (types); Mariau 1999:232 (noted).

Distribution: Philippines (Mindanao).

Food plant: *Cocos nucifera* L. (Arecaceae) (Lepesme 1947).

***Oxycephala* Guérin-Ménéville 1838**

Oxycephala Guérin-Ménéville 1830:142. Type species:*Oxycephala cornigera* GuérinMénéville, by monotypy. Guérin-Ménéville 1844a:266 (comparative note); Baly 1858: 73 (redescription); Chapuis 1875:288 (redescription); Gemminger & Harold 1876:3604 (catalog); Chenu 1884:341 (noted); Donckier 1899:555 (catalog); Gestro 1905a:131 (noted); Weise 1908b:331 (faunal list); Spaeth 1936a:293 (key); Barber & Bridwell 1940:6 (nomenclature); Uhmann 1940g:121 (claws), 1952c:81 (noted), 1957h:110 (type species), 1958e:203 (catalog), 1964a:447 (catalog); Lepesme 1947:548 (host plants); Gressitt 1955:50 (Micronesian species), 1957b:235 (South Pacific species), 1959a:72 (host plants), 1960a:40 (New Guinea species), 1961:80 (biogeography), 1982:723 (ecology); Würmli 1975a:31 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:309 (host plants); Jolivet & Hawkeswood 1995:152 (host plants); Steiner 2001:82 (host plants); Staines 2004a:315 (host plants), 2005:48 (Spaeth species list); Chaboo 2007:62 (noted).

Oxycephalus Guérin-Ménéville. Chenu & Desmarest 1870:341 (lapsus calami, noted).

***Oxycephala cornigera* Guérin-Ménéville 1838**

Oxycephala cornigera Guérin-Ménéville 1830:142 (type:Port Praslin, apparently lost). Baly 1858:75 (noted); Chapuis 1875:289; Gemminger & Harold 1876:3604 (catalog); Donckier 1899:555 (catalog); Weise 1905g:96 (noted); Spaeth 1936a:283 (noted); Barber & Bridwell 1940:6 (nomenclature); Dumberton 1954:18 (host plant); Gressitt 1957:236 (host plant), 1960a:40 (New Guinea species); Speyer 1954:368 (noted); Uhmann 1957f:301 (nomenclature), 1957h:110 (type), 1958e:203 (catalog), 1964a:447 (catalog), 1966d:275 (noted); Howard & Abad 2001:87 (host plants); Mariau 2001:131 (noted); Steiner 2001:82 (host plants); Staines 2004a:315 (host plant); Maddison & Crosby 2009:12 (host plant).

Cryptonychus cornigera (Guérin-Méneville). Guérin-Méneville 1844a:266 (noted).
Hispa (Cryptonychus) cornigera (Guérin-Méneville). Guérin-Méneville 1844a:266 (noted).
Xiphispa cornigera (Guérin-Méneville). Weise 1911a:47 (catalog), 1911b:70 (catalog).
Oxycephala testacea cornigera Guérin-Méneville. Gestro 1905b:456 (noted); Weise 1905:96 (noted); Uhmman 1952c:73 (noted).
Oxycephala testacea Fabricius. Weise 1913c:282 (catalog); Lepesme 1947:548 (host plants); Risbec 1950a:379 (host plants); Johnston 1965:14 (pest list).
Xiphispa testacea (Fabricius). Gestro 1913:10 (catalog).

Distribution: New Ireland.

Food plants: *Cocos nucifera* L. (Arecaceae) (Lepesme 1947); *Calamus* sp. (Arecaceae), *Heliconia* sp? (Heliconiaceae) (Gressitt 1957b); *Pinanga* sp. (Arecaceae) (Gressitt 1960a).

***Palmispa* Gressitt 1960a**

Palmispa Gressitt 1960a:9. Type species:*Palmispa parallela* Gressitt 1960a, by original designation. Gressitt 1961:80 (biogeography), 1963:606 (New Guinea species), 1982:711 (ecology); Uhmman 1964a:455 (catalog); Würmli 1975a:31 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:309 (host plants); Jolivet & Hawkeswood 1995:152 (host plants); Steiner 2001:82 (host plants); Chaboo 2007:103 (noted).

***Palmispa korthalsivora* Gressitt 1960a**

Palmispa korthalsivora Gressitt 1960a:10 (type:New Guinea, between Lae and Bubia, BPBM). Gressitt 1963:606 (New Guinea species); Uhmman 1964a:455 (catalog); Steiner 2001:82 (host plants).

Distribution: New Guinea.

Food plant: *Korthalsia beccarii* (sic) (Arecaceae) (Gressitt 1960a).

***Palmispa parallela* Gressitt 1960a**

Palmispa parallela Gressitt 1960a:9 (type:New Guinea, Maprik, BPBM). Gressitt 1963:606 (New Guinea species); Uhmman 1964a:455 (catalog); Steiner 2001:82 (host plants); Chaboo 2007:151 (phylogeny).

Distribution: New Guinea.

Food plants: *Calamus* sp. (Araceae); *Korthalsia beccarii* (sic) (Arecaceae) (Gressitt 1960a, 1963).

***Plesispa* Chapuis 1875**

Plesispa Chapuis 1875:290. Type species:*Plesispa reichei* Chapuis 1875, by monotypy. Gemminger & Harold 1876:3604 (catalog); Donckier 1899:556 (catalog); Weise 1911a:46 (catalog), 1911b:69 (catalog); Gestro 1917:400 (faunal list); Spaeth 1936a:280 (noted); Uhmman 1940g:121 (claws), 1952c:73 (noted), 1957f:302 (nomenclature), 1958e:199 (catalog), 1964a:445 (catalog); Chûjô 1943:325 (faunal list); Lepesme 1947:547 (host plants); Gressitt 1957b:229 (New Guinea species), 1959a:72 (host plants), 1960a:24 (New Guinea species), 1961:80 (biogeography), 1963a:617 (New Guinea species), 1963c:62 (pest status), 1982:711 (ecology); Würmli 1975a:29 (genera); OConnor 1979:430 (mites); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:309 (host plants); Cox 1994b:447, 449, 450 (parasites); Santiago-Blay & Fain 1994:409 (mites); Jolivet & Hawkeswood 1995:151 (host plants); Kimoto 1999:105 (southeast Asia species); Steiner 2001:81 (host plants); Mohamedsaid 2004:167 (Malaysian species); Santiago-Blay 2004:74 (host plants); Staines 2005:48 (Spaeth species list); Chaboo 2007:141 (noted).

***Plesispa hagensis* Gressitt 1960a**

Plesispa hagensis Gressitt 1960a:25 (type:New Guinea, Goiburung, BPBM). Gressitt 1963:619 (New Guinea species); Uhmman 1964a:445 (catalog); Santiago-Blay 2004:74 (host plants).

Distribution: New Guinea.

Food plant: *Heterospaethe* sp.? (Arecaceae) (Gressitt 1960a).

***Plesispa korthalsiae* Gressitt 1963**

Plesispa korthalsiae Gressitt 1963:618 (type:New Guinea, Oriomo Govt. Sta., BPBM). Gaedike & Döbler 1971:378 (types); Staines & Staines 1997:11 (types); Steiner 2001:81 (host plants); Santiago-Blay 2004:74 (host plants).

Distribution: New Guinea.

Food plants: *Korthalsia* sp. (Arecaceae), *Calamus* sp. (Araceae) (Gressitt 1963).

***Plesispa montana* Gressitt 1960a**

Plesispa montana Gressitt 1960a:27 (type:New Guinea, Swart Valley, BPBM). Gressitt 1963:622 (New Guinea species); Uhmman 1964a:445 (catalog); Gaedike & Döbler 1971:382 (types); Staines & Staines 1997:14 (types); Santiago-Blay 2004:74 (host plants).

Distribution: New Guinea.

Food plant: *Saccharum officinarum* L. (Poaceae) (Gressitt 1960a).

***Plesispa palmella* Gressitt 1963**

Plesispa palmella Gressitt 1963:620 (type:New Guinea, Cape Rodney, BPBM). Staines & Staines 1997:16 (types); Steiner 2001:81 (host plants); Santiago-Blay 2004:74 (host plants).

Distribution: New Guinea.

Food plants: *Metroxylon* sp., *Archontophoenix* sp., *Phoenix* sp., *Korthalsia* sp., *Areca* sp. (Arecaceae) (Gressitt 1963).

***Plesispa palmarum* Gressitt 1960a**

Plesispa palmarum Gressitt 1960a:29 (type:New Guinea, Swart Valley, BPBM). Gressitt 1963:620 (New Guinea species); Uhmman 1964a:445 (catalog); Gaedike & Döbler 1971:383 (types); Staines & Staines 1997:16 (types); Santiago-Blay 2004:74 (host plants).

Distribution: New Guinea.

Food plant: *Rhopaloblaste* sp.? (Arecaceae) (Gressitt 1960a).

***Plesispa reichei* Chapuis 1875**

Plesispa reichei Chapuis 1875:290 (type:Malacca, ISNB). Chapuis 1875b:43, plate 128, fig. 6 (illustration); Gemminger & Harold 1876:3604 (catalog); Donckier 1899:556 (catalog); Gestro 1901b:435 (noted), 1917:400 (faunal list), 1919:342 (faunal list), 1922:101 (faunal list), 1923:18 (noted); Weise 1911a:46 (catalog), 1911b:69 (catalog), 1924:79 (noted); Baker 1918:3 (host plant); Leefmans 1918a:1 (biology); Ponniah 1920:192 (biology); Corbett 1923a:1 (biology), 1923b:64 (biology), 1927:170 (pest status), 1929:267 (pest status); Susainathan 1923:28 (damage); Gater 1925:164 (noted); Dammerman 1929:90 (host plant); Uhmman 1929a:147 (faunal list), 1931e:2 (faunal list), 1935g:144 (faunal list), 1952c:77 (noted), 1958e:200 (catalog), 1960c:23 (faunal list), 1964(1965):240 (faunal list); Speyer 1932:224 (noted); Ferrière 1933:94 (parasites); Awibowo 1934:76 (noted); Froggatt 1936:10 (host plant); Maulik 1937:147 (host plant); 1938:50 (nomenclature); Taylor 1937:144 (host plant); Froggatt & O'Connor 1941:125; Esaki 1943:271 (pest status); Lepesme 1947:547 (host plant); Lange 1950:146 (photo); Risbec 1950a:379 (host plants); Kalshoven 1951:753 (host plant), 1957:9 (host plant), 1981:452 (host plant); Uhmman 1952c:73 (noted), 1958e:218 (catalog), 1964a:445 (catalog); Speyer 1954:368 (noted); Thompson 1954:295 (parasites); Gressitt 1957b:229 (New Guinea species), 1960a:25 (New Guinea species), 1963:618 (new Guinea species), 1963b:6 (zoogeography); Johnston 1965:14 (pest list); Baltazar 1968:221 (faunal list); Lever 1969:112 (biology); Panggoy & Pedro 1982:285 (biology); Wikardi 1982:35 (control); Zelazny & Pacumbaba 1982:115 (host plants); Gallego & Abad 1985:1 (biology); Gallego & Gallego 1988:39 (pathogen); Mariau 1988:459 (parasites); Fong 1990:102 (noted); Chong et al. 1991:38 (biology); Huang & Noyes 1994:31 (parasite); Kimoto 1999:106 (southeast Asia species); Mariau 1999:233 (noted), 2001:131 (noted); Howard & Abad 2001:87 (host plants); Steiner 2001:61 (host plants); Liang et al. 2002:19 (introduction); Hosang et al. 2004:39 (parasites); Mohamedsaid 2004:167 (Malaysian

species); Santiago-Blay 2004:74 (host plants); Wijesinghe 2004:77 (distribution); Rethinam & Shingh 2007:3 (noted); Sivapragasam & Hong 2007:55 (pest status); Ochoa et al. 2008:42 (pest status); Maddison & Crosby 2009:9 (host plants).

Oxycephala papuana Gestro 1897d:450 (type:northeast New Guinea). Donckier 1899:555 (catalog); Gestro 1905b:456 (noted), 1907:82 (museum list); Froggatt 1936:10; Froggatt & O'Connor 1941:133 (noted); Lepesme 1947:548 (host plants); Dumberton 1954:18 (host plant); Speyer 1954:368 (noted); Johnston 1965:14 (pest list); Mariau 2001:131 (noted).

Xiphispa papuana (Gestro). Gestro 1913:10 (catalog); Weise 1913c:282 (catalog).

Plesispa papuana (Gestro). Weise 1911a:46 (catalog), 1911b:69 (catalog); Spaeth 1936a:279 (synonymy); Mariau 2001:131 (noted).

Oxycephala pupuana Gestro. Risbec 1950a:379 (host plants).

Xiphispa obligata Weise 1922b:63 (type:Indonesia, Java, Salatiga, ZMHB). Gestro 1923:18 (synonymy).

Bronthispa sumatrana Weise 1924:68 (type:Indonesia, Sumatra, ZMHB). Uhmman 1929a:146 (key); Spaeth 1936a:279 (synonymy); Maulik 1938:50 (synonymy).

Plesispa sumatrana (Weise). Uhmman 1929:146.

Distribution: Australia (Queensland), Indonesia (Celebes, Java, Sumatra), Malaysia, New Britain, New Guinea, Philippines (Basilan, Luzon, Mindanao, Negros), Sri Lanka, Thailand.

Food plants: *Cocos nucifera* L. (Dammerman 1918); *Calamus* sp. (Araceae); *Areca cathecu* L., *Metroxylon sagu* Rorrboil, *Archontophoenix* sp., *Daemonorops* sp., *Korthalsia* sp. (Arecaceae), *Flagellaria indica* L. (Flagellariaceae) (Gressitt 1957b, 1960, 1963); *Nipa fruticans* Thunb., *Roystonea regia* H.B.K. (Lepesme 1947); *Arenga pinnata* (Wurmb) Merrill, *Cyrtostachys renda* Blume (Howard & Abad 2001) (Arecaceae).

***Plesispa saccharivora* Gressitt 1957b**

Plesispa saccharivora Gressitt 1957b:230 (type:New Guinea, Middle Fly River, BPBM). Gressitt 1960a:27 (immatures), 1963:621 (New Guinea species); Uhmman 1964a:445 (catalog); Cox 1996a:170 (pupa); Liang et al. 2002:19 (introduction); Santiago-Blay 2004:74 (host plants).

Distribution: New Guinea.

Food plant: *Saccharum officinarum* L. (Poaceae) (Gressitt 1963).

***Stephanispa* Gressitt 1960b**

Stephanispa Gressitt 1960b:111. Type species:*Stephanispa freycineticola* Gressitt 1960b, by original designation. Gressitt 1961:79 (biogeography); Uhmann 1964a:455 (catalog); Würmli 1975a:35 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:310 (host plants); Jolivet & Hawkeswood 1995:153 (host plants); Chaboo 2007:176 (noted); Jolivet & Verma 2009:218 (faunal list).

***Stephanispa cohici* Gressitt 1960b**

Stephanispa cohici Gressitt 1960b:115 (type:New Caledonia, Sarramea, BPBM). Uhmann 1964a:455 (catalog).

Distribution: New Caledonia.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960b).

***Stephanispa freycineticola* Gressitt 1960b**

Stephanispa freycineticola Gressitt 1960b:113 (type:New Caledonia, Col d'Amieu, BPBM). Uhmann 1964a:455 (catalog); Gaedike & Döbler 1971:373 (types); Maddison 1993:141 (host plant).

Distribution: New Caledonia.

Food plant: *Freycinetia* sp. (Arecaceae) (Gressitt 1960b); Pandanaceae (Maddison 1993).

***Teretrispa* Gressitt 1960b**

Teretrispa Gressitt 1960b:116. Type species:*Teretrispa gahniae* Gressitt 1960b, by original designation. Gressitt 1961:79 (biogeography); Uhmann 1964a:455 (catalog); Würmli 1975a:37 (genera); Seeno & Wilcox 1982:163 (catalog); Jolivet 1989b:310 (host plants); Jolivet & Hawkeswood 1995:153 (host plants); Jolivet & Verma 2009:218 (faunal list).

***Teretrispa gahniae* Gressitt 1960b**

Teretrispa gahniae Gressitt 1960b:117 (type:New Caledonia, Foret de Thy, BPBM). Uhmann 1964a:455 (catalog); Gaedike & Döbler 1971:374 (types).

Distribution: New Caledonia.

Food plants: *Gahnia* sp. nr. *vitiensis* Rendle, *Scleria* sp. (Cyperaceae) (Gressitt 1960b).

***Teretrispa orchidaceae* Gressitt 1960b**

Teretrispa orchidaceae Gressitt 1960b:120 (type:New Caledonia, Montagne des Sources). Uhmann 1964a:455 (catalog)

Distribution: New Caledonia.

Food plant: Wild orchid (Orchidaceae) (Gressitt 1960b).

***Torquispa* Uhmann 1954k**

Torquispa Uhmann 1954k:1. Type species: *Torquispa vittigera* Uhmann, by monotypy. Gressitt 1957b:265 (South Pacific species), 1960b:121 (New Caledonia species), 1961:79 (biogeography); Uhmann 1958e:199 (catalog), 1964a:445 (catalog); Würmli 1975a:37 (genera), 1976g:400 (noted); Seeno & Wilcox 1982:163 (catalog); Staines 1997b:419 (Uhmann species list); Jolivet & Verma 2009:218 (faunal list).

***Torquispa caledoniae* Uhmann 1954k**

Torquispa caledoniae Uhmann 1954k:6 (type:New Caledonia, Ouvrail, ISNB). Gressitt 1957b:265 (South Pacific species), 1960a:66 (New Guinea species), 1960b:121 (New Caledonia species); Uhmann 1958e:199 (catalog), 1964a:445 (catalog); Würmli 1976g:400 (noted); Staines 1997b:419 (Uhmann species list).

Distribution: New Caledonia.

Food plant: Unknown.

***Torquispa vittigera* Uhmann 1954k**

Torquispa vittigera Uhmann 1954k:2 (type:New Caledonia, Ouvrail, ISNB). Gressitt 1957b:265 (South Pacific species), 1960a:66 (New Guinea species), 1960b:121 (New Caledonia species); Uhmann 1958e:199 (catalog), 1964a:445 (catalog); Würmli 1976g:400 (noted); Staines 1997b:419 (Uhmann species list).

Distribution: New Caledonia.

Food plant: Unknown.

***Xiphispa* Chapuis 1878**

Xiphispa Chapuis 1878:cxlv. Type species: *Oxycephala coquereli* Fairmaire 1869, by monotypy. Donckier 1899:554 (catalog); Alluaud 1900:326 (faunal list); Gestro 1909b:226 (Madagascar species), 1909c:199 (noted), 1913:9 (catalog); Weise 1910d:500 (faunal list), 1911a:47 (catalog), 1911b:79 (description), 1913c:282 (nomenclatural note); Zacher 1913:103 (key); Spaeth 1936a:293 (key); Uhmann 1940g:121 (claws), 1952c:71 (noted), 1958e:192 (catalog); Lepesme 1947:549 (host plants); Descarpentries & Villiers 1959b:501 (types); Gressitt 1963b:7 (zoogeography); Würmli 1975a:27 (genera); Seeno & Wilcox 1982:162 (catalog); Jolivet 1989b:309 (host plants); Jolivet & Hawkeswood 1995:151 (host plants); Chaboo 2007:54 (noted).

***Xiphispa coquereli* (Fairmaire 1869)**

Oxycephala coquereli Fairmaire 1869:254 (type:Madagascar, MNHN?). Gemminger & Harold 1876:3604 (catalog).

Xiphispa coquereli (Fairmaire). Chapuis 1878:cxlvi (transfer); Donckier 1899:554 (catalog); Alluaud 1900:326 (faunal list); Gestro 1909b:227 (Madagascar species), 1909c:199

(noted), 1913:9 (catalog); Weise 1910d:500 (faunal list), 1911a:47 (catalog), 1911b:70 (catalog); Uhmman 1931i:844 (museum list), 1954k:1 (comparative note), 1958e:192 (catalog), 1964c:169 (faunal list); Spaeth 1936a:227 (noted).

Oxycephala coquereli multivittata Pic 1924b:100 (type:Madagascar, MNHN?).

Xiphispa coquereli multivittata (Pic). Pic 1925:61 (transfer); Uhmman 1958e:192 (catalog); Descarpentries & Villiers 1959b:501 (types).

Distribution: Madagascar.

Food plant: Unknown.